ANTIGRIP EXTRA STRENGTH- acetaminophen, chlorpheniramine maleate, phenylephrine hcl tablet, effervescent Pharmadel LLC

Antigrip Extra Strength Red Effervescent (V)

Drug Facts

Active ingredients & Purposes

Active ingredients (in each tablet)	Purposes	
Acetaminophen 325 mg	Pain reliever/ fever reducer	
Chlorpheniramine maleate 2 mg	Antihistamine	
Phenylephrine HCl 5 mg	Nasal decongestant	

Uses

For the temporary relief of symptoms due to the common cold/ flu:

- runny nose
- sneezing
- nasal congestion
- minor aches and pain
- headache
- and temporarily reduces fever

Warnings

Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 12 tablets in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash. If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, and is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask your doctor or pharmacist before taking this product

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- a breathing problem such as emphysema or chronic bronchitis
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- do not exceed the recommended dosage
- may cause drowsiness
- may cause excitability, especially in children
- avoid alcoholic beverages while taking this product
- use caution when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occurs
- pain or nasal congestion persists for more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

If pregnant or breastfeeding,

ask a health professional before use.

Keep out of reach of children.

In case of an accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

■ adults and children 12 years of age and older: take two (2) tablets fully

dissolved in a 4 oz glass of water every 4 hours. Do not exceed **12 tablets in 24 hours** or as directed by a doctor.

■ children under 12 years of age: do no use

Other information

- each tablet contains: potassium 10mg, sodium 246mg
- store below 77°F (25°C) and a dry place

Inactive ingredients

acesulfame potassium, anhydrous citric acid, FD&C red #40, polysorbate 80, povidone k-30, simethicone, sodium benzoate, sodium bicarbonate, strawberry flavor, sucralose, water.

Questions or comments?


+1-866-359-3478 (M-F) 9 AM to 5 PM EST or www.pharmadel.com

Dist. by:

Pharmadel LLC.

New Castle, DE 19720

Principle Display Panel





ANTIGRIP EXTRA STRENGTH

acetaminophen, chlorpheniramine maleate, phenylephrine hcl tablet, effervescent

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55758-500	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
CHLORPHENIRAMINE MALEATE (UNII: V1Q0090J9Z) (CHLORPHENIRAMINE - UNII: 3U6I01965U)	CHLORPHENIRAMINE MALEATE	2 mg	
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg	
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	325 mg	

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
WATER (UNII: 059QF0KO0R)	
ACESULFAME POTASSIUM (UNII: 230V73Q5G9)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POLYSORBATE 80 (UNII: 60ZP39ZG8H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
POVIDONE K30 (UNII: U725QWY32X)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	
DIMETHICONE (UNII: 92RU3N3Y1O)	

Product Characteristics			
Color	pink (LIGHT RED)	Score	no score
Shape	ROUND	Size	24mm
Flavor	STRAWBERRY	Imprint Code	V2
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55758-500- 72	36 in 1 CARTON	11/01/2024	
1		2 in 1 POUCH; Type 0: Not a Combination Product		



Labeler - Pharmadel LLC (030129680)

Revised: 10/2024 Pharmadel LLC