

**LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H
FPS 20 HYDRATING LIP BALM 72H SPF 20 NUDE UNIVERSEL- octinoxate, zinc
oxide stick**

**LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H
FPS 20 HYDRATING LIP BALM 72H SPF 20 CORAL UNIVERSEL- octinoxate, zinc
oxide stick**

**LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H
FPS 20 HYDRATING LIP BALM 72H SPF 20 BERRY UNIVERSEL- octinoxate, zinc
oxide stick**

**LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H
FPS 20 HYDRATING LIP BALM 72H SPF 20 ROSE UNIVERSEL- octinoxate, zinc
oxide stick**

BEL STAR S A

**LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H
FPS 20 HYDRATING LIP BALM 72H SPF 20**

Drug Facts

Active ingredients

Octinoxate 7.50%

Zinc Oxide 4.90%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer/Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**

Do not use

on damaged or broken skin.

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container ifrom excessive heat and direct sun.

Inactive Ingredients

Isononyl isononanoate, hydrogenated polycyclopentadiene, hydrogenated polyisobutene, polyethylene, glycerin, beeswax, butyrospermum parkii (shea) butter extract, isododecane, silica, polyglyceryl-3 diisostearate, simmondsia chinensis (jojoba) seed oil, octyldodecanol, dicaprylyl carbonate, butyrospermum parkii (shea) butter, diethylhexyl syringylidenemalonate, copernicia cerifera (carnauba) wax, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, disteardimonium hectorite, tocopheryl acetate, polymethylsilsesquioxane, menthyl lactate, hexyl laurate, irvingia gabonensis kernel butter, ethylhexyl palmitate, fragrance, glycine soja (soybean) seed extract, hdi/trimethylol hexyllactone crosspolymer, silica dimethyl silylate, butyrospermum parkii (shea) butter unsaponifiables, hydrogenated coco-glycerides, phenoxyethanol, sorbitol/sebacic acid copolymer behenate, argania spinosa kernel oil, sodium hyaluronate, caprylic/capric triglyceride, caprylyl glycol, sodium saccharin, triethoxycaprylylsilane, chlorphenesin, croton lechleri resin extract, luffa cylindrica seed oil, tocopherol, ascorbyl tetraisopalmitate, water, hydrolyzed soy protein, rice amino acids, proline, hydrolyzed adansonia digitata seed extract, terpineol, geraniol, vanillin, hexyl cinnamal, hydroxycitronellal, benzyl alcohol, pelargonium graveolens flower oil.

May contain: Red 40 lake, red 6 lake, iron oxides, titanium dioxide, isopropyl myristate, red 7 lake, isopropyl titanium triisostearate, stearylalkonium hectorite, polyhydroxystearic acid, propylene carbonate.

Product Packaging - Berry Universel

| | | |
|---|----------------|---|
| 72H: Hidratación / Hydration | | Uses ■ Helps prevent sunburn. |
| Drug Facts Active Ingredientes | Purpose | Warnings ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. |
| Octinoxate 7.50% Sunscreen Zinc Oxide 4.90% Sunscreen | | |
| Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. | | |
| Other information ■ Protect the product in this container from excessive heat and direct sun. | | |
| PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia. tone: BERRY UNIVERSEL | | |
| L'BEL SOLUTIONS PRO - HIALURON BALM BÁLSAMO LABIAL HIDRATANTE 72H FPS 20 HYDRATING LIP BALM 72H SPF 20 | | |
| | | Net Wt. 0.07 oz. 2 g |
| Inactive Ingredients: Isononyl isononanoate, hydrogenated polycyclopentadiene, hydrogenated polyisobutene, polyethylene, glycerin, beeswax, butyrospermum parkii (shea) butter extract, isododecane, silica, polyglyceryl-3 diisostearate, simmondsia chinensis (jojoba) seed oil, octyldecaneol, dicaprylyl carbonate, butyrospermum parkii (shea) butter, diethylhexyl syringlidene malonate, copernicia cerifera (carnauba) wax, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, disteardimonium hectorite, tocopheryl acetate, polymethylsilsesquioxane, menthyl lactate, hexyl laurate, irvingia gabonensis kernel butter, ethylhexyl palmitate, fragrance, glycine soja (soybean) seed extract, hdi/trimethylol hexyllactone crosspolymer, silica dimethyl silylate, butyrospermum parkii (shea) butter unsaponifiables, hydrogenated coco-glycerides, phenoxyethanol, sorbitol/sebacic acid copolymer behenate, argania spinosa kernel oil, sodium hyaluronate, caprylic/capric triglyceride, caprylyl glycol, sodium saccharin, triethoxycaprylylsilane, chlorphenesin, croton lechleri resin extract, luffa cylindrica seed oil, tocopherol, ascorbyl tetraisopalmitate, water, hydrolyzed soy protein, rice amino acids, proline, hydrolyzed adansonia digitata seed extract, terpineol, geraniol, vanillin, hexyl cinnamal, hydroxycitronellal, benzyl alcohol, pelargonium graveolens flower oil. May contain: Red 40 lake, red 6 lake, iron oxides, titanium dioxide, isopropyl myristate, red 7 lake, isopropyl titanium triisostearate, stearylaluminum hectorite, polyhydroxystearic acid, propylene carbonate. | | |

Product Packaging - Coral Universel

| | | |
|---|----------------|---|
| 72H: Hidratación / Hydration | | Uses ■ Helps prevent sunburn. |
| Drug Facts Active Ingredientes | Purpose | Warnings ■ Skin Cancer / Skin Aging Alert: Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ For external use only. ■ Do not use on damaged or broken skin. ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs. ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. |
| Octinoxate 7.50% Sunscreen Zinc Oxide 4.90% Sunscreen | | |
| Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor. | | |
| Other information ■ Protect the product in this container from excessive heat and direct sun. | | |
| PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia. tone: CORAL UNIVERSEL | | |
| L'BEL SOLUTIONS PRO - HIALURON BALM BÁLSAMO LABIAL HIDRATANTE 72H FPS 20 HYDRATING LIP BALM 72H SPF 20 | | |
| | | Net Wt. 0.07 oz. 2 g |
| Inactive Ingredients: Isononyl isononanoate, hydrogenated polycyclopentadiene, hydrogenated polyisobutene, polyethylene, glycerin, beeswax, butyrospermum parkii (shea) butter extract, isododecane, silica, polyglyceryl-3 diisostearate, simmondsia chinensis (jojoba) seed oil, octyldecaneol, dicaprylyl carbonate, butyrospermum parkii (shea) butter, diethylhexyl syringlidene malonate, copernicia cerifera (carnauba) wax, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, disteardimonium hectorite, tocopheryl acetate, polymethylsilsesquioxane, menthyl lactate, hexyl laurate, irvingia gabonensis kernel butter, ethylhexyl palmitate, fragrance, glycine soja (soybean) seed extract, hdi/trimethylol hexyllactone crosspolymer, silica dimethyl silylate, butyrospermum parkii (shea) butter unsaponifiables, hydrogenated coco-glycerides, phenoxyethanol, sorbitol/sebacic acid copolymer behenate, argania spinosa kernel oil, sodium hyaluronate, caprylic/capric triglyceride, caprylyl glycol, sodium saccharin, triethoxycaprylylsilane, chlorphenesin, croton lechleri resin extract, luffa cylindrica seed oil, tocopherol, ascorbyl tetraisopalmitate, water, hydrolyzed soy protein, rice amino acids, proline, hydrolyzed adansonia digitata seed extract, terpineol, geraniol, vanillin, hexyl cinnamal, hydroxycitronellal, benzyl alcohol, pelargonium graveolens flower oil. May contain: Red 40 lake, red 6 lake, iron oxides, titanium dioxide, isopropyl myristate, red 7 lake, isopropyl titanium triisostearate, stearylaluminum hectorite, polyhydroxystearic acid, propylene carbonate. | | |

Product Packaging - Nude Universel

72H: Hidratación / Hydration

Uses ■ Helps prevent sunburn.

Drug Facts

Active Ingredients

Purpose

Octinoxate 7.50% Sunscreen
Zinc Oxide 4.90% Sunscreen

Warnings ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

TO NE: NUDE UNIVERSEL

L'BEL

SOLUTIONS PRO - HIALURON BALM

BÁLSAMO LABIAL HIDRATANTE 72H FPS 20

HYDRATING LIP BALM 72H SPF 20

Net Wt. 0.07 oz. | 2 g

Inactive Ingredients: Isononyl isononanoate, hydrogenated polycyclopentadiene, hydrogenated polyisobutene, polyethylene, glycerin, beeswax, butyrospermum parkii (shea) butter extract, isododecane, silica, polyglyceryl-3 diisostearate, simmondsia chinensis (jojoba) seed oil, octyldodecanol, dicaprylyl carbonate, butyrospermum parkii (shea) butter, diethylhexyl syringlidene malonate, copernicia cerifera (carnauba) wax, cetyl ppg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, disteardimonium hectorite, tocopheryl acetate, polymethylsilsesquioxane, menthyl lactate, hexyl laurate, Irvingia gabonensis kernel butter, ethylhexyl palmitate, fragrance, glycine soja (soybean) seed extract, hdI/trimethylol hexyllactone crosspolymer, silica dimethyl silylate, butyrospermum parkii (shea) butter unsaponifiables, hydrogenated coco-glycerides, phenoxethanol, sorbitol/sebacic acid copolymer behenate, argania spinosa kernel oil, sodium hyaluronate, caprylic/capric triglyceride, caprylyl glycol, sodium saccharin, triethoxycaprylylsilane, chlorphenesin, croton lechleri resin extract, luffa cylindrica seed oil, tocopherol, ascorbyl tetraisopalmitate, water, hydrolyzed soy protein, rice amino acids, proline, hydrolyzed adansonia digitata seed extract, terpineol, geraniol, vanillin, hexyl cinnamal, hydroxycitronellal, benzyl alcohol, pelargonium graveolens flower oil. **May contain:** Red 40 lake, red 6 lake, iron oxides, titanium dioxide, isopropyl myristate, red 7 lake, isopropyl titanium trisostearate, stearylaluminum hectorite, polyhydroxystearic acid, propylene carbonate.

Product Packaging - Rose Universel

72H: Hidratación / Hydration

Uses ■ Helps prevent sunburn.

Drug Facts

Active Ingredients

Purpose

Octinoxate 7.50% Sunscreen
Zinc Oxide 4.90% Sunscreen

Warnings ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information ■ Protect the product in this container from excessive heat and direct sun.

PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int Ltd. DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

TO NE: ROSÉ UNIVERSEL

L'BEL

SOLUTIONS PRO - HIALURON BALM

BÁLSAMO LABIAL HIDRATANTE 72H FPS 20

HYDRATING LIP BALM 72H SPF 20

Net Wt. 0.07 oz. | 2 g

Inactive Ingredients: Isononyl isononanoate, hydrogenated polycyclopentadiene, hydrogenated polyisobutene, polyethylene, glycerin, beeswax, butyrospermum parkii (shea) butter extract, isododecane, silica, polyglyceryl-3 diisostearate, simmondsia chinensis (jojoba) seed oil, octyldodecanol, dicaprylyl carbonate, butyrospermum parkii (shea) butter, diethylhexyl syringlidene malonate, copernicia cerifera (carnauba) wax, cetyl ppg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, disteardimonium hectorite, tocopheryl acetate, polymethylsilsesquioxane, menthyl lactate, hexyl laurate, Irvingia gabonensis kernel butter, ethylhexyl palmitate, fragrance, glycine soja (soybean) seed extract, hdI/trimethylol hexyllactone crosspolymer, silica dimethyl silylate, butyrospermum parkii (shea) butter unsaponifiables, hydrogenated coco-glycerides, phenoxethanol, sorbitol/sebacic acid copolymer behenate, argania spinosa kernel oil, sodium hyaluronate, caprylic/capric triglyceride, caprylyl glycol, sodium saccharin, triethoxycaprylylsilane, chlorphenesin, croton lechleri resin extract, luffa cylindrica seed oil, tocopherol, ascorbyl tetraisopalmitate, water, hydrolyzed soy protein, rice amino acids, proline, hydrolyzed adansonia digitata seed extract, terpineol, geraniol, vanillin, hexyl cinnamal, hydroxycitronellal, benzyl alcohol, pelargonium graveolens flower oil. **May contain:** Red 40 lake, red 6 lake, iron oxides, titanium dioxide, isopropyl myristate, red 7 lake, isopropyl titanium trisostearate, stearylaluminum hectorite, polyhydroxystearic acid, propylene carbonate.

LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H FPS 20 HYDRATING LIP BALM 72H SPF 20 NUDE UNIVERSEL

octinoxate, zinc oxide stick

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:14141-352

Route of Administration TOPICAL

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|--------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 49 mg in 1 g |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 75 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| MENTHYL LACTATE (UNII: 2BF9E65L7I) | |
| PROLINE (UNII: 9DLQ4CIU6V) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| ISONONYL ISONONANOATE (UNII: S4V5BS6GCX) | |
| LUFFA CYLINDRICA SEED OIL (UNII: 1A281RJ859) | |
| RICE AMINO ACIDS (UNII: 5ET1T25H82) | |
| RED 40 LAKE (UNII: 6T47AS764T) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| HYDROGENATED POLYCYCLOPENTADIENE (580 WAMW) (UNII: N6Z62H4CC9) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SODIUM HYALURONATE (UNII: YSE9PPT4TH) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| STEARALKONIUM HECTORITE (UNII: OLX698AH5P) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| CI 77491 (UNII: 1K09F3G675) | |
| POLYETHYLENE (UNII: UG00KM4WR7) | |
| SHEA BUTTER (UNII: K49155WL9Y) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| GLYCINE SOJA (SOYBEAN) SEED EXTRACT (UNII: L7HT8F1ZOD) | |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) | |
| IRVINGIA GABONENSIS KERNEL BUTTER (UNII: 8Y12O726LX) | |
| WATER (UNII: 059QF0KO0R) | |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| POLYMETHYLSILSESQUIOXANE (UNII: 59Z907ZB69) | |
| TERPINEOL (UNII: R53Q4ZWC99) | |
| VANILLIN (UNII: CHI530446X) | |
| PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC) | |
| D&C RED NO. 6 (UNII: 481744AI4O) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| GERANIOL (UNII: L837108USY) | |

| |
|--|
| HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR) |
| BEESWAX (UNII: 2ZA36H0S2V) |
| HEXYL CINNAMAL (UNII: 7X6O37OK2I) |
| CI 77492 (UNII: EX438O2MRT) |
| CI 77499 (UNII: XM0M87F357) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| BUTYROSPERMUM PARKII (SHEA) BUTTER UNSAPONIFIABLES (UNII: 0C9AC7D6XU) |
| CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| ISODODECANE (UNII: A8289P68Y2) |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |
| JOJOBA OIL (UNII: 724GKU717M) |
| OCTYLDODECANOL (UNII: 461N1O614Y) |
| SODIUM SACCHARIN (UNII: SB8ZUX40TY) |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| ARGAN OIL (UNII: 4V59G5UW9X) |
| CROTON LECHLERI RESIN EXTRACT (UNII: GGG6W25C63) |
| ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A) |
| HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6) |
| D&C RED NO. 7 (UNII: ECW0LZ41X8) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS) |
| HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ) |
| DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:14141-352-01 | 1 in 1 BOX | 10/30/2024 | |
| 1 | | 2 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 10/30/2024 | |

LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H FPS 20 HYDRATING LIP BALM 72H SPF 20 CORAL UNIVERSEL

octinoxate, zinc oxide stick

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14141-351 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|--------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 49 mg in 1 g |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 75 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| MENTHYL LACTATE (UNII: 2BF9E65L7I) | |
| PROLINE (UNII: 9DLQ4CIU6V) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| ISONONYL ISONONANOATE (UNII: S4V5BS6GCX) | |
| LUFFA CYLINDRICA SEED OIL (UNII: 1A281RJ859) | |
| RICE AMINO ACIDS (UNII: 5ET1T25H82) | |
| RED 40 LAKE (UNII: 6T47AS764T) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| HYDROGENATED POLYCYCLOPENTADIENE (580 WAMW) (UNII: N6Z62H4CC9) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SODIUM HYALURONATE (UNII: YSE9PPT4TH) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| STEARALKONIUM HECTORITE (UNII: O LX698AH5P) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| CI 77491 (UNII: 1K09F3G675) | |
| POLYETHYLENE (UNII: UG00KM4WR7) | |
| SHEA BUTTER (UNII: K49155WL9Y) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| GLYCINE SOJA (SOYBEAN) SEED EXTRACT (UNII: L7HT8F1ZOD) | |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) | |
| IRVINGIA GABONENSIS KERNEL BUTTER (UNII: 8Y12O726LX) | |
| WATER (UNII: 059QF0KO0R) | |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| POLYMETHYLSILSESQUIOXANE (UNII: 59Z907ZB69) | |
| TERPINEOL (UNII: R53Q4ZWC99) | |
| VANILLIN (UNII: CHI530446X) | |
| PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC) | |
| D&C RED NO. 6 (UNII: 481744AI4O) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |

| |
|--|
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| GERANIOL (UNII: L837108USY) |
| HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR) |
| BEESWAX (UNII: 2ZA36H0S2V) |
| HEXYL CINNAMAL (UNII: 7X6O37OK2I) |
| CI 77492 (UNII: EX438O2MRT) |
| CI 77499 (UNII: XM0M87F357) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| BUTYROSPERMUM PARKII (SHEA) BUTTER UNSAPONIFIABLES (UNII: 0C9AC7D6XU) |
| CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| ISODODECANE (UNII: A8289P68Y2) |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |
| JOJOBA OIL (UNII: 724GKU717M) |
| OCTYLDODECANOL (UNII: 461N1O614Y) |
| SODIUM SACCHARIN (UNII: SB8ZUX40TY) |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| ARGAN OIL (UNII: 4V59G5UW9X) |
| CROTON LECHLERI RESIN EXTRACT (UNII: GGG6W25C63) |
| ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A) |
| HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6) |
| D&C RED NO. 7 (UNII: ECW0LZ41X8) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| ISOPROPYL MYRISTATE (UNII: ORE8K4LNJS) |
| HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ) |
| DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:14141-351-01 | 1 in 1 BOX | 10/30/2024 | |
| 1 | | 2 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 10/30/2024 | |

LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H FPS 20 HYDRATING LIP BALM 72H SPF 20 BERRY UNIVERSEL

octinoxate, zinc oxide stick

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14141-350 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 75 mg in 1 g |
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 49 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) | |
| JOJOBA OIL (UNII: 724GKU717M) | |
| OCTYLDODECANOL (UNII: 461N1O614Y) | |
| SODIUM SACCHARIN (UNII: SB8ZUX40TY) | |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA) | |
| SHEA BUTTER (UNII: K49155WL9Y) | |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) | |
| ARGAN OIL (UNII: 4V59G5UW9X) | |
| CROTON LECHLERI RESIN EXTRACT (UNII: GGG6W25C63) | |
| ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A) | |
| HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6) | |
| D&C RED NO. 7 (UNII: ECW0LZ41X8) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) | |
| HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ) | |
| DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248) | |
| MENTHYL LACTATE (UNII: 2BF9E65L7I) | |
| PROLINE (UNII: 9DLQ4CIU6V) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| ISONONYL ISONONANOATE (UNII: S4V5BS6GCX) | |
| LUFFA CYLINDRICA SEED OIL (UNII: 1A281RJ859) | |
| RICE AMINO ACIDS (UNII: 5ET1T25H82) | |
| RED 40 LAKE (UNII: 6T47AS764T) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| HYDROGENATED POLYCYCLOPENTADIENE (580 WAMW) (UNII: N6Z62H4CC9) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SODIUM HYALURONATE (UNII: YSE9PPT4TH) | |
| TOCOPHEROL (UNII: ROZB2556P8) | |
| STEARALKONIUM HECTORITE (UNII: O LX698AH5P) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| CI 77491 (UNII: 1K09F3G675) | |

| |
|--|
| POLYETHYLENE (UNII: UG00KM4WR7) |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) |
| GLYCINE SOJA (SOYBEAN) SEED EXTRACT (UNII: L7HT8F1ZOD) |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) |
| IRVINGIA GABONENSIS KERNEL BUTTER (UNII: 8Y12O726LX) |
| WATER (UNII: 059QF0KO0R) |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) |
| CARNAUBA WAX (UNII: R12CBM0EIZ) |
| POLYMETHYLSILSESQUIOXANE (UNII: 59Z907ZB69) |
| TERPINEOL (UNII: R53Q4ZWC99) |
| VANILLIN (UNII: CH1530446X) |
| PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC) |
| D&C RED NO. 6 (UNII: 481744AI4O) |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) |
| ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KBJ1I) |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) |
| GERANIOL (UNII: L837108USY) |
| HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR) |
| BEESWAX (UNII: 2ZA36H0S2V) |
| HEXYL CINNAMAL (UNII: 7X6O37OK2I) |
| CI 77492 (UNII: EX438O2MRT) |
| CI 77499 (UNII: XM0M87F357) |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| BUTYROSPERMUM PARKII (SHEA) BUTTER UNSAPONIFIABLES (UNII: 0C9AC7D6XU) |
| CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| ISODODECANE (UNII: A8289P68Y2) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:14141-350-01 | 1 in 1 BOX | 10/30/2024 | |
| 1 | | 2 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 10/30/2024 | |

LBEL SOLUTIONS PRO HIALURON BALM BALSAMO LABIAL HIDRATANTE 72H FPS 20 HYDRATING LIP BALM 72H SPF 20 ROSE UNIVERSEL

octinoxate, zinc oxide stick

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:14141-353 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE | 49 mg in 1 g |
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 75 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| HYDROGENATED POLYCYCLOPENTADIENE (580 WAMW) (UNII: N6Z62H4CC9) | |
| CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| SODIUM HYALURONATE (UNII: YSE9PPT4TH) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| STEARALKONIUM HECTORITE (UNII: O LX698AH5P) | |
| POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F) | |
| HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR) | |
| CHLORPHENESIN (UNII: I670DAL4SZ) | |
| CI 77491 (UNII: 1K09F3G675) | |
| POLYETHYLENE (UNII: UG00KM4WR7) | |
| HEXYL LAURATE (UNII: 4CG9F9W01Q) | |
| GLYCINE SOJA (SOYBEAN) SEED EXTRACT (UNII: L7HT8F1ZOD) | |
| SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W) | |
| IRVINGIA GABONENSIS KERNEL BUTTER (UNII: 8Y12O726LX) | |
| WATER (UNII: 059QF0KO0R) | |
| ETHYLHEXYL PALMITATE (UNII: 2865993309) | |
| CARNAUBA WAX (UNII: R12CBM0EIZ) | |
| POLYMETHYLSILSESQUIOXANE (UNII: 59Z907ZB69) | |
| TERPINEOL (UNII: R53Q4ZWC99) | |
| VANILLIN (UNII: CHI530446X) | |
| PELARGONIUM GRAVEOLENS FLOWER OIL (UNII: 3K0J1S7QGC) | |
| D&C RED NO. 6 (UNII: 481744AI4O) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| ISOPROPYL TITANIUM TRIISOSTEARATE (UNII: 949E3KB1I) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| GERANIOL (UNII: L837108USY) | |
| HYDROXYCITRONELLAL (UNII: 8SQ0VA4YUR) | |
| BEESWAX (UNII: 2ZA36H0S2V) | |
| HEXYL CINNAMAL (UNII: 7X6O37OK2I) | |
| CI 77492 (UNII: EX438O2MRT) | |
| CI 77499 (UNII: XM0M87F357) | |

| |
|--|
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) |
| BUTYROSPERMUM PARKII (SHEA) BUTTER UNSAPONIFIABLES (UNII: 0C9AC7D6XU) |
| CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U) |
| CAPRYLYL GLYCOL (UNII: 00YIU5438U) |
| ISODODECANE (UNII: A8289P68Y2) |
| POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8) |
| JOJOBA OIL (UNII: 724GKU717M) |
| OCTYLDODECANOL (UNII: 461N1O614Y) |
| SODIUM SACCHARIN (UNII: SB8ZUX40TY) |
| DICAPRYLYL CARBONATE (UNII: 609A3V1SUA) |
| SHEA BUTTER (UNII: K49155WL9Y) |
| POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7) |
| ARGAN OIL (UNII: 4V59G5UW9X) |
| CROTON LECHLERI RESIN EXTRACT (UNII: GGG6W25C63) |
| ASCORBYL TETRAISOPALMITATE (UNII: 47143LT58A) |
| HYDROLYZED SOY PROTEIN (ENZYMATIC; 2000 MW) (UNII: 1394NXB9L6) |
| D&C RED NO. 7 (UNII: ECW0LZ41X8) |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) |
| ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS) |
| HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ) |
| DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248) |
| MENTHYL LACTATE (UNII: 2BF9E65L7I) |
| PROLINE (UNII: 9DLQ4CIU6V) |
| GLYCERIN (UNII: PDC6A3C0OX) |
| ISONONYL ISONONANOATE (UNII: S4V5BS6GCX) |
| LUFFA CYLINDRICA SEED OIL (UNII: 1A281RJ859) |
| RICE AMINO ACIDS (UNII: 5ET1T25H82) |
| RED 40 LAKE (UNII: 6T47AS764T) |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:14141-353-01 | 1 in 1 BOX | 10/30/2024 | |
| 1 | | 2 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 10/30/2024 | |

Labeler - BEL STAR S A (880160197)