XENCARE INFLAMAX NATURAL TOPICAL PAIN- menthol, capsaicin cream Xenex Laboratories Inc.

Active Ingredients	Purpose
Menthol 4%	Topical Analgesic
Capsaicin 0.025%	Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- Arthritis
- · Simple backache
- Sprains
- Bruises
- Strains

Directions

- Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.
- Children under 2 years of age: Do not use, consult a physician.

Other Information

Store at room temperature.

Inactive Ingredients

Aloe Vera Extract, Capsaicin, Caprylic/Capric
Triglycerides, Ceteareth-20, Cetearyl Alcohol, Cetyl
Alcohol, Dimethicone (Polydimethylsiloxane), Disodium
EDTA, Germall Plus Powder, Glycerine, Glyceryl
Stearate, Helianthus Annuus (Sunflower) Seed Wax,
Isopropyl Myristate, Jojoba Esters, Kava-kawa Extract,
Magnesium Aluminum Silicate, Menthol Crystals USP,
Phosal 75 SA, Polyglycerin-3, Sodium Stearoyl
Glutamate, Stearyl Alcohol, Turmeric Oil, Water,
Xanthan Gum.

Warnings

- · For external use only.
- Avoid contact with eyes.
- If symptoms persist for more than 7 days, stop use and consult a physician.
- · Keep out of reach of children.
- If swallowed, get medical help immediately.
- Do not apply to open wounds or damaged skin.
- Avoid using under tight bandages.
- Ask a physician before use if pregnant or breastfeeding.

Warnings

- · For external use only.
- Avoid contact with eyes.
- If symptoms persist for more than 7 days, stop use and consult a physician.
- · Keep out of reach of children.
- If swallowed, get medical help immediately.
- Do not apply to open wounds or damaged skin.
- Avoid using under tight bandages.
- Ask a physician before use if pregnant or breastfeeding.

Warnings

- For external use only.
- Avoid contact with eyes.
- If symptoms persist for more than 7 days, stop use and consult a physician.
- Keep out of reach of children.
- If swallowed, get medical help immediately.
- Do not apply to open wounds or damaged skin.
- Avoid using under tight bandages.
- Ask a physician before use if pregnant or breastfeeding.

Warnings

- For external use only.
- · Avoid contact with eyes.
- If symptoms persist for more than 7 days, stop use and consult a physician.
- · Keep out of reach of children.
- · If swallowed, get medical help immediately.
- Do not apply to open wounds or damaged skin.
- Avoid using under tight bandages.
- Ask a physician before use if pregnant or breastfeeding.

Warnings

- · For external use only.
- · Avoid contact with eyes.
- If symptoms persist for more than 7 days, stop use and consult a physician.
- · Keep out of reach of children.
- · If swallowed, get medical help immediately.
- Do not apply to open wounds or damaged skin.
- Avoid using under tight bandages.
- Ask a physician before use if pregnant or breastfeeding.

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- Arthritis
- · Simple backache
- Sprains
- Bruises
- Strains

Warnings

- For external use only.
- Avoid contact with eyes.
- If symptoms persist for more than 7 days, stop use and consult a physician.
- Keep out of reach of children.
- If swallowed, get medical help immediately.
- Do not apply to open wounds or damaged skin.
- Avoid using under tight bandages.
- · Ask a physician before use if pregnant or breastfeeding.

xencare



NATURAL PAIN RELIEF **CREAM**

TOPICAL ANALGESIC Formulated with Turmeric and Kawakawa

XenCare by Xenex Laboratories Inc 102-2440 Canoe Avenue Coquitlam, BC Canada V3K 6C2

For more information.

Phone: +1 604-552-3031 Toll Free: 1-800-663-1002 Email: hello@xen.care

Xenex Laboratories Inc is an FDA and Health Canada inspected facility





DRUG FACTS

Active Ingredients Menthol 4% Capsaicin 0.025% ...

Purpose Topical Analgesic Topical Analgesic

For the temporary relief of minor aches and pains of muscles and joints associated with Arthritis

- Arthritis
 Simple backache
 Sprains
 Bruises
 Strains

- Warnings
 For external use only.
 Avoid contact with eyes.
 If symptoms persist for more than 7 days, stop use and consult a physician.
 Keep out of reach of children.
 If swallowed, get medical help immediately.
 Do not apply to open wounds or damaged skin.
 Avoid using under tight bandages.
 Ask a physician before use if pregnant or breastfeeding.

Directions

• Adults and children 2 years of age and older: Apply to affected area not more than 3 to 4 times daily.

• Children under 2 years of age: Do not use, consult a physician.

Other Information

Inactive Ingredients
Aloe Vera Extract, Capsaicin, Caprylic/Capric
Inglycendes, Ceteareth-20, Cetearyl Alcohol, Cetyl
Alcohol, Diemkincone (Polydimethyslioxane), Disodium
EDTA, Germall Plus Powder, Gilycerine, Gilycerin,
Stearate, Heilantibus Annus (Sunflower) Seed Wax,
Isopropyl Myristate, Jojoba Esters, Kava-kawa Extract,
Magnesium Aluminum Silicate, Menthol Crystalis USP,
Phosal 75 SA, Polyglycerin-3, Sodium Stearoyl
Gilutamate, Stearyl Alcohol, Turmeric Oil, Water,
Xanthan Gum.

BACK · MUSCLE · ARTHRITIS NECK HAND & FOOT

NET WT. 3.5 Oz (100 G)

NDC NUMBER

XENCARE INFLAMAX NATURAL TOPICAL PAIN

menthol, capsaicin cream

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68981-900
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
CAPSAICIN (UNII: S07044R1ZM) (CAPSAICIN - UNII:S07044R1ZM)	CAPSAICIN	0.025 g in 100 g
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	4 g in 100 g

Inactive Ingredients		
Ingredient Name	Strength	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	1 g in 100 g	
EDETATE DISODIUM (UNII: 7FLD91C86K)	0.02 g in 100 g	
KAWAKAWA (UNII: 106S546A3R)	10 g in 100 g	
JOJOBA OIL (UNII: 724GKU717M)	1 g in 100 g	
GLYCERYL STEARATE (UNII: 2300U9XXE4)	1.18 g in 100 g	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	0.4 g in 100 g	
CETEARETH-20 (UNII: YRC528SWUY)	1.25 g in 100 g	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	2.25 g in 100 g	
COCONUT OIL (UNII: Q9L0O73W7L)	0.13 g in 100 g	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	4.75 g in 100 g	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	0.025 g in 100 g	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	0.4 g in 100 g	
XANTHAN GUM (UNII: TTV12P4NEE)	0.6 g in 100 g	
DIMETHICONE (UNII: 92RU3N3Y1O)	1 g in 100 g	
GLYCERIN (UNII: PDC6A3C0OX)	2 g in 100 g	
CETYL ALCOHOL (UNII: 936JST6JCN)	1.5 g in 100 g	
WATER (UNII: 059QF0KO0R)	57.95 g in 100 g	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	2.5 g in 100 g	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	2 g in 100 g	
TURMERIC OIL (UNII: 6KGS8SP16U)	5 g in 100 g	
ALOE VERA LEAF EXTRACT (UNII: ZY81Z83H0X)	0.025 g in 100 g	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	0.04 g in 100 g	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	0.04 g in 100 g	
ALCOHOL (UNII: 3K9958V90M)	0.25 g in 100 g	
SAFFLOWER OIL (UNII: 65UEH262IS)	0.18 g in 100 g	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	0.01 g in 100 g	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	0.475 g in 100 g	

Product Characteristics			
Color	white (White to yellowish white color)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68981- 900-01	100 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/30/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/30/2024	

Labeler - Xenex Laboratories Inc. (209581065)

Revised: 10/2024 Xenex Laboratories Inc.