

XENCARE INFLAMAX NATURAL TOPICAL PAIN- menthol, capsaicin cream
Xenex Laboratories Inc.



<i>Active Ingredients</i>	<i>Purpose</i>
Menthol 4%	Topical Analgesic
Capsaicin 0.025%	Topical Analgesic

Active Ingredients	Purpose
Menthol 4%	Topical Analgesic
Capsaicin 0.025%	Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- Arthritis • Simple backache • Sprains
- Bruises • Strains

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- Arthritis • Simple backache • Sprains
- Bruises • Strains

Directions

Adults and children 2 years of age and older • Apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age • Do not use, consult a physician.

Directions

Adults and children 2 years of age and older • Apply to affected area not more than 3 to 4 times daily.

Children under 2 years of age • Do not use, consult a physician.

Other Information

Store at room temperature.

Other Information

Store at room temperature.

Inactive Ingredients

Alcohol, Aloe Vera Leaf Extract, Ascorbyl Palmitate, Caprylic/Capric Triglyceride, Cetareth-20, Cetearyl Alcohol, Cetyl Alcohol, Coconut Oil, Diazolidinyl Urea, Dimethicone, Edetate Disodium, Glycerin, Glyceryl Stearate, Helianthus Annuus Seed Wax, Iodopropynyl Butylcarbamate, Isopropyl Myristate, Jojoba Esters, Kawakawa Extract, Lecithin, Magnesium Aluminum Silicate, Polyglycerin-3, Safflower Oil, Sodium Stearoyl Glutamate, Stearyl Alcohol, Turmeric Oil, Water, Xanthan Gum.

Inactive Ingredients

Alcohol, Aloe Vera Leaf Extract, Ascorbyl Palmitate, Caprylic/Capric Triglyceride, Cetareth-20, Cetearyl Alcohol, Cetyl Alcohol, Coconut Oil, Diazolidinyl Urea, Dimethicone, Edetate Disodium, Glycerin, Glyceryl Stearate, Helianthus Annuus Seed Wax, Iodopropynyl Butylcarbamate, Isopropyl Myristate, Jojoba Esters, Kawakawa Extract, Lecithin, Magnesium Aluminum Silicate, Polyglycerin-3, Safflower Oil, Sodium Stearoyl Glutamate, Stearyl Alcohol, Turmeric Oil, Water, Xanthan Gum.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
 - Do not apply to open wounds or damaged skin
 - Avoid using under tight bandages.
-

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
- Do not apply to open wounds or damaged skin
- Avoid using under tight bandages.

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
 - Do not apply to open wounds or damaged skin
 - Avoid using under tight bandages.
-

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
- Do not apply to open wounds or damaged skin
- Avoid using under tight bandages.

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
 - Do not apply to open wounds or damaged skin
 - Avoid using under tight bandages.
-

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
- Do not apply to open wounds or damaged skin
- Avoid using under tight bandages.

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
 - Do not apply to open wounds or damaged skin
 - Avoid using under tight bandages.
-

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
- Do not apply to open wounds or damaged skin
- Avoid using under tight bandages.

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
 - Do not apply to open wounds or damaged skin
 - Avoid using under tight bandages.
-

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
- Do not apply to open wounds or damaged skin
- Avoid using under tight bandages.

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- Arthritis
- Simple backache
- Sprains
- Bruises
- Strains

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- Arthritis
- Simple backache
- Sprains
- Bruises
- Strains

Warnings

For external use only.

When using this product

- Avoid contact with eyes
 - Do not apply to open wounds or damaged skin
 - Avoid using under tight bandages.
-

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.

Keep out of reach of children.

If swallowed, get medical help immediately.

Warnings

For external use only.

When using this product

- Avoid contact with eyes
- Do not apply to

open wounds or damaged skin
 • Avoid using under tight bandages.

Stop use and consult a physician if symptoms persist for more than 7 days.

If pregnant or breast-feeding, ask a healthcare professional before use.
 Keep out of reach of children.

If swallowed, get medical help immediately.

<p>NDC 68981-900-01</p> <p>xencare</p> <p>InflaMax</p> <p>NATURAL PAIN RELIEF CREAM</p> <p>TOPICAL ANALGESIC <i>Formulated with Turmeric and Kawakawa</i></p> <p>BACK MUSCLE ARTHRITIS NECK HAND & FOOT</p> <p>NET WT. 3.5 OZ (100 G)</p>	<p>Product Name: Xencare InflaMax Natural Pain Relief Cream</p> <p>Xencare by Xenex Laboratories Inc. 102-2440 Canoe Avenue Coquitlam, BC Canada V3K 6C2</p> <p>For more information Visit www.xen.care Call 1-800-663-1002</p> <p>Xenex Laboratories Inc. operates in compliance with FDA and Health Canada regulations.</p> <p>Made in Canada</p> 	<p>NDC 68981-900-01</p> <p>xencare</p> <p>InflaMax</p> <p>NATURAL PAIN RELIEF CREAM</p> <p>TOPICAL ANALGESIC <i>Formulated with Turmeric and Kawakawa</i></p> <p>BACK MUSCLE ARTHRITIS NECK HAND & FOOT</p> <p>NET WT. 3.5 OZ (100 G)</p>	<p>DRUG FACTS</p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Menthol 4%.....</td> <td>Topical Analgesic</td> </tr> <tr> <td>Capsaicin 0.025%.....</td> <td>Topical Analgesic</td> </tr> </tbody> </table> <p>Uses For the temporary relief of minor aches and pains of muscles and joints associated with: • Arthritis • Simple backache • Sprains • Bruises • Strains</p> <p>Warnings For external use only.</p> <p>When using this product • Avoid contact with eyes • Do not apply to open wounds or damaged skin • Avoid using under tight bandages.</p> <p>Stop use and consult a physician if symptoms persist for more than 7 days.</p> <p>If pregnant or breast-feeding, ask a healthcare professional before use. Keep out of reach of children. If swallowed, get medical help immediately.</p> <p>Directions Adults and children 2 years of age and older • Apply to affected area not more than 3 to 4 times daily. Children under 2 years of age • Do not use, consult a physician.</p> <p>Other Information Store at room temperature.</p> <p>Inactive Ingredients Alcohol, Aloe Vera Leaf Extract, Ascorbyl Palmitate, Caprylic/Capric Triglyceride, Cetareth-20, Cetearyl Alcohol, Cetyl Alcohol, Coconut Oil, Diazolidinyl Urea, Dimethicone, Edetate Disodium, Glycerin, Glyceryl Stearate, Helianthus Annuus Seed Wax, Iodopropynyl Butylcarbamate, Isopropyl Myristate, Jojoba Esters, Kawakawa Extract, Lecithin, Magnesium Aluminum Silicate, Polyglycerin-3, Safflower Oil, Sodium Stearoyl Glutamate, Stearyl Alcohol, Turmeric Oil, Water, Xanthan Gum.</p>	Active Ingredients	Purpose	Menthol 4%.....	Topical Analgesic	Capsaicin 0.025%.....	Topical Analgesic
Active Ingredients	Purpose								
Menthol 4%.....	Topical Analgesic								
Capsaicin 0.025%.....	Topical Analgesic								

XENCARE INFLAMAX NATURAL TOPICAL PAIN			
menthol, capsaicin cream			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68981-900
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.025 g in 100 g
LEVOMENTHOL (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
KAWAKAWA (UNII: 106S546A3R)	
JOJOBA OIL (UNII: 724GKU717M)	
GLYCERYL STEARATE (UNII: 230OU9XXE4)	
HELIANTHUS ANNUUS SEED WAX (UNII: 42DG15CHXV)	
CETEARETH-20 (UNII: YRC528SWJY)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
COCONUT OIL (UNII: Q9L0O73W7L)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB)	
SODIUM STEAROYL GLUTAMATE (UNII: 65A9F4P024)	
XANTHAN GUM (UNII: TTV12P4NEE)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
WATER (UNII: 059QF0KO0R)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
TURMERIC OIL (UNII: 6KGS8SP16U)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
POLYGLYCERIN-3 (UNII: 4A0NCJ6RD6)	
ALCOHOL (UNII: 3K9958V90M)	
SAFFLOWER OIL (UNII: 65UEH262IS)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
DIAZOLIDINYL UREA (UNII: H5RIZ3MPW4)	

Product Characteristics

Color	white (White to yellowish white color)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68981-900-01	100 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	10/30/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/30/2024	

Labeler - Xenex Laboratories Inc. (209581065)

Revised: 3/2025

Xenex Laboratories Inc.