

GERI-KOT- sennosides tablet
Geri-Care Pharmaceutical Corp

GC 451AL 434

Active ingredient (in each tablet)

Sennosides 8.6 mg

Purpose

Laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use for more than one week unless directed by a doctor.

Ask a doctor before use if you have

- stomach pain, nausea or vomiting
- noticed a change in bowel habits that lasts over two weeks

Stop use and ask a doctor if you have rectal bleeding

or fail to have a bowel movement after use of a laxative.

These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 8 tablets in 24 hours

| Age | Starting Dose | Maximum Dose |
|---|--|---|
| adults and children 12 years of age and older | 2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor | 4 tablets in the morning and 4 tablets at bedtime |
| children under 12 years | ask a doctor | |

Other information

- **each tablet contains:** calcium 40 mg
- **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken
- store at 20°C-25°C (68°F-77°F)

Inactive ingredients

croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silica

Package Label

NDC 57896-434-01
GERI CARE®

GERI-KOT
STANDARDIZED SENNA CONCENTRATE
NATURAL VEGETABLE LAXATIVE

Compare to active ingredient in **SENOKOT**®†

100 Tablets 8.6 mg each

Drug Facts
Active ingredient (in each tablet)
Sennosides 8.6 mg.....Laxative

Purpose
Laxative

Uses • relieves occasional constipation (irregularity)
• generally produces a bowel movement in 6 to 12 hours

Warnings
Do not use for more than one week unless directed by a doctor.
Ask a doctor before use if you have
• stomach pain, nausea or vomiting
• noticed a change in bowel habits that lasts over two weeks
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative. These may indicate a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • do not exceed 8 tablets in 24 hours

| Age | Starting Dose | Maximum Dose |
|---|--|---|
| Adults and children 12 years of age and older | 2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor | 4 tablets in the morning and 4 tablets at bedtime |
| Children under 12 years | Ask a doctor | |

Other information • each tablet contains: calcium 40 mg • **Tamper Evident:** Do not use if imprinted seal under cap is missing or broken
• store at 20°C-25°C (68°F-77°F)

Inactive ingredients: croscarmellose sodium, dicalcium phosphate, magnesium stearate, microcrystalline cellulose, silica

Questions or comments? Call 1-800-540-3766

†This product is not manufactured or distributed by the owner of the registered trademark SENOKOT®
Dist. by: Geri-Care Pharmaceuticals Corp.
1295 Towbin Avenue, Lakewood, NJ 08701
REV 0724A

3 57896 45101 1

GERI-KOT

sennosides tablet

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:57896-434 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|----------|
| SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX) | SENNOSIDES | 8.6 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U) | |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) | |
| DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP) | |

MAGNESIUM STEARATE (UNII: 70097M6I30)

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)

Product Characteristics

| | | | |
|-----------------|-------|---------------------|----------|
| Color | brown | Score | no score |
| Shape | ROUND | Size | 8mm |
| Flavor | | Imprint Code | GC;434 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:57896-434-01 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 07/01/2024 | |
| 2 | NDC:57896-434-10 | 1000 in 1 BOTTLE; Type 0: Not a Combination Product | 07/01/2024 | |
| 3 | NDC:57896-434-20 | 200 in 1 BOTTLE; Type 0: Not a Combination Product | 07/01/2024 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | 505G(a)(3) | 07/01/2024 | |

Labeler - Geri-Care Pharmaceutical Corp (611196254)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 10/2024

Geri-Care Pharmaceutical Corp