

VALUMEDS EXTRA STRENGTH PAIN RELIEF- acetaminophen tablet
SPIRIT PHARMACEUTICALS LLC

VALUMEDS EXTRA STRENGTH PAIN RELIEF

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver Warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

do not take more than directed (see overdose warning)

adults and children 12 years and over

- take 2 caplets every 6 hours while symptoms last
- do not take more than 6 caplets in 24 hours, unless directed by a doctor
- do not use for more than 10 days unless directed by a doctor

children under 12 years

- ask a doctor

Other information

- **each caplet contains:** magnesium 0.43 mg
- store between 20-25°C (68-77°F)

Inactive ingredients

Hypermellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments?

1-888-333-9792

EXTRA STRENGTH

PAIN RELIEF

Acetaminophen 500 mg

Pain reliever/fever reducer

40 Caplets

ValuMedics
Compare to the active ingredients in Extra Strength Tylenol™

**EXTRA STRENGTH
PAIN RELIEF**
Acetaminophen 500 mg

pain reliever/
fever reducer
40 caplets

ValuMedics
EXTRA STRENGTH
PAIN RELIEF
Acetaminophen
500 mg

pain reliever/
fever reducer
40 caplets

Drug Facts (continued)

Other information
Keep this and all other medicines out of the reach of children. See the important information about this medicine inside this medicine bottle.

Directions or comments? * 1-888-333-9792

Drug Facts

Active ingredient
(In each caplet)
Acetaminophen 500 mg. **Pain reliever/fever reducer**

Uses
Temporarily relieves minor aches and pains (e.g., headache, sore throat, muscular aches and pains, menstrual cramps, toothaches).

Warnings
Use only as directed. Do not use for more than 10 days unless directed by a doctor. Do not use if you are allergic to acetaminophen. Do not use if you are taking other medicines that contain acetaminophen.

Drug Facts (continued)

Directions or comments? * 1-888-333-9792

Other information
Keep this and all other medicines out of the reach of children. See the important information about this medicine inside this medicine bottle.

Madin India

Drug Facts (continued)

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> ■ take 2 caplets every 6 hours while symptoms last ■ do not take more than 6 caplets in 24 hours, unless directed by a doctor ■ do not use for more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information ■ store between 20-25°C (68-77°F)

Inactive ingredients
hypromellose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinylpyrrolidone, pregelatinized starch, stearic acid, talc, titanium dioxide

Questions or comments? Call 1-888-333-9792



Compare to the active ingredient of Extra Strength Tylenol® caplets*

EXTRA STRENGTH PAIN RELIEF

Acetaminophen 500 mg

pain reliever/
fever reducer

500 caplets



Actual Size

Drug Facts TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Active ingredient (in each caplet) Acetaminophen 500 mg	Purpose Pain reliever/fever reducer
---	---

Uses ■ temporarily relieves minor aches and pains due to:

- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product.

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

*This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Tylenol®.

LOT: EXP:

VALUMEDS EXTRA STRENGTH PAIN RELIEF

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68210-1300
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE 2208 (15000 MPA.S) (UNII: Z78RG6M2N2)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	18mm
Flavor		Imprint Code	S500

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68210-1300-4	1 in 1 CARTON	04/10/2018	
1		40 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:68210-1300-1	1 in 1 CARTON	03/12/2020	
2		100 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:68210-1300-5	500 in 1 BOTTLE; Type 0: Not a Combination Product	12/10/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	04/10/2018	

Labeler - SPIRIT PHARMACEUTICALS LLC (179621011)

Revised: 12/2023

SPIRIT PHARMACEUTICALS LLC