SLMD MOISTURIZER WITH SPF- sunscreen lotion Owen Biosciences, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

SLMD Moisturizer with SPF

Active Ingredients

Octinoxate 7.50% Oxybenzone 3.50% Avobenzone 2.50% Octisalate 1.50%

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings For external use only

Do not use on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating:
- immediately after towel drying
- at least every two hours
- children under 6 months of age: ask a doctor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a

Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long sleeved shirts, pants, hats and sunglasses

sunscreen

topical sunscreen

Other information

- protect this product in this containerfrom excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

Water

Emulsifying Wax NF

Cetyl Alcohol

Glycerin

DEA-Cetyl Phosphate

Dimethicone

Behentrimonium Methosulfate

Cetearyl Alcohol

Myristoyl Pentapeptide-17

Myristoyl Tetrapeptide-13

Ascorbyl Linoleate

Retinyl Linoleate

Lysophosphatidic acid

Panthenol

Allantoin

Arginine

Beta-Glucan

Sodium Carboxymethyl Beta-Glucan

Ethyl Macadamiate

Borago Officinalis Seed Oil

Triticum Vulgare (Wheat) Germ Oil

Tocopheryl Acetate

Retinyl Palmitate

Citrus Paradisi (Grapefruit) Fruit Extract

Camellia Sinensis Leaf Extract

Rosa Canina Fruit Extract

Hamamelis Virginiana (Witch Hazel) Extract

Polyglyceryl-3 Polyricinoleate

Polyglyceryl 5 Oleate

PPG-2 Myristyl Ether Propionate

Pentaerythrityl Tetracaprylate/Tetracaprate

Disodium EDTA

Caprylyl Glycol Phenoxyethanol

Do not use

on damaged or broken skin

Stop us and ask a doctor if

irritation becomes severe

Daily Moisturizer Back.jpg

Daily Moisturizer Back.jpg



Keep out of reach of children. If swallowed,

get medical help or contact a Poison Control Center right away.

Directions

- apply liberally and evenly 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating:
 - immediately after towel drying
 - at leastevery 2 hours
 - children under 6 months of age: Ask a doctor.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m.— 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain some fabrics

SLMD MOISTURIZER WITH SPF

sunscreen lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:59958-403	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	7.5 g in 100 g	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	3.5 g in 100 g	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2.5 g in 100 g	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	1.5 g in 100 g	

Inactive Ingredients				
Ingredient Name	Strength			
WATER (UNII: 059QF0KO0R)	60.628 g in 100 g			
CETYL ALCOHOL (UNII: 936JST6JCN)	2.5 g in 100 g			
GLYCERIN (UNII: PDC6A3C0OX)	2 g in 100 g			
CETYL PHOSPHATE (UNII: VT07D6X67O)	2 g in 100 g			
DIMETHICONE (UNII: 92RU3N3Y1O)	2 g in 100 g			
BEHENTRIMONIUM METHOSULFATE (UNII: 5SHP745C61)	1 g in 100 g			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:59958- 403-01	1 in 1 PACKAGE	04/05/2017		
1		60 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	04/05/2017	

Labeler - Owen Biosciences, Inc. (790003045)

Registrant - Owen Biosciences, Inc. (790003045)

Establishment				
Name	Address	ID/FEI	Business Operations	
Owen Biosciences, Inc.		790003045	manufacture(59958-403)	

Revised: 1/2023 Owen Biosciences, Inc.