

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 115 FAIR SHIRAKABA-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 125 FAIR ASTERID-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 215 LIGHT BUNA-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 225 LIGHT MAGNOLIA-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 235 LIGHT HIBA-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 315 MEDIUM MATSU-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 325 MEDIUM KEYAKI-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 335 MEDIUM KATSURA-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 415 TAN KWANZAN-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 425 TAN UME- octinoxate,
octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 515 DEEP TSUBAKI-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 525 DEEP KUROMOJI-
octinoxate, octocrylene, and titanium dioxide emulsion
SHISEIDO AMERICAS CORPORATION

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Octinoxate 4.7%	Sunscreen
Octocrylene 3.0%	Sunscreen
Titanium Dioxide 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable

Do not use near heat, flame, or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive Ingredients

WATER•DIMETHICONE•GLYCERIN•TRIFLUOROPROPYLDIMETHYL/TRIMETHYLSILOXYSILICATE•CAPRYLYL METHICONE•BUTYLENE GLYCOL•DIMETHICONE/PEG-10/15 CROSSPOLYMER•SODIUM CHLORIDE•SYNTHETIC FLUORHLOGOPITE•SQUALANE•HYDROGENATED POLYISOBUTENE•THYMUS SERPYLLUM EXTRACT•DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER•POLYQUATERNIUM-51•SODIUM HYALURONATE•HYDROLYZED CONCHIOLIN PROTEIN•SORBITAN SESQUIISOSTEARATE•DISTEARDIMONIUM HECTORITE•PEG-10 DIMETHICONE•ALUMINUM HYDROXIDE•STEARIC ACID•TRISODIUM EDTA•HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER•LITHIUM MAGNESIUM SODIUM SILICATE•POLYSILICONE-2•SODIUM CITRATE•DIPROPYLENE GLYCOL•POLYSORBATE 60•ISODODECANE•PEG/PPG-19/19 DIMETHICONE•BHT•TOCOPHEROL•SORBITAN ISOSTEARATE•TRIMETHYLSILOXYSILYL CARBAMOYL PULLULAN•POLYMETHYLSILSESQUIOXANE•PHENOXYETHANOL•IRON OXIDES•TITANIUM DIOXIDE•MICA•

Other information

Protect this product in this container from excessive heat and direct sun.

Questions or comments?

Call toll free 1-800-906-7503

PRINCIPAL DISPLAY PANEL - 30 mL Bottle Carton - 115 Fair Shirakaba

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



115 Fair Shirakaba

SHISEIDO
GINZA, TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion, 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED,
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
G.L.O. 17126
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRIETHOXYPROPANE DIETHYL DIMETHYL SILYLGLYCOLATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYLPROPANOATE - CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYMER - SULFANILIC ACID - HYDROGENATED POLYISOBUTENE

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM SPF 20

Sunscreen For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLUM EXTRACT - DIMETHOXYMETHYL DIMETHACRYLATE CROSSPOLYMER - POLYBUTYLENE TEREPHTHALATE - SODIUM HYALURONATE - HYDROLYZED CONDENSATION PRODUCT - SORBENAN SESQUIOSEBATE - CISTEARYL DIMETHYLAMINE SEBATE - PEG-10 DIMETHICONE - ALLUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM EDTA - HYDROXYETHYL ACRYLATE SODIUM ACRYL DIMETHYL TAURATE COPOLYMER - DIMETHYL METHACRYLATE SODIUM SEBATE - POLYBUTYLENE TEREPHTHALATE - SODIUM CITRATE - 1,3-BIS(4-HYDROXYPHENYL)PROPANE - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/18 DIMETHICONE - BHT - TOCOPHERYL ACETATE - SORBENAN SEBATE - DIMETHYL SODIUM TETRAABANDYL PALLADIUM - POLYBUTYLENE TEREPHTHALATE - PHENOL ETHANOL - IRON OXIDES - TITANIUM DIOXIDE - MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm/11mm
11mmX26mm
7 30852 17126 8

12724761
AAA

115
Fair Shirakaba

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

GINZA TOKYO
SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



215 Light Buna

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients Purpose
OCTINOXATE 6.7% Sunscreen
OCTOCRYLENE 3.0% Sunscreen
TITANIUM DIOXIDE 2.0% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17128
www.shiseido.com



Drug Facts (continued)

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRILAURYLPROPIONATE/METHYL METHACRYLATE COPOLYMER - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHOSPHITE - SOLUBLE - HYDROGENATED POLYSILOXANE -

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM SPF 20

Sunscreen For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THYMUS SERPILLUM EXTRACT - DIMETHICONE - DIMETHYL METHACRYLATE - POLYBUTYLENE ADIPATE - SODIUM HYALURONATE - HYDROLYZED COUCH BURN PROTEIN - SCHEFFERAN SESQUITERPENE - DISTEAROYL DIMETHYL HECTOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRATE - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER - LITHIUM VARNISH/SODIUM SULFATE - POLYSILOXANE - SODIUM CHLORIDE - PROPYLENE GLYCOL - POLYISOBUTYLENE - ISODODECANE - PEG-PPG-18/15 DIMETHICONE - BHT - TOCOPHEROL - SCHEFFERAN SESQUITERPENE - TRIMETHYL SILYL DIMETHYL CARBAMOL PULLULAN - POLYMETHACRYLATE - PHENOXETHANOL - IRON OXIDES - TITANIUM DIOXIDE - WAX -

Other Information

protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free 1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm×11mm×26mm

7 30852 17128 2

12724763
AAA

215
Light Buna

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



315 Medium Matsu

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17131
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRILUCOPROPOLYDIMETHYL DIMETHYLSILOXYLATE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPOLYETHER - SOLULANE - HYDROGENATED POLYISOBUTENE -

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLIN EXTRACT - DIMETHICONE - DIMETHICONE CROSSPOLYMER - POLYDATERMIDATE - SODIUM HYALURONATE - HYDROLYZED COCONUT PROTEIN - SCHEFFERUS SESUOIDES TETRAE - CISTARFONOLIN, M HECTOIN - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM CITRA - HYDROXYETHYL ACRYLATE SODIUM ACRYLATE SODIUM LAURATE COPOLYMER - LITHIUM ARGONATE SODIUM SULFATE - POLYSILOXANE - SODIUM CHLORIDE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PRECIPITATED DIMETHICONE - BHT - TOCOPHEROL - SCHEFFERUS SESUOIDES TETRAE - TRIMETHYL SODIUM CARBONATE - PULLULAN - POLYMERIZED SILSESQUOXANE - PHENOL METHANOL - IRON OXIDES - TITANIUM DIOXIDE - IMCA -

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mmバー
11mmX26mm

7 30852 17131 2

12724766
AAA

315
Medium Matsu

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



325 Medium Keyaki

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients Purpose
OCTINOXATE 6.7% _____ Sunscreen
OCTOCRYLENE 3.0% _____ Sunscreen
TITANIUM DIOXIDE 2.0% ____ Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17132
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • TRILUCROPYRIPYLOL METHYL THIOETHYL GLYCOLATE • CARBYL METHACRYLATE • BUTYLENE GLYCOL • DIMETHYL DIMETHYL SIOXANE • CROSSPOLYMER • SODIUM CHLORIDE • SYNTHETIC FLUOROPOLYMER • SQUALANE • HYDROGENATED POLYISOBUTENE

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLUM EXTRACT • DIMETHYL DIMETHYL SIOXANE • DIMETHYL DIMETHYL SIOXANE • POLYURETHANES • SODIUM HYALURONATE • HYDROLYZED COUCH GRASS PROTEIN • SODIUM SESQUISOBTANATE • DISTEAROYL DIMONIUM HECOTONATE • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • SODIUM EDTA • HYDROXYETHYL ACRYLATE • SODIUM ACRYLOYLMETHYL TAURATE • COPOLYMER • LITHIUM HYALURONATE • SODIUM SALICATE • POLYGLYCOL-2 • SODIUM CITRATE • PROPYLENE GLYCOL • POLYISOBUTENE • POLYISOBUTENE • PEG-PPG-18 DIMETHICONE • BUTYL PEROXYPEROL • SODIUM BISULFATE • TRIMETHYLSILOXYMETHYLPROPANOL PULLULAN • POLYETHYLENE GLYCOL • PHENOLKETHANOL • IRON OXIDES • TITANIUM DIOXIDE • WAX

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

SYNCHRO SKIN SELF-REFRESHING

Tint
BROAD SPECTRUM
SPF 20
Sunscreen
For Face

30mL NET WT. .95 OZ.

http://s1872.com/17132AA
See our website for more information.

縮小サイズ0.65倍 6mm×11mm×26mm

7 30852 17132 9

12724767
AAA

325
Medium Keyaki

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



415 Tan Kwanzan

SHISEIDO
GINZA TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.
GLO, 17134
www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER • DIMETHICONE • GLYCERIN • TRIMETHYLPROPYL METHYL METHACRYLATE CROSSPOLYMER • CARBONYL METHACRYLATE • BUTYLENE GLYCOL • DIMETHYL DIMETHYL PEG-10 GLOSS POLYMER • SODIUM CHLORIDE • SYNTHETIC FLUOROPHOSPHATE • SOLAJANE • HYDROGENATED POLYISOBUTENE

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLUM EXTRACT • DIMETHICONE • DIMETHACRYLATE • DIMETHACRYLATE CROSSPOLYMER • POLYBUTYLENE ADIPATE • SODIUM HYALURONATE • HYDROLYZED COCHINILIN PROTEIN • SORBETAN SESQUISOBTATE • DISTEARDIMONIUM HECTOATE • PEG-10 DIMETHICONE • ALUMINUM HYDROXIDE • STEARIC ACID • TRISODIUM CITRATE • HYDROXYETHYL ACRYLATE/SODIUM ACRYLATE DIMETHYL TAURATE COPOLYMER • LITHIUM VAGNESIUM SODIUM SILICATE • POLYSILOXANE • SODIUM CITRATE • DIPROPYLENE GLYCOL • POLYISOBUTENE • ISODODECANE • PEG-PPG-18/15 DIMETHICONE • BUTYL TOCOPHEROL • SORBETAN SESQUISOBTATE • TRIMETHYLPROPYL METHACRYLATE • PULLULAN • POLYETHYLENE SESQUIOXANE • PHENOXETHANOL • BIONOXIDES • TITANIUM DIOXIDE • MICA

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm×11mm
11mm×26mm
7 30852 17134 3

12724769
AAA

415
Tan Kwanzan

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SHISEIDO
GINZA TOKYO

SYNCHRO SKIN
SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

SELF-REFRESHING Tint



525 Deep Kuromoji

SHISEIDO
GINZA, TOKYO

東京銀座

Embrace your skin with this weightless skin tint that self-refreshes non-stop. With ActiveForce™ technology to help resist heat, oil, humidity and motion. 24-hour hydration. Light coverage. Skin-like finish.

DERMATOLOGIST-TESTED.
NON-COMEDOGENIC.

Drug Facts

Active ingredients	Purpose
OCTINOXATE 6.7%	Sunscreen
OCTOCRYLENE 3.0%	Sunscreen
TITANIUM DIOXIDE 2.0%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Flammable: Do not use near heat, flame or while smoking.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- use a water resistant sunscreen if swimming or sweating
- reapply at least every 2 hours
- children under 6 months: Ask a doctor

SHISEIDO AMERICAS
CORPORATION DIST.
NEW YORK, NY 10017
MADE IN U.S.A.

GLO, 17137

www.shiseido.com



Drug Facts (continued)

Directions

- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Inactive ingredients

WATER - DIMETHICONE - GLYCERIN - TRIETHYLHEXANEDIOL - TRIMETHYLGLYCINE - CAPRYLYL METHACRYLATE - BUTYLENE GLYCOL - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - SODIUM CHLORIDE - SYNTHETIC FLUOROPHLOPHTER - SOLANINE - HYDROGENATED POLYISOBUTENE -

SYNCHRO SKIN SELF-REFRESHING

Tint

BROAD SPECTRUM
SPF 20

Sunscreen
For Face

30mL NET WT. .95 OZ.

Drug Facts (continued)

Inactive ingredients

THYMUS SERPYLLUM EXTRACT - DIMETHICONE - DIMETHYL DIMETHYL PEG-10/15 CROSSPOLYMER - POLYURETHANES - SODIUM HYALURONATE - HYDROLYZED COCHINEAL PROTEIN - SORBETAN SECOISOSTEARATE - DISTEAROYL DIMONIUM HECTOATE - PEG-10 DIMETHICONE - ALUMINUM HYDROXIDE - STEARIC ACID - TRISODIUM EDTA - HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLMETHYL TAURATE COPOLYMER - LITHIUM VAGNERIN SODIUM SULFATE - POLYSILOXANE - SODIUM CITRATE - DIPHENYLENE GLYCOL - POLYISOBUTENE - ISODODECANE - PEG-PPG-18/15 DIMETHICONE - BUTYL TOCOPHEROL - SORBETAN SECOISOSTEARATE - TRIETHYLHEXANEDIOL/CARBONYL PULLULAN - POLYETHYLENE SESQUILAUANE - PEG-DIMETHACRYL - IRON OXIDES - TITANIUM DIOXIDE - INCI -

Other Information

- protect this product in this container from excessive heat and direct sun.

Questions or Comments?

Call toll free
1-800-906-7503

Reducing the quantity of application will lower the level of sunscreen protection significantly.

縮小サイズ0.65倍 6mm/1-
11mmX26mm
7 30852 17137 4

12724772
AAA

525
Deep Kuromoji

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 115 FAIR SHIRAKABA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-673
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-673-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 125 FAIR ASTERID

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-674
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-674-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 215 LIGHT BUNA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-675
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	

BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
LAPONITE (UNII: D703131383)
SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-675-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 225 LIGHT MAGNOLIA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-676
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-676-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 235 LIGHT HIBA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-677
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUIESTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	

SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-677-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 315 MEDIUM MATSU

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-678
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients	
Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
LAPONITE (UNII: D703131383)
SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-678-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 325 MEDIUM KEYAKI

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-679
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE -	TITANIUM DIOXIDE	600 mg in 30 mL

UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL
------------------	------------------	-----------------

Inactive Ingredients

Ingredient Name	Strength
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21A58B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-679-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 335 MEDIUM KATSURA

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-680
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-680-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 415 TAN KWANZAN

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-681
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients		
Ingredient Name		Strength
WATER (UNII: 059QF0K00R)		
DIMETHICONE (UNII: 92RU3N3Y10)		
GLYCERIN (UNII: PDC6A3C0OX)		
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)		
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)		
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)		
FERRIC OXIDE RED (UNII: 1K09F3G675)		
FERROSFERRIC OXIDE (UNII: XM0M87F357)		
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)		
SODIUM CHLORIDE (UNII: 451W47IQ8X)		
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)		
SORBITAN SESQUIESTEARATE (UNII: VU97D01BF9)		
PHENOXYETHANOL (UNII: HIE492ZZ3T)		
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)		
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)		
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
EDETATE TRISODIUM (UNII: 420IP921MB)		
LAPONITE (UNII: D703131383)		

SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-681-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 425 TAN UME

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-682
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C00X)	

CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
SORBITAN SESQUIISOSTEARATE (UNII: VU97D01BF9)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)
STEARIC ACID (UNII: 4ELV7Z65AP)
EDETATE TRISODIUM (UNII: 420IP921MB)
LAPONITE (UNII: D703131383)
SQUALANE (UNII: GW89575KF9)
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)
DIPROPYLENE GLYCOL (UNII: E107L85C40)
POLYSORBATE 60 (UNII: CAL22UVI4M)
ISODODECANE (UNII: A8289P68Y2)
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICA (UNII: V8A1AW0880)
TOCOPHEROL (UNII: R0ZB2556P8)
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-682-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 515 DEEP TSUBAKI

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-683
---------------------	----------------	---------------------------	---------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
GLYCERIN (UNII: PDC6A3C0OX)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
SORBITAN SESQUISTEARATE (UNII: VU97D01BF9)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
EDETATE TRISODIUM (UNII: 420IP921MB)	
LAPONITE (UNII: D703131383)	
SQUALANE (UNII: GW89575KF9)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
ISODODECANE (UNII: A8289P68Y2)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-683-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination		

Product			
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

SHISEIDO SYNCHRO SKIN SELF-REFRESHING TINT 525 DEEP KUROMOJI

octinoxate, octocrylene, and titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:58411-684
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	2010 mg in 30 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	900 mg in 30 mL	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	600 mg in 30 mL	
Inactive Ingredients			
Ingredient Name	Strength		
WATER (UNII: 059QF0KO0R)			
DIMETHICONE (UNII: 92RU3N3Y1O)			
GLYCERIN (UNII: PDC6A3C0OX)			
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)			
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)			
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)			
FERRIC OXIDE RED (UNII: 1K09F3G675)			
FERROSO FERRIC OXIDE (UNII: XM0M87F357)			
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21A58B1BSS)			
SODIUM CHLORIDE (UNII: 451W471Q8X)			
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)			
SORBITAN SESQUISEOSTEARATE (UNII: VU97D01BF9)			
PHENOXYETHANOL (UNII: HIE492ZZ3T)			
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)			
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)			
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)			
STEARIC ACID (UNII: 4ELV7Z65AP)			
EDETATE TRISODIUM (UNII: 420IP921MB)			
LAPONITE (UNII: D703131383)			
SQUALANE (UNII: GW89575KF9)			
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)			
DIPROPYLENE GLYCOL (UNII: E107L85C40)			
POLYSORBATE 60 (UNII: CAL22UVI4M)			
ISODODECANE (UNII: A8289P68Y2)			
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)			
HYDROGENATED POLYISOBUTENE (1300 MW) (UNII: 7D1YQ9Y5EZ)			

BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICA (UNII: V8A1AW0880)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)	
THYMUS SERPYLLUM WHOLE (UNII: 86H4S6K51N)	
POLYMETHYLSILSESQUIOXANE (4.5 MICRONS) (UNII: 59Z907ZB69)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
POLYQUATERNIUM-51 (2-METHACRYLOYLOXYETHYL PHOSPHORYLCHOLINE/N-BUTYL METHACRYLATE; 3:7) (UNII: EL9825H96J)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58411-684-20	1 in 1 CONTAINER	12/16/2019	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/16/2019	

Labeler - SHISEIDO AMERICAS CORPORATION (193691821)

Establishment

Name	Address	ID/FEI	Business Operations
Shiseido America Inc.		782677132	analysis(58411-673, 58411-674, 58411-675, 58411-676, 58411-677, 58411-678, 58411-679, 58411-680, 58411-681, 58411-682, 58411-683, 58411-684) , manufacture(58411-673, 58411-674, 58411-675, 58411-676, 58411-677, 58411-678, 58411-679, 58411-680, 58411-681, 58411-682, 58411-683, 58411-684)

Revised: 1/2026

SHISEIDO AMERICAS CORPORATION