

SENNA-S- sennosides and docusate sodium tablet
Meijer, Inc.

mei 455b (555)

Active ingredient (in each tablet)

Docusate Sodium 50 mg
Sennosides 8.6 mg

Purpose

Stool softener
Laxative

Uses

- relieves occasional constipation (irregularity)
- this product generally produces a bowel movement in 6 to 12 hours

Warnings

Do not use for more than one week unless directed by a doctor.

Ask a doctor before use if you

- have abdominal pain, nausea or vomiting
- are taking mineral oil
- have noticed a sudden change in bowel habits that lasts over two weeks

Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.
These may indicate a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime

children under 12
years

ask a doctor

Other information

- **each tablet contains:** calcium 20 mg, sodium 3 mg
- store at controlled room temperature

Tamper Evident: Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients

cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

Questions or comments?

1-800-540-3765

Package Label

meijer. NDC 79481-0555-6

Senna-S
Natural Vegetable Laxative
with Stool Softener

Compare to SENOKOT-S®
ACTIVE INGREDIENTS*

OVERNIGHT CONSTIPATION RELIEF

Standardized Senna Concentrate 8.6 mg
Docusate Sodium 50 mg

60 TABLETS

Drug Facts

Active ingredients (in each tablet)

Docusate Sodium 50 mg.....	Stool softener
Sennosides 8.6 mg.....	Laxative

Uses • relieves occasional constipation (irregularity)
• this product generally produces a bowel movement in 6 to 12 hours

Warnings
Do not use for more than one week unless directed by a doctor.
Ask a doctor before use if you • have abdominal pain, nausea or vomiting • are taking mineral oil • have noticed a sudden change in bowel habits that lasts over two weeks
Stop use and ask a doctor if you have rectal bleeding or fail to have a bowel movement after use of a laxative.
These may indicate a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • do not exceed 8 tablets in 24 hours

Age	Starting Dose	Maximum Dose
Adults and children 12 years of age and older	2 tablets once a day preferably at bedtime; increase as needed, or as directed by a doctor	4 tablets in the morning and 4 tablets at bedtime
Children under 12 years	Ask a doctor	

Other information
• each tablet contains: calcium 20 mg, sodium 3 mg
• store at controlled room temperature
Tamper Evident: Do not use if imprinted seal under cap is missing or broken.

Inactive ingredients cellulose, croscarmellose sodium, dicalcium phosphate, FD&C yellow #6 lake, hypromellose, magnesium stearate, PEG, silica, talc, titanium dioxide.

Questions or comments? 1-800-540-3765
*This product is not manufactured or distributed by Atlantia Consumer Healthcare, Inc., owner of the registered trademark Senokot-S®.

DIST. BY MEIJER DISTRIBUTION, INC.
GRAND RAPIDS, MI 49544
www.meijer.com PID 343230
Product of India
REV 455-0125

7 13733 50682 3

SENNAS

sennosides and docusate sodium tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0555
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	8.6 mg
DOCUSATE SODIUM (UNII: F05Q2T2JA0) (DOCUSATE - UNII:M7P27195AG)	DOCUSATE SODIUM	50 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
CALCIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: L11K75P92J)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	

Product Characteristics

Color	orange	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	PSD22
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0555-6	60 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	03/01/2025	

Labeler - Meijer, Inc. (006959555)

Registrant - Geri-Care Pharmaceutical Corp (611196254)

Revised: 3/2025

Meijer, Inc.