

CHEST CONGESTION RELIEF- guaifenesin tablet
Meijer, Inc.

MEI 714

Active ingredient (in each caplet)

Guaifenesin 400 mg

Purpose

Expectorant

Uses

helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive to rid the bronchial passageways of bothersome mucus

Warnings

Ask a doctor before use if you have

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema
- cough accompanied by excessive phlegm (mucus)

Stop use and ask a doctor if

- cough lasts more than 7 days or comes back
- cough occurs with fever, rash or persistent headache
- these could be signs of a serious illness.

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- take with full glass of water
- not intended for use in children under 12 years of age

adults and children 12 years of age and over	• take 1 caplet, every 4 hours, while symptoms persist • do not exceed 6 doses in 24 hours
--	--

children under 12 years of age	do not use
--------------------------------	------------

Other information

- Tamper Evident: do not use if imprinted safety seal under cap is broken or missing.
- store at room temperature 15°-30°C (59°-86°F)



Inactive ingredients

cellulose, magnesium stearate, maltodextrin, povidone, silica, stearic acid.

Questions or comments?

1-800-540-3765

package Label

<p>Drug Facts</p> <table border="1"> <tr> <th>Active ingredient (in each caplet)</th> <th>Purpose</th> </tr> <tr> <td>Guaifenesin 400 mg.....</td> <td>Expectorant</td> </tr> </table> <p>Uses helps loosen phlegm (mucus) and thin bronchial secretions to make coughs more productive and rid the bronchial passageways of bothersome mucus</p> <p>Warnings Ask a doctor before use if you have • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema • cough accompanied by excessive phlegm (mucus)</p> <p>Stop use and ask a doctor if • cough lasts more than 7 days or comes back • cough occurs with fever, rash or persistent headache These could be signs of a serious illness.</p> <p>If pregnant or breast feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. ▶</p>	Active ingredient (in each caplet)	Purpose	Guaifenesin 400 mg.....	Expectorant	 <p>NDC 79481-0714-5</p> <p>Chest Congestion Relief</p> <p>RELIEVES CHEST CONGESTION, THINS AND LOSENS MUCUS</p> <p>EXPECTORANT</p> <p>Guaifenesin 400 mg</p> <p>50 CAPLETS</p>	<p>Drug Facts (continued)</p> <p>Directions • take with full glass of water • not intended for use in children under 12 years of age</p> <table border="1"> <tr> <td>Adults and Children 12 years of age and over</td> <td>• take 1 caplet, every 4 hours, while symptoms persist • do not exceed 6 doses in 24 hours</td> </tr> <tr> <td>Children under 12 years of age</td> <td>do not use</td> </tr> </table> <p>Other information • Tamper Evident: do not use if imprinted safety seal under cap is broken or missing. • store at room temperature 15°-30°C (59°-86°F)</p> <p>Inactive ingredients: cellulose, magnesium stearate, maltodextrin, povidone, silica, stearic acid.</p> <p>Questions or comments? 1-800-540-3765</p> <p>DIST. BY MEIJER DISTRIBUTION, INC. PID 334641 GRAND RAPIDS, MI 49544 www.meijer.com</p> <p>7  8 13733 50760</p> <p>REV 714-1224</p>	Adults and Children 12 years of age and over	• take 1 caplet, every 4 hours, while symptoms persist • do not exceed 6 doses in 24 hours	Children under 12 years of age	do not use
Active ingredient (in each caplet)	Purpose									
Guaifenesin 400 mg.....	Expectorant									
Adults and Children 12 years of age and over	• take 1 caplet, every 4 hours, while symptoms persist • do not exceed 6 doses in 24 hours									
Children under 12 years of age	do not use									

CHEST CONGESTION RELIEF			
guaifenesin tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:79481-0714
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg

Inactive Ingredients

Ingredient Name	Strength
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
POVIDONE (UNII: FZ989GH94E)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

Product Characteristics

Color	white	Score	2 pieces
Shape	OVAL	Size	17mm
Flavor		Imprint Code	AP;152
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-0714-5	50 in 1 BOTTLE; Type 0: Not a Combination Product	03/01/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	03/01/2025	

Labeler - Meijer, Inc. (006959555)

Registrant - Geri-Care Pharmaceuticals, Corp (611196254)

Revised: 3/2025

Meijer, Inc.