

**DIOR FOREVER SKIN WEAR FLAWLESS SKIN TRUE FOUNDATION SPF 20 WLESS
SKIN TRUE FOUNDATION SPF 20 7W WARM- octisalate, titanium
dioxide emulsion
Parfums Christian Dior**

Dior Forever Skin Wear Flawless Skin True Foundation SPF 20 7W Warm

Drug Facts

Active ingredients

Octisalate 3.50%

Titanium Dioxide 0.94%

Purpose

Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (**see *Directions***), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.

Do not use

on damaged or broken skin.

When using this product,

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months of age: ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive ingredients

AQUA (WATER) • METHYL TRIMETHICONE • ALCOHOL • ISODODECANE • PEG-10 DIMETHICONE • TRIMETHYLSILOXYSILICATE • BUTYLENE GLYCOL • METHYL METHACRYLATE CROSSPOLYMER • DIMETHICONE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUIOXANE CROSSPOLYMER • VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER • CETYL DIMETHICONE • DISTEARDIMONIUM HECTORITE • NIACINAMIDE • POLYGLYCERYL-10 DECAISOSTEARATE • SODIUM MYRISTOYL GLUTAMATE • PARFUM (FRAGRANCE) • PROPYLENE CARBONATE • CHLORPHENESIN • POLYHYDROXYSTEARIC ACID • CAPRYLICA/CAPRIC TRIGLYCERIDE • ALUMINUM HYDROXIDE • HYALURONIC ACID • TROMETHAMINE • ISOSTEARIC ACID • ALUMINA • STEARIC ACID • TOCOPHEROL • POLYGLYCERYL-3 POLYRICINOLEATE • LECITHIN • PENTYLENE GLYCOL • IRIS FLORENTINA ROOT EXTRACT • TROPAEOLUM MAJUS FLOWER/LEAF/STEM EXTRACT • SODIUM BENZOATE • POTASSIUM SORBATE • ACETYL HEXAPEPTIDE-8 [MAY CONTAIN : CI 77491 (IRON OXIDES), CI 77492 (IRON OXIDES) , CI 77499 (IRON OXIDES), CI 77891 (TITANIUM DIOXIDE)]. N° 22157/Z

Package Labeling:

TESTER - NOT FOR SALE

ACTIVE INGREDIENTS:
OCTISALATE 3.50%
TITANIUM DIOXIDE 0.94%

SEE SALE PRODUCT
FOR COMPLETE
DRUG FACTS

E500001047



3



12M

MADE IN FRANCE

PARFUMS CHRISTIAN DIOR

75008 Paris - France

W1S 2UE, UK

In USA: 19E57 NY, NY 10022

www.dior.com



20 ml - 0.67 FL.OZ

Package Labeling:



Drug Facts

Active ingredients **Purpose**
 Octisalate 3.50% }Sunscreen
 Titanium Dioxide 0.94%

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only.
 Do not use on damaged or broken skin.
 When using this product, keep out of eyes. Rinse with water to remove.
 Stop use and ask a doctor if rash occurs.
 Keep out of reach of children.
 If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply at least every 2 hours.
- Use a water-resistant sunscreen if swimming or sweating.
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses.
- Children under 6 months of age; ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun.

Drug Facts
(continued)

Inactive ingredients
 AQUA (WATER) • METHYL TRIMETHICONE • ALCOHOL • ISODODECANE • PEG-10 DIMETHICONE • TRIMETHYL-SILOXY-SILICATE • BUTYLENE GLYCOL • METHYL METHACRYLATE CROSSPOLYMER • DIMETHICONE • DIPHENYL DIMETHICONE/VINYL DIPHENYL DIMETHICONE/SILSESQUOXANE CROSSPOLYMER • VINYL DIMETHICONE/METHICONE SILSESQUOXANE CROSSPOLYMER • CETYL DIMETHICONE • DISTEARDIMONIUM HECTORITE • NIACINAMIDE • POLYGLYCERYL-10 DECASTEARATE • SODIUM MYRISTOYL GLUTAMATE • PARFUM (FRAGRANCE) • PROPYLENE CARBONATE • CHLORPHENESIN • POLYHYDROXYSTEARIC ACID • CAPRYLIC/CAPRIC TRIGLYCERIDE • ALUMINUM HYDROXIDE • HYALURONIC ACID • TROMETHAMINE • ISOSTEARIC ACID • ALLUMINA • STEARIC ACID • TOCOPHEROL • POLYGLYCERYL-3 POLYACRYLATE • LECITHIN • PENTYLENE GLYCOL • IRIS FLORENTINA ROOT EXTRACT • TROPAEOLIUM MAJUS FLOWERS/LEAF/STEM EXTRACT • SODIUM BENZOATE • POTASSIUM SORBATE • ACETYL HEXAPEPTIDE-8.
 MAY CONTAIN: CI 77491 (IRON OXIDES) • CI 77492 (IRON OXIDES) • CI 77499 (IRON OXIDES) • CI 77891 (TITANIUM DIOXIDE) N° 221571Z

Triple-action care foundation: perfecting effect, skin evenness, preserved hydration. *24h refers to the duration of makeup wear, not sunscreen; see Sunscreen Use directions. 24h makeup wear: instrumental test on 25 subjects infused in hyaluronic acid, niacinamide and acetyl hexapeptide-8.



GET ARTICLE NE PEUT ÊTRE VENDU QUE PAR LES DISTRIBUTEURS AGRÉÉS DES Parfums Christian Dior



MADE IN FRANCE
 Parfums Christian Dior
 33, avenue Hoche - 75008 Paris - France
 W15 2UE, UK
 In USA: 19E57 NY, NY 10022
 www.dior.com






74 2426 628 5

TYPON N° 48390
 VERESCENCE 16580-01
 FL. "RENO FOREVER" 30 ML.
 (SOUS-COUCHE)

TYPON N° 48391
 VERESCENCE 16580-01
 FL. "RENO FOREVER" 30 ML.
 (MAC ARGENT)

TYPON N° 48565
 VERESCENCE 16580-01
 FL. "RENO FOREVER" 30 ML.
 (BLEU)





RECTO

VERSO

Tolérance d'implantation et de centrage latéral $\pm 1\text{mm}$
du décor par rapport à l'axe du flacon



MADE IN FRANCE
PARFUMS CHRISTIAN DIOR
75008 Paris - France - W1S 2UE, UK
IN USA: 19E57 NY, NY 10022
www.dior.com

30 ml - 1 FL.OZ



R



Active ingredients:
Octisalate 3.50%
Titanium dioxide 0.94%

V



Warnings: For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Poison Control Center right away.

Directions: Apply liberally 15 minutes before sun exposure. Children under 6 months of age: ask a doctor.

SEE OUTER BOX FOR COMPLETE DRUG FACTS.



DIOR FOREVER SKIN WEAR FLAWLESS SKIN TRUE FOUNDATION SPF 20 WLESS SKIN TRUE FOUNDATION SPF 20 7W WARM

octisalate, titanium dioxide emulsion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61957-3441
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (ETHYLHEXYL SALICYLATE - UNII:4X49Y0596W)	OCTISALATE	35 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (CI 77891 - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	9.4 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)	
ALCOHOL (UNII: 3K9958V90M)	
ISODODECANE (UNII: A8289P68Y2)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
NIACINAMIDE (UNII: 25X51I8RD4)	
POLYGLYCERYL-10 DECAISOSTEARATE (UNII: Z52UR6Z5AB)	
SODIUM MYRISTOYL GLUTAMATE (UNII: AYU7QD893W)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
HYALURONIC ACID (UNII: S270N0TRQY)	
TROMETHAMINE (UNII: 023C2WHX2V)	

ISOSTEARIC ACID (UNII: X33R8U0062)	
ALUMINA (UNII: LMI26O6933)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
IRIS X GERMANICA NOTHOVAR. FLORENTINA ROOT (UNII: M30XO5X4XD)	
TROPAEOLUM MAJUS FLOWERING TOP (UNII: RGT30824HY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ACETYL HEXAPEPTIDE-8 AMIDE (UNII: L4EL31FWL)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61957-3441-1	1 in 1 CARTON	03/01/2026	
1		20 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:61957-3441-0	1 in 1 CARTON	03/01/2026	
2		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	03/01/2026	

Labeler - Parfums Christian Dior (275252245)

Registrant - Parfums Christian Dior (396393746)

Revised: 1/2026

Parfums Christian Dior