

**HALYARD CHLORHEXIDINE GLUCONATE- chlorhexidine gluconate solution  
Owens & Minor, Inc.**

-----  
**Halyard Chlorhexidine Gluconate 4% Solution, Antiseptic, Liquid Foaming,  
Foam Pump**

***Active ingredient***

Chlorhexidine gluconate solution, 4%

***Purpose***

Surgical hand scrub

Healthcare personnel handwash

Skin wound and general skin cleanser

***Uses***

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- **skin wound and general skin cleanser:** helps reduce bacteria on the skin

***Warnings***

**For external use only**

**Allergy alert**

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use**

- if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
- as a patient preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

## **When using this product**

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when underlying condition makes it necessary to reduce the bacterial population of the skin

## **Stop use and ask a doctor if**

irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

## **Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

## ***Directions***

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- use full strength
- do not dilute

## **Surgical hand scrub:**

- remove jewelry
- wet hands and forearms with water and apply 5 mL (4 pumps) of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL (4 pumps) of the product and rinse under running water
- dry thoroughly

## **Healthcare personnel handwash:**

- wet hands with water
- dispense about 5 mL (4 pumps) of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

## **Skin wound and general skin cleanser:**

- thoroughly rinse the area to be cleansed with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

## ***Other information***

- store between 20-25°C (68-77°F)

- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

□**Inactive ingredients**□

cocamide DEA, cocamine oxide, fragrance, gluconic acid\*, gluconolactone\*, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water  
\*contains one or more of these ingredients

**Questions or comments?**

Call **1-844-425-9273** Monday through Friday 8:00 AM to 5:00 PM CT.

**Representative label and principal display panel**

**4 fl oz (118 mL)**

**Chlorhexidine Gluconate 4% Solution**  
**Liquid Foaming | Foam Pump**

**NDC 39892-0961-1**

**HALYARD\***

**Chlorhexidine Gluconate 4% Solution**

Antiseptic

Liquid Foaming

Foam Pump

REF **56177**

4 fl oz (118 mL)

Non-Sterile.

For External Use only.

Manufactured for O&M Halyard, Inc.,  
9120 Lockwood Blvd., VA 23116, USA

In USA, please call 1-844-425-9273 • [halyardhealth.com](http://halyardhealth.com)

\*Registered Trademark or Trademark of O&M Halyard, Inc., or its affiliates.

©2018. All rights reserved.

Made in USA

Rev. A

Keep from freezing.

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

**WARNING:** This product can expose you to chemicals including amides, coco, n,n-bis(hydroxyethyl) and 2,2'-iminodiethanol which are known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).



# CHLORHEXIDINE GLUCONATE 4% SOLUTION

Antiseptic  
Liquid Foaming  
Foam Pump

4 fl oz (118 mL)

Non-Sterile.  
For External Use only.

REF 56177

Manufactured for  
Owens & Minor, Inc.,  
9120 Lockwood Boulevard,  
Mechanicsville, VA 23116;  
In USA, please call 1-844-425-9273  
[halyardhealth.com](http://halyardhealth.com)

\*Registered Trademark or Trademark of O&M Halyard, Inc.,  
or its affiliates. © 2018. All rights reserved. Made in USA



(01) 1 0885632 42819 7

NDC 39892-0961-1  
Rev. A Keep from freezing.

## Drug Facts

### Active ingredient

Chlorhexidine gluconate solution, 4%.....Surgical hand scrub  
Healthcare personnel handwash  
Skin wound and general skin cleanser

### Purpose

### Uses

- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: handwash to help reduce bacteria that potentially can cause disease
- skin wound and general skin cleanser: helps reduce bacteria on the skin

### Warnings

#### For external use only

#### Allergy alert

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- facial swelling
- hives
- shock
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

#### Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
- as a patient preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

#### When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. ▶



**WARNING:** This product can expose you to chemicals including amides, coco, n,n-bis(hydroxyethyl) and 2,2'-iminodiethanol which are known to the State of California to cause cancer. For more information, go to [www.P65Warnings.ca.gov](http://www.P65Warnings.ca.gov).

## Drug Facts (continued)

### Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- use full strength
- do not dilute

### Surgical hand scrub:

- remove jewelry
- wet hands and forearms with water and apply 5 mL (4 pumps) of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL (4 pumps) of the product and rinse under running water
- dry thoroughly

### Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL (4 pumps) of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

### Skin wound and general skin cleanser:

- thoroughly rinse the area to be cleansed with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

### Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

### Inactive ingredients

cocamide DEA, cocamine oxide, fragrance, gluconic acid\*, gluconolactone\*, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water \*contains one or more of these ingredients

### Questions or comments?

☎ Call 1-844-425-9273 Monday through Friday 8:00 AM to 5:00 PM CT.

**Laundering/Cleaning Instructions:** Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine releasing products, such as chlorine bleach. Rinse completely and use only non-chlorine detergents.

## HALYARD CHLORHEXIDINE GLUCONATE

chlorhexidine gluconate solution

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:39892-0961(NDC:42939-125)
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	40 mg in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
COCAMINE OXIDE (UNII: QWA2IZI6FI)	
GLUCONIC ACID (UNII: R4R8J0Q44B)	

<b>GLUCONOLACTONE</b> (UNII: WQ29KQ9POT)	
<b>ISOPROPYL ALCOHOL</b> (UNII: ND2M416302)	
<b>PEG-75 LANOLIN</b> (UNII: 09179OX7TB)	
<b>PEG-150 DISTEARATE</b> (UNII: 6F36Q0I0AC)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>QUATERNIUM-33</b> (UNII: XPS4174QZJ)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>HYDROXYETHYL CELLULOSE (3000 CPS AT 1%)</b> (UNII: 7Q6P4JN1QT)	
<b>COCO DIETHANOLAMIDE</b> (UNII: 92005F972D)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:39892-0961-1	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/31/2024	
2	NDC:39892-0961-2	118 mL in 1 CASE; Type 0: Not a Combination Product	07/31/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019258	07/31/2024	

**Labeler** - Owens & Minor, Inc. (847412269)

Revised: 9/2024

Owens & Minor, Inc.