

BETADINE- 10% povidone-iodine liquid
Xttrium Laboratories, Inc

Betadine 10% OTC 6oz and 8oz

Active Ingredient

Povidone-iodine, 10%

Purpose

First aid antiseptic

Uses

first aid to help prevent infection in minor ■ cuts ■ scrapes ■ burns

Warnings

For external use only

Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to povidone-iodine or any other ingredients in this preparation

Ask a doctor before use if you have ■ deep or puncture wounds ■ serious burns ■ animal bites

Stop use and ask a doctor if ■ the condition persists or gets worse ■ you need to use this product for more than 1 week

If swallowed, get medical help or contact a Poison Control Center right away

Directions

- clean the affected area
- apply a small amount of product to the area 1 to 3 times daily
- may be covered with a sterile bandage
- if bandaged, let dry first

Other Information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

Inactive Ingredients

citric acid, disodium phosphate, glycerin, nonoxynol-9, purified water, sodium hydroxide

Questions?

1-833-288-2684

Principle Display Panel

Betadine Antiseptic

67618-150-18

NEW LOOK!



BETADINE[®]

ANTISEPTIC

10% POVIDONE-IODINE

First Aid Antiseptic Solution



- ✓ Ideal for Minor Cuts, Wounds, Scrapes & Burns
- ✓ Kills 99.9% of Germs* To Prevent Infection
- ✓ Works in Seconds[†]
- ✓ No Stinging or Burning

6 fl oz (177 mL)

Do not use if seal under cap is missing or damaged.
*commonly associated with skin infections.
†based on in vitro lab data.

Drug Facts	Purpose
Active ingredient Povidone-iodine, 10% (1% available iodine).....First aid antiseptic	
Uses first aid to help prevent infection in minor ■ cuts ■ scrapes ■ burns	
Warnings For external use only Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to povidone-iodine or any other ingredients in this preparation	
Ask a doctor before use if you have ■ deep or puncture wounds ■ serious burns ■ animal bites	
Stop use and ask a doctor if ■ the condition persists or gets worse ■ you need to use this product for more than 1 week	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions ■ clean the affected area ■ apply a small amount of product to the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first	
Other information ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)	
Inactive ingredients citric acid, disodium phosphate, glycerin, nonoxynol-9, purified water, sodium hydroxide	
Questions? 1-833-288-2684	

BETADINE[®]

ANTISEPTIC

FIRST AID FOR THE WHOLE FAMILY

Helps protect against skin infection
Golden brown color indicates area treated

Visit www.Betadine.com for more information.



A0324



Dist. by:
Atlantis Consumer Healthcare Inc.
Bridgewater, NJ 08807 USA

©2024 Atlantis Consumer Healthcare Inc.
Betadine is a registered trademark of Atlantis Consumer Healthcare Inc.
401606BTLBL

Betadine Antiseptic

67618-150-08

NEW LOOK!

HOSPITAL TRUSTED SINCE 1955

BETADINE[®]
ANTISEPTIC

10% POVIDONE-IODINE

First Aid Antiseptic Solution

- ✓ Ideal for Minor Cuts, Wounds, Scrapes & Burns
- ✓ Kills 99.9% of Germs* To Prevent Infection
- ✓ Works in Seconds[†]
- ✓ No Stinging or Burning

8 fl oz (237 mL)

BETADINE[®]
ANTISEPTIC

HOSPITAL TRUSTED SINCE 1955

FIRST AID FOR THE WHOLE FAMILY

Helps protect against skin infection
Golden brown color indicates area treated

Visit www.Betadine.com for more information.

Do not use if seal under cap is missing or damaged.

*commonly associated with skin infections, †based on in vitro lab data.

Drug Facts

Active ingredient Povidone-iodine, 10% (1% available iodine)	Purpose First aid antiseptic
Uses first aid to help prevent infection in minor ■ cuts ■ scrapes ■ burns	
Warnings For external use only	
Do not use ■ in the eyes ■ over large areas of the body ■ if you are allergic to povidone-iodine or any other ingredients in this preparation	
Ask a doctor before use if you have ■ deep or puncture wounds ■ serious burns ■ animal bites	
Stop use and ask a doctor if ■ the condition persists or gets worse ■ you need to use this product for more than 1 week	
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away	
Directions	
■ clean the affected area ■ apply a small amount of product to the area 1 to 3 times daily ■ may be covered with a sterile bandage ■ if bandaged, let dry first	
Other information	
■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)	
Inactive ingredients citric acid, disodium phosphate, glycerin, nonoxynol-9, purified water, sodium hydroxide	
Questions? 1-833-288-2684	

Dist. by: Atlantis Consumer Healthcare Inc., Bridgewater, NJ 08807 USA

©2024 Atlantis Consumer Healthcare Inc. Betadine is a registered trademark of Atlantis Consumer Healthcare Inc.

3 67618 15008 5

401-60898 TLL BL A0324

BETADINE

10% povidone-iodine liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0116-0150
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	10 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
SODIUM PHOSPHATE, DIBASIC, MONOHYDRATE (UNII: BWZ 7K44R51)	
NONOXYNOL-9 (UNII: 48Q180SH9T)	
WATER (UNII: 059QF0KOOR)	

SODIUM HYDROXIDE (UNII: 55X04QC32I)

GLYCERIN (UNII: PDC6A3C0OX)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0116-0150-08	237 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/06/2024	
2	NDC:0116-0150-18	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/06/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	11/06/2024	

Labeler - Xttrium Laboratories, Inc (007470579)

Registrant - Xttrium Laboratories, Inc (007470579)

Establishment

Name	Address	ID/FEI	Business Operations
Xttrium Laboratories, Inc.		007470579	manufacture(0116-0150)

Revised: 11/2024

Xttrium Laboratories, Inc