

**NEKVNRO WART REMOVER- wart remover liquid**  
**Guoyu Trading Co., Ltd.**

-----  
**84844-013**

**Active Ingredient**

Salicylic acid 5%

**Purpose**

Wart remover

**Use**

- for the removal of common and plantar warts
- the common wart is easily recognized by the rough “cauliflower-like” appearance on the surface.
- the plantar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

**Warnings**

For external use only. Flammable.  
Keep away from fire and flame.

**Do not use**

- on irritated skin or on any area that is infected or reddened
- on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes.
- if you have diabetes or poor blood circulation.

**When Using**

- avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes.
- avoid inhaling vapors
- cap tightly and store at room temperature away from heat

**Stop Use**

and ask a doctor if  
discomfort persists.

**Ask Doctor**

discomfort persists.

### **Keep Out Of Reach Of Children**

If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

### **Directions**

- wash affected area
- may soak wart in warm water for 5 minutes
- dry area thoroughly
- by squeezing tube gently, apply one drop at a time to sufficiently cover each wart
- let dry
- repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

### **Other information**

- store at room temperature
- avoid excessive heat 37°C (99°F)
- skin discoloration may occur during or after use
- wipe the tip of the tube with a paper towel between uses

### **Inactive ingredients**


Water □ Glycerin □ Podofilox □ Polyethylene Glycol □ Borneol □ etc.

### **PRINCIPAL DISPLAY PANEL**

外包装/42\*42\*104mm

瓶贴/95\*46mm

说明书/90X130mm



## WART REMOVER instructions

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredient</b>	Wart remover
Salicylic acid 5% w/w.....	

**Uses**  
For the removal of common and planter warts  
-the common wart is easily recognized by the rough "cauliflower-like" appearance on the surface  
-the planter wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

**Warnings**  
For external use only. Flammable.  
Keep away from fire and flame.

**Do not use**  
on irritated skin or on any area that is infected or reddened  
on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes  
if you have diabetes or poor blood circulation.

**When using this product**  
avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes.  
avoid inhaling vapors  
-cap tightly and store at room temperature away from heat.

**Stop use and ask a doctor if**  
discomfort persists.

**Keep out of reach of children**  
If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
wash affected area  
may soak wart in warm water for 5 minutes  
dry area thoroughly  
by squeezing tube gently, apply one drop at a time to sufficiently cover each wart let dry  
repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

**Other information**  
store at room temperature avoid exposure to heat  
skin discoloration may occur during or after use wipe the tip of the tube with a paper towel between uses

**Inactive ingredients**  
Water, Glycerin, Polidocanol, Polyethylene Glycol, Boronax, etc.

**Drug Facts**

<b>Active ingredient</b>	<b>Purpose</b>
Salicylic acid 5% w/w.....	Wart remover

**Uses**  
For the removal of common and planter warts  
-the common wart is easily recognized by the rough "cauliflower-like" appearance on the surface  
-the planter wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

**Warnings**  
For external use only. Flammable.  
Keep away from fire and flame.

**Do not use**  
on irritated skin or on any area that is infected or reddened  
on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes  
if you have diabetes or poor blood circulation.

**When using this product**  
avoid contact with eyes. If product gets into the eyes, flush with water for 15 minutes.  
avoid inhaling vapors  
-cap tightly and store at room temperature away from heat.

**Stop use and ask a doctor if**  
discomfort persists.

**Keep out of reach of children**  
If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.



### WART REMOVER



**EASY TO USE NATURAL  
FORMULA SAFE  
AND EFFECTIVE**

**FAST ACTING LIQUID**



Product Manufacturer:  
Gaiyo Trading Co., Ltd.  
Address:  
Korea Seod Room 1317-105, 13th Floor,  
220-21 Gaein Digital 1-ro, Gaeinchoongju  
(Gaein-dong)

TOTAL CARE WART&SKIN  
REMOVES WART RESTORES SKIN  
PAINLESSLY REMOVES  
COMMON&PLANAR WARTS

**NET 1.69FL OZ (50ML)**

**Directions**  
wash affected area may soak wart in warm water for 5 minutes  
dry area thoroughly by squeezing tube gently, apply one drop at a time to sufficiently cover each wart let dry  
repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

**Other information**  
store at room temperature avoid exposure to heat  
skin discoloration may occur during or after use wipe the tip of the tube with a paper towel between uses

**Inactive ingredients**  
Water, Glycerin, Polidocanol, Polyethylene Glycol, Boronax, etc.

TOTAL CARE WART&SKIN  
REMOVES WART RESTORES SKIN  
PAINLESSLY REMOVES  
COMMON&PLANAR WARTS

**NET 1.69FL OZ (50ML)**



### WART REMOVER

**Active ingredient**

<b>Purpose</b>	
Salicylic acid 5% w/w.....	Wart remover

**Warnings**  
For external use only. Flammable.  
Keep away from fire and flame.

**Do not use**  
on irritated skin or on any area that is infected or reddened on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes  
if you have diabetes or poor blood circulation.

**Inactive ingredients**  
Water, Glycerin, Polidocanol, Polyethylene Glycol, Boronax, etc.



**EASY TO USE NATURAL  
FORMULA SAFE AND EFFECTIVE**


**FAST ACTING LIQUID**

TOTAL CARE WART&SKIN  
REMOVES WART RESTORES SKIN  
PAINLESSLY REMOVES  
COMMON&PLANAR WARTS


**NET 1.69FL OZ (50ML)**

**WARNINGS:**  
Avoid contact with eyes. Avoid inhaling and use only in well-ventilated areas. Do not eat for external use only. Use only as directed if you are not certain whether the skin condition is a skin tag, consult your physician before using this product. Do not spray gas directly onto skin. Misuse of this product may result in burns and sparing of healthy tissue or blindness.


外包装/50\*38\*88mm  
瓶贴/95\*46mm  
说明书/90\*130mm




外包装/50\*38\*88mm  
瓶贴/95\*46mm  
说明书/90\*130mm




外包装/50\*38\*88mm  
瓶贴/95\*46mm  
说明书/90\*130mm



外包装/50\*38\*88mm  
瓶贴/95\*46mm  
说明书/90\*130mm



外包装/50\*38\*88mm  
 瓶贴/95\*46mm  
 说明书/90\*130mm








外包装/42\*42\*104mm

瓶贴/95\*46mm

说明书/90X130mm



**Active ingredient**

**Purpose**

Salicylic acid 5% w/w.....Wart remover

**Warnings**

For external use only. Flammable. Keep away from fire and flame.

**Do not use**

on irritated skin or on any area that is infected or reddened (on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes).

**Inactive ingredients**

Water, Glycerin, Povidone, Polyethylene Glycol, Borneol, etc.

**Nekvno**

**WART REMOVER**

**EASY TO USE NATURAL FORMULA SAFE AND EFFECTIVE**

**FAST ACTING LIQUID**

**TOTAL CARE WART&SKIN REMOVES WART RESTORES SKIN PAINLESSLY REMOVES COMMON&PLANAR WARTS**

**NET 1.69FL OZ (50ML)**

**WARNINGS:**

Avoid contact with eyes. Avoid rubbing and use only on well-irritated areas. Do not use for external use only. Use only as directed if you are not certain whether the skin condition is a skin tag, consult your physician before using this product. Do not spray gas directly onto skin. Misuse of this product may result in burns and scarring of healthy tissue or blindness.

外包装/42\*42\*104mm

瓶贴/95\*46mm

说明书/90X130mm



**Nekvno**

## WART REMOVER instructions

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredient</b>	Wart remover
Salicylic acid 5% w/w	

**Uses**  
For the removal of common and planar warts  
-the common wart is easily recognized by the rough "cauliflower-like" appearance on the surface  
-the planar wart is recognized by its location only on the bottom of the foot, its tenderness and interruption of the footprint pattern

**Warnings**  
For external use only. Flammable.  
Keep away from fire and flame.

**Do not use**  
on irritated skin or on any area that is infected or reddened  
on moles, birthmarks, warts with hair growing from them, genital warts or warts on the face or mucous membranes  
if you have diabetes or poor blood circulation.

**When using this product**  
avoid contact with eyes. If product gets into the eye, flush with water for 15 minutes.  
avoid inhaling vapors  
-cap tightly and store at room temperature away from heat.

**Stop use and ask a doctor if discomfort persists.**

**Keep out of reach of children**  
If swallowed, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**  
-wash affected area in warm water for 5 minutes  
-dry area thoroughly  
-by squeezing tube gently, apply one drop at a time to sufficiently cover each wart  
-repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks

**Other information**  
store at room temperature  
avoid excessive heat 27°C (80°F)  
skin discoloration may occur during or after use  
-wipe the tip of the tube with a paper towel between uses

**Inactive ingredients**  
Water, Glycerin, Potassium Glycolate, Boric Acid, etc.


**Nekvno**  
WART REMOVER

**EASY TO USE NATURAL FORMULA SAFE AND EFFECTIVE**  
**FAST ACTING LIQUID**

**TOTAL CARE WART&SKIN REMOVES WART RESTORES SKIN PAINLESSLY REMOVES COMMON&PLANAR WARTS**  
**NET 1.69FL OZ (50ML)**

**WARNINGS:**  
Avoid contact with eyes. Avoid inking and use only in well-ventilated areas. Do not use for external use only. Use only as directed. If you are not certain whether the skin condition is a skin tag, consult your physician before using this product. Do not spray directly onto skin. Misuse of this product may result in burns and scarring of healthy tissue or blindness.

外包装/42\*42\*104mm  
瓶贴/95\*46mm  
说明书/90X130mm



## NEKVIRO WART REMOVER

wart remover liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84844-013
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 g in 100 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>BORNEOL</b> (UNII: M89NIB437X)	
<b>PODOFILOX</b> (UNII: L36H50F353)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84844-013-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/07/2024	
2	NDC:84844-013-02	50 mL in 1 BOTTLE; Type 0: Not a Combination Product	11/07/2024	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	11/07/2024	

**Labeler** - Guoyu Trading Co., Ltd. (963348600)

### Establishment

Name	Address	ID/FEI	Business Operations
Guoyu Trading Co., Ltd.		963348600	manufacture(84844-013)

Revised: 11/2024

Guoyu Trading Co., Ltd.