

**ACETAMINOPHEN 500 MG- acetaminophen tablet**  
**Reliable 1 Laboratories LLC**

-----  
**ACETAMINOPHEN 500 MG TABLET**

***Drug Facts***

***Active ingredient (in each tablet)***

Acetaminophen USP, 500 mg

***Purpose***

Pain reliever/fever reducer

***Uses***

- temporarily relieves minor aches and pains due to:
  - headache
  - muscular aches
  - backache
  - minor pain of arthritis
  - the common cold
  - toothache
  - premenstrual and menstrual cramps
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash
- If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a

doctor or pharmacist.

**Ask a doctor before use if you have** liver disease

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

**do not take more than directed (see overdose warning)**

**adults & children 12 years and over:**

- take 1 tablet every 3-4 hours or 2 tablets every 6 hours while symptoms last
- do not take more than 8 tablets in 24 hours

**children under 12 years: do not use**

### ***Other information***

- store at 15° to 30°C (59° to 86°F)

### ***Inactive ingredients***

povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid

### ***Questions or comments?***

call **516-341-0666**, 8:30 am - 4:30 pm ET, Monday - Friday

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark **TYLENOL®**.

Distributed by: **Reliable 1 Laboratories LLC, Valley Stream, NY 11580**

**[www.reliable1labs.com](http://www.reliable1labs.com)**

NDC 69618-011-01

Extra Strength

Acetaminophen USP 500 mg

PAIN RELIEVER

FEVER REDUCER

100 TABLETS

\*Compare to Active Ingredient in Extra Strength Tylenol®

NDC 69618-011-01



Extra Strength  
**Acetaminophen USP**  
500 mg  
**PAIN RELIEVER**  
**FEVER REDUCER**

100 TABLETS

\*Compare to Active Ingredient in Extra Strength TYLENOL®

**Drug Facts**

**Active ingredient (in each tablet)**  
Acetaminophen USP, 500 mg .... Pain reliever/Fever reducer

**Purpose**

**Uses**

- temporarily relieves minor aches and pains due to:
  - headache
  - muscle aches
  - backache
  - the common cold
  - premenstrual and menstrual cramps
- temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use** with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

**Ask a doctor before use if you have liver disease**

**Drug Facts** continued on back of label

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*Reliable 1 Laboratories LLC is not affiliated with the owner of the trademark TYLENOL®.

Distributed by: **Reliable 1 Laboratories LLC**  
Valley Stream, NY 11580  
www.reliable1labs.com



3 69618 01101 4

Rev. 0715

Lot No.:  
Exp. Date:

**PEEL HERE FOR MORE DRUG FACTS**

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions** ■ do not take more than directed (see overdose warning)

**adults & children 12 years and over:**

- take 1 tablet every 3-4 hours or 2 tablets every 6 hours while symptoms last
- do not take more than 8 tablets in 24 hours
- children under 12 years: do not use

**Other information**

- store at 15° to 30° C (59° to 86° F)

**Inactive ingredients** povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid

**Questions or comments?** call 516-341-0666, 8:30 am - 4:30 pm ET, Monday - Friday

## ACETAMINOPHEN 500 MG

acetaminophen tablet

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:69618-011

<b>Route of Administration</b>	ORAL
--------------------------------	------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

### Inactive Ingredients

Ingredient Name	Strength
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, PREGELATINIZED CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	AP;013
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69618-011-01	100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	
2	NDC:69618-011-10	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/01/2015	



# ACETAMINOPHEN 500mg Tablet

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	11/01/2015	

**Labeler** - Reliable 1 Laboratories LLC (079718111)

**Registrant** - Reliable 1 Laboratories LLC (079718111)

Revised: 1/2025

Reliable 1 Laboratories LLC