

**MUCOSAN MULTI-SYMPTOM HONEY- dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid**  
**Menper Distributors, Inc.**

-----  
**Mucosan Multi-Symptom Honey**

Active ingredients (in each 5 mL or 1 teaspoon) Purposes

Dextromethorphan HBr, 10 mg.....Cough suppressant  
Guaifenesin, 100 mg.....Expectorant  
Phenylephrine HCl, 5 mg.....Nasal decongestant

**Purposes**

Cough suppressant  
Expectorant  
Nasal decongestant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
- nasal congestion
- cough due to minor throat and bronchial irritation

**Do not use** if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatry or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are** taking any other oral nasal decongestant or stimulant.

**Do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast - feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison control Center right away.

**Directions**

- do not take more than 6 doses in any 24 hour period
- this adult strength product is not intended for use in children under 12 years of age
- measure only with dosing cup provided
- keep dosing cup with product
- TSP = teaspoon

|                                       |                                  |
|---------------------------------------|----------------------------------|
| age                                   | dose                             |
| adults and children 12 years and over | 2 teaspoons (10mL) every 4 hours |
| children undre 12 years               | do not use                       |

**Other information**

- **each teaspoon (5mL) contains:** sodium 3 mg
- store at 15-30°C (59-86°F). Do not refrigetate.

anhydrous citric acid, FD&C yellow #6, flavor, glycerin, honey, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

**Questions or comments?**

1-800-560-5223 Monday to Friday 9am-4pm, Eastern Time

**MucoSan**  
multi-sympton multi-sintoma miel  
Dextromethorphan HBr  
Guaifenesin  
Phenylephrine HCl  
Dextrometorfano HBr  
Guaifenesina  
Fenilefrina HCl

relief · alivio  
Honey

**COUGH & CONGESTION**  
TOS Y CONGESTIÓN

**RELIEVES / ALIVIA:**  
Cough/Tos  
Nasal Congestion/  
Congestión Nasal  
Chest Congestion/  
Congestión de Pecho

12+ years/años  
4 FL oz (118 mL)

**Drug Facts**

**Active Ingredients (in each 5 mL or 1 teaspoon)**  
Dextromethorphan HBr, 10 mg..... Cough Suppressant  
Guaifenesin, 100 mg..... Expectorant  
Phenylephrine HCl, 5 mg..... Nasal Decongestant

**Uses** ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain out of your chest ■ helps relieve sore throat and cold:  
■ nasal congestion ■ cough due to minor throat and bronchial irritation.

**Warnings**  
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or if you are taking an MAOI or prescription drug that contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have** ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are** taking any other oral nasal decongestant or stimulant.

**Do not exceed recommended dosage.**

**Stop use and ask a doctor if** ■ you get nervous, dizzy or sleepless ■ you have a fever with ■ coughs that last more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

**Directions** ■ do not take more than 6 doses in any 24-hour period ■ this adult strength product is not intended for use in children under 12 years of age ■ measure only with dosing cup provided ■ Keep dosing cup with product ■ TSP = teaspoon

|                                       |                                   |
|---------------------------------------|-----------------------------------|
| age                                   | dose                              |
| adults and children 12 years and over | 2 teaspoons (10 mL) every 4 hours |
| children under 12 years               | do not use                        |

**Other information** ■ each teaspoon (5 mL) contains: sodium 3 mg ■ store at 15-30°C (59-86°F). Do not refrigerate.

**Inactive ingredients** anhydrous citric acid, FD&C yellow #6, flavor, glycerin, honey, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

**Questions or comments?**  
1-800-560-5223 Monday to Friday 9am-4pm, Eastern Time

Distributed by / Distribuido por: The Menper Group, 11421 NW 107th St, Miami, FL 33176, USA

**DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING**  
**NO SE USE SI EL SELLO IMPRESO DEBAJO DE LA TAPA ESTÁ ROTO O FALTA**

Rev. 1  
PEEL HERE LEVANTE AQUÍ  
Lot  
Exp



# MUCOSAN MULTI-SYMPOTOM HONEY

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

| Product Information     |                |                    |
|-------------------------|----------------|--------------------|
| Product Type            | HUMAN OTC DRUG | Item Code (Source) |
| Route of Administration | ORAL           | NDC:53145-695      |

| Active Ingredient/Active Moiety   |  |                               |                |
|---|--|-------------------------------|----------------|
| Ingredient Name   |  | Basis of Strength             | Strength       |
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) |  | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg in 5 mL  |
| GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)                        |  | GUAIFENESIN                   | 100 mg in 5 mL |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)      |  | PHENYLEPHRINE HYDROCHLORIDE   | 5 mg in 5 mL   |

| Inactive Ingredients |  |          |
|----------------------|--|----------|
| Ingredient Name      |  | Strength |
|                      |  |          |

|   |
|---|
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) |
| <b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8) |
| <b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)             |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)       |
| <b>HONEY</b> (UNII: Y9H1V576FH)                 |
| <b>WATER</b> (UNII: 059QF0KO0R)                 |
| <b>XANTHAN GUM</b> (UNII: TTV12P4NEE)           |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)              |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)      |
| <b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)     |

### Packaging

| # | Item Code        | Package Description  | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:53145-695-04 | 1 in 1 CARTON  | 11/01/2024           |                    |
| 1 |                  | 118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 11/01/2024           |                    |

**Labeler** - Menper Distributors, Inc. (101947166)

**Registrant** - Menper Distributors, Inc. (101947166)

Revised: 11/2024

Menper Distributors, Inc.