

MUCOSAN MULTI-SYMPATOM HONEY- dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid
Menper Distributors, Inc.

Mucosan Multi-Symptom Honey

Active ingredients (in each 5 mL or 1 teaspoon) Purposes

Dextromethorphan HBr, 10 mg.....Cough suppressant
Guaifenesin, 100 mg.....Expectorant
Phenylephrine HCl, 5 mg.....Nasal decongestant

Purposes

Cough suppressant
Expectorant
Nasal decongestant

Uses

- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes
- temporarily relieves these symptoms occurring with a cold:
- nasal congestion
- cough due to minor throat and bronchial irritation

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatry or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are taking any other oral nasal decongestant or stimulant.

Do not exceed recommended dosage.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast - feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison control Center right away.

Directions

- do not take more than 6 doses in any 24 hour period
- this adult strength product is not intended for use in children under 12 years of age
- measure only with dosing cup provided
- keep dosing cup with product
- TSP = teaspoon

age	dose
adults and children 12 years and over	2 teaspoons (10mL) every 4 hours
children undre 12 years	do not use

Other information

- **each teaspoon (5mL) contains:**sodium 3 mg
- store at 15-30°C (59-86°F). Do not refrigetate.

anhydrous citric acid, FD&C yellow #6, flavor, glycerin, honey, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

1-800-560-5223 Monday to Friday 9am-4pm, Eastern Time

MucoSan
multi-sympton
multi-sintoma miel

relief · alivio

Dextromethorphan HBr
Guaifenesin
Phenylephrine HCl
Dextrometorfano HBr
Guaifenesina
Fenilefrina HCl

COUGH & CONGESTION
TOS Y CONGESTIÓN

Honey

RELIEVES / ALIVIA:
Cough/Tos
Nasal Congestion/
Congestión Nasal
Chest Congestion/
Congestión de Pecho

12+
years/
años

4 FL oz (118 mL)

Drug Facts

Active Ingredients (in each 5 mL or 1 teaspoon)
Dextromethorphan HBr, 10 mg..... Cough Suppressant
Guaifenesin, 100 mg..... Expectorant
Phenylephrine HCl, 5 mg..... Nasal Decongestant

Uses ■ helps loosen phlegm (mucus) and thin bronchial secretions to drain chest and throat ■ relieves symptoms of the common cold:
■ nasal congestion ■ cough due to minor throat and bronchial irritation.

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, Parkinson's, or emotional conditions, or Parkinson's disease), or if you are taking an MAOI or prescription drug that contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to an enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

Ask a doctor or pharmacist before use if you are taking any other oral nasal decongestant or stimulant.

Do not exceed recommended dosage.

Stop use and ask a doctor if ■ you get nervous, dizzy or sleepless ■ symptoms persist ■ you have a fever ■ you have a cough that lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ■ do not take more than 6 doses in any 24-hour period ■ this adult strength product is not intended for use in children under 12 years of age ■ measure only with dosing cup provided ■ Keep dosing cup with product ■ TSP = teaspoon

age	dose
adults and children 12 years and over	2 teaspoons (10 mL) every 4 hours
children under 12 years	do not use

Other information ■ each teaspoon (5 mL) contains: sodium 3 mg ■ store at 15-30°C (59-86°F). Do not refrigerate.

Inactive ingredients anhydrous citric acid, FD&C yellow #6, flavor, glycerin, honey, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose, xanthan gum

Questions or comments?
1-800-560-5223 Monday to Friday 9am-4pm, Eastern Time

Distributed by / Distribuido por: The Menper Group, 11421 NW 107th St, Miami, FL 33176, USA

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING
NO SE USE SI EL SELLO IMPRESO DEBAJO DE LA TAPA ESTÁ ROTO O FALTA

Rev. 1
PEEL HERE
LEVANTE AQUÍ

Lot
Exp



MUCOSAN MULTI-SYMPOTOM HONEY

dextromethorphan hbr, guaifenesin, phenylephrine hcl liquid

Product Information		
Product Type	HUMAN OTC DRUG	Item Code (Source)
Route of Administration	ORAL	NDC:53145-695

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)		DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)		GUAIFENESIN	100 mg in 5 mL
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)		PHENYLEPHRINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients		
Ingredient Name		Strength

ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
HONEY (UNII: Y9H1V576FH)	
WATER (UNII: 059QF0KO0R)	
XANTHAN GUM (UNII: TTV12P4NEE)	
GLYCERIN (UNII: PDC6A3C0OX)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SORBITOL SOLUTION (UNII: 8KW3E207O2)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53145-695-04	1 in 1 CARTON	11/01/2024	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/01/2024	

Labeler - Menper Distributors, Inc. (101947166)

Registrant - Menper Distributors, Inc. (101947166)