

**ICY HOT WITH LIDOCAINE- lidocaine and menthol patch  
Chattem, Inc.**

-----  
**Icy Hot with Lidocaine Patch**

***ICY HOT with 4% LIDOCAINE PATCH***

***Drug Facts***

**Active ingredients**

Lidocaine 4%

Menthol 1%

**Purposes**

Topical anesthetic

Topical analgesic

**Use**

for the temporary relief of pain

**Warnings**

**For external use only**

**Do not use**

- on wounds or on irritated or damaged skin
- more than 1 patch on your body at a time or with other topical analgesics at the same time
- with a heating pad

**When using this product**

- use only as directed
- do not bandage tightly
- avoid contact with eyes and mucous membranes
- do not expose the area to local heat or to direct sunlight
- rare cases of serious burns have been reported with products of this type
- a transient burning sensation may occur upon application but generally disappears in several days

- avoid applying into skin folds

### **Stop use and ask a doctor if**

- condition worsens or symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- redness is present or excessive skin irritation occurs
- you experience severe burning pain, swelling, or blistering where the product was applied

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children and pets.**

Used patches may still contain the drug product that can produce serious adverse effects if ingested by children or pets. If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

#### **adults and children 12 years of age and older:**

- clean and dry affected area
- remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
- carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
- once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area
- apply to the affected area not more than 3 to 4 times daily
- wash hands after applying or removing patch. Throw away the patch by folding sticky ends together.

**children under 12 years of age:** consult a doctor

### **Inactive ingredients**

aluminum glycinate, aluminum hydroxide, cellulose gum, glycerin, methyl acrylate/2-ethylhexyl acrylate copolymer, methylparaben, nonoxynol-30, polyacrylic acid, polysorbate 80, propylene glycol, silica, sodium polyacrylate, tartaric acid, titanium dioxide, urea, water

### **Child-resistant packaging.**

**Keep carton as it contains important information.**

# PRINCIPAL DISPLAY PANEL

ICYHOT  
with LIDOCAINE  
LARGE PATCH  
PAIN RELIEF  
4% LIDOCAINE +  
1% MENTHOL



## ICY HOT WITH LIDOCAINE

lidocaine and menthol patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:41167-1720
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	240 mg
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	60 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>ALUMINUM GLYCINATE</b> (UNII: 1K713C615K)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>NONOXYNOL-30</b> (UNII: JJX07DG188)	
<b>2-ETHYLHEXYL ACRYLATE</b> (UNII: HR49R9S6XG)	
<b>POLYACRYLIC ACID (250000 MW)</b> (UNII: 9G2MAD7J6W)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JN12J)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>WATER</b> (UNII: 059QF0KOOR)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41167-1720-1	5 in 1 CARTON; Type 0: Not a Combination Product	02/18/2018	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	02/18/2018	

**Labeler** - Chattem, Inc. (003336013)

Revised: 1/2025

Chattem, Inc.