

**SIGNATURE CARE CHILDRENS COLD AND COUGH- brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution**  
**Safeway**

-----

**Better Living Brands LLC Children's Cold & Cough Drug Facts**

**Active ingredients (in each 10 mL)**

Brompheniramine maleate, USP 2 mg

Dextromethorphan HBr, USP 10 mg

Phenylephrine HCl, USP 5 mg

**Purposes**

Antihistamine

Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves these symptoms due to hay fever (allergic rhinitis):
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat
- temporarily restores freer breathing through the nose

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
- to make a child sleepy

**Ask a doctor before use if you have**

- heart disease

- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- glaucoma
- cough that occurs with too much phlegm (mucus)
- a breathing problem such as emphysema or chronic bronchitis
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

- do not use more than directed
- may cause marked drowsiness
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- symptoms do not get better within 7 days or are accompanied by fever
- cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosage cup provided
- keep dosage cup with product
- mL = milliliter

| age                                   | dose                |
|---------------------------------------|---------------------|
| adults and children 12 years and over | 20 mL every 4 hours |
| children 6 to under 12 years          | 10 mL every 4 hours |
| children under 6 years                | do not use          |

## **Other information**

- each 10 mL contains: sodium 4 mg
- store at 20°-25°C (68°-77°F)

## **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

## **Questions or comments?**

1-888-723-3929

## **Principal Display Panel**

AGES 6 YRS. & OLDER

Children's Cold & Cough

Brompheniramine Maleate 2mg - Antihistamine

Dextromethorphan HBr 10mg - Cough Suppressant

Phenylephrine HCl 5mg - Nasal Decongestant

GRAPE FLAVOR

Compare to Children's Dimetapp® Cold & Cough active ingredients

Relieves Nasal Symptoms:

Stuffy Nose

Runny Nose

Sneezing

Plus Other Symptoms:


Itchy, Watery Eyes

Cough

Alcohol Free

Gluten Free

4 FL OZ (118mL)



NDC 21130-082-26



Quality Guaranteed

AGES 6 YRS. & OLDER

# Children's Cold & Cough

Brompheniramine Maleate 2mg – Antihistamine  
Dextromethorphan HBr 10mg – Cough Suppressant  
Phenylephrine HCl 5mg – Nasal Decongestant




GRAPE FLAVOR

Compare to Children's Dimetapp® Cold & Cough active ingredients\*

- Relieves Nasal Symptoms: Stuffy Nose, Runny Nose, Sneezing
- Plus Other Symptoms: Itchy, Watery Eyes, Cough
- Alcohol Free
- Gluten Free

4 FL OZ (118mL)



Quality Guaranteed

# Children's Cold & Cough

DISTRIBUTED BY:  
BETTER LIVING BRANDS LLC  
P.O. BOX 98, PLEASANTON, CA 94566-0098  
1-888-723-3929  
www.betterlivingbrandsLLC.com

**OUR PROMISE**  
QUALITY & SATISFACTION  
**100% GUARANTEED**  
OR YOUR MONEY BACK.

\*This product is not manufactured or distributed by Pfizer, distributor of Children's Dimetapp® Cold & Cough.

**DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING**

# Children's Cold & Cough

Quality Guaranteed



## Drug Facts

**Active Ingredients (in each 10 mL)**  
Brompheniramine maleate, USP 2 mg.....Antihistamine  
Dextromethorphan HBr, USP 10 mg.....Cough suppressant  
Phenylephrine HCl, USP 5 mg.....Nasal decongestant

## Purposes

- Uses**
- temporarily relieves cough due to minor throat and bronchial irritation occurring with a cold, and nasal congestion due to the common cold, hay fever or other upper respiratory allergies
  - temporarily relieves these symptoms due to hay fever (allergic rhinitis):
    - runny nose
    - sneezing
    - itchy, watery eyes
    - itching of the nose or throat
  - temporarily restores freer breathing through the nose

- Warnings**  
**Do not use**
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
  - to make a child sleepy

- Ask a doctor before use if you have**
- heart disease
  - thyroid disease
  - trouble urinating due to an enlarged prostate gland
  - glaucoma
  - cough that occurs with too much phlegm (mucus)
  - a breathing problem such as emphysema or chronic bronchitis
  - cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers**

- When using this product**
- do not use more than directed
  - may cause marked drowsiness
  - avoid alcoholic beverages
  - alcohol, sedatives, and tranquilizers may increase drowsiness
  - be careful when driving a motor vehicle or operating machinery
  - excitability may occur, especially in children

## Drug Facts (continued)

- Stop use and ask a doctor if**
- you get nervous, dizzy, or sleepless
  - symptoms do not get better within 7 days or are accompanied by fever
  - cough lasts for more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. A persistent cough may be a sign of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

- Directions**
- do not take more than 6 doses in any 24-hour period
  - measure only with dosage cup provided
  - keep dosage cup with product
  - mL = milliliter

| age                                   | dose                |
|---------------------------------------|---------------------|
| adults and children 12 years and over | 20 mL every 4 hours |
| children 6 to under 12 years          | 10 mL every 4 hours |
| children under 6 years                | do not use          |

- Other information**
- each 10 mL contains: sodium 4 mg
  - store at 20°-25°C (68°-77°F)

**Inactive ingredients** anhydrous citric acid, edetate disodium, FD&C blue no. 1, FD&C red no. 40, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sorbitol solution

**Questions or comments?**  
1-888-723-3929

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)



LOT NO.

EXP.

: 9872L LJ CE

# SIGNATURE CARE CHILDRENS COLD AND COUGH

brompheniramine maleate, dextromethorphan hbr, phenylephrine hcl solution

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:21130-082 |
| <b>Route of Administration</b> | ORAL           |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name  | Basis of Strength             | Strength       |
|--|-------------------------------|----------------|
| <b>BROMPHENIRAMINE MALEATE</b> (UNII: IXA7C9ZN03) (BROMPHENIRAMINE - UNII:H57G17P2FN)        | BROMPHENIRAMINE MALEATE       | 2 mg in 10 mL  |
| <b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg in 10 mL |
| <b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)      | PHENYLEPHRINE HYDROCHLORIDE   | 5 mg in 10 mL  |

**Inactive Ingredients**

| Ingredient Name                                 | Strength |
|---|----------|
| <b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL) |          |
| <b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)      |          |
| <b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)   |          |
| <b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)   |          |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)              |          |
| <b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)      |          |
| <b>WATER</b> (UNII: 059QF0KO0R)                 |          |
| <b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)      |          |
| <b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)       |          |
| <b>SORBITOL</b> (UNII: 506T60A25R)              |          |

**Product Characteristics**

|                 |                           |                     |  |
|-----------------|---------------------------|---------------------|--|
| <b>Color</b>    | PURPLE (Clear bluish-red) | <b>Score</b>        |  |
| <b>Shape</b>    |                           | <b>Size</b>         |  |
| <b>Flavor</b>   | GRAPE                     | <b>Imprint Code</b> |  |
| <b>Contains</b> |                           |                     |  |

**Packaging**

| # | Item Code        | Package Description                                   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:21130-082-26 | 1 in 1 CARTON   | 02/05/2016           |                    |
| 1 |                  | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product |                      |                    |

**Marketing Information**

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012                                     | 02/05/2016           |                    |

**Labeler** - Safeway (009137209)