

HANYWIL DARK SPOT- hanywil dark spot solution, gel forming / drops
Jiashen International Trade Limited

NIACINAMIDE
INOSITOL
Chrysanthellum Indicum Extract
Aloe Barbadensis Extract
Sophora Angustifolia Root Extract
WATER
GLYCERIN
PROPYLENE GLYCOL
CAPRYLIC/CAPRIC TRIGLYCERIDE
CETEARYL ALCOHOL
CETEARYL GLUCOSIDE
DIMETHICONE
BUTYROSPERMUM PARKII (SHEA) BUTTER
GLYCERYL STEARATE
PORTULACA OLERACEA EXTRAC
CHRYSANTHELLUM INDICUM EXTRACT
PELARGONIUM GRAVEOLENS EXTRACT
MENTHA ARVENSIS LEAF EXTRACT
ALOE BARBADENSIS EXTRACT
SOPHORA ANGUSTIFOLIA ROOT EXTRACT
SQUALANE
TOCOPHERYL ACETATE
1,2-HEXANEDIOL
HYDROXYACETOPHENONE
PHENOXYETHANOL
ETHYLHEXYLGLYCERIN
CARBOMER
DISODIUM EDTA
FRAGRANCE

DARK SPOTCORRECTINGSERUMENRICHED WITHNATURAL
PLANTEXTRACTS,EFFECTIVELYFADESDARK SPOTSBRIGHTENS ANDEVENSSKIN TONE.

Ask a doctor before use if you have
WarningsFor extemmal use only,. Before using,test forsensitivity on a smallarea of skin.
Do not use ondamaged skin. Avoid contact with eyes
Skin sensitization.
Skin plastic surgery

If pregnant or breast-feeding, ask a health
professional before use. Keep out of reach of
children. In case of overdose,got medical help
or contact a Poison Control Center right away.

For external use only. Before using,test for
sensitivity on a small area of skin. Do not use on
damaged skin. Avoid contact with eyes.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions:

After cleansing, gently press the pump to dispense an appropriate amount of serum.

Use the roller ball applicator to evenly

apply the serum to the face and neck. Massage until fully absorbed. Use twice daily for best results

Directions:


After cleansing, gently press the pump to dispense an appropriate amount of serum.

Use the roller ball applicator to evenly

apply the serum to the face and neck. Massage until fully absorbed. Use twice daily for best results

Step 2: Take an appropriate amount of dark spot cream and apply evenly to the desired area, massage gently for 1-2 minutes. Step 3: Use twice a day, with massage to help absorption, adhere to the use of more than a month the best results.





HANYWIL DARK SPOT

hanywil dark spot solution, gel forming / drops

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84867-004
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NIACINAMIDE (UNII: 25X5118RD4) (NIACINAMIDE - UNII:25X5118RD4)	NIACINAMIDE	2000 mg in 50 mL

ALOE BARBADENSIS FLOWER EXTRACT (UNII: 575DY8C1ER) (ALOE BARBADENSIS FLOWER EXTRACT - UNII:575DY8C1ER)	ALOE BARBADENSIS FLOWER EXTRACT	125 mg in 50 mL
SOPHORA FLAVESCENS ROOT (UNII: IYR6K8KQ5K) (SOPHORA FLAVESCENS ROOT - UNII:IYR6K8KQ5K)	SOPHORA FLAVESCENS ROOT	5 mg in 50 mL
INOSITOL (UNII: 4L6452S749) (INOSITOL - UNII:4L6452S749)	INOSITOL	1500 mg in 50 mL
CHRYSANTHELLUM INDICUM TOP (UNII: STJ856D1Z0) (CHRYSANTHELLUM INDICUM TOP - UNII:STJ856D1Z0)	CHRYSANTHELLUM INDICUM TOP	50 mg in 50 mL

Inactive Ingredients

Ingredient Name	Strength
PORTULACA OLERACEA LEAF (UNII: 9JW9D9JGHZ)	
MENTHA ARVENSIS LEAF (UNII: A4IWO4DDZ9)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
DIMETHICONE 350 (UNII: 2Y53S6ATLU)	
FRAGRANCE 13576 (UNII: 5EM498GW35)	
SQUALANE (UNII: GW89575KF9)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CARBOMER (UNII: 0A5MM307FC)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
GLYCERYL STEARATE/PEG-100 STEARATE (UNII: RD25J5V947)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ALOE BARBADENSIS LEAF EXTRACT (UNII: ZY81Z83H0X)	
HAMAMELIS VIRGINIANA TOP WATER (UNII: NT00Y05A2V)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
PELARGONIUM GRAVEOLENS LEAF OIL (UNII: 5Q1I94P4WG)	
CETEARYL ALCOHOL (UNII: 2DMT128M1S)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84867-004-01	15 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product	11/10/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	11/10/2024	

