

PREMIER VALUE CHILDRENS LORATADINE- loratadine solution
Chain Drug Constortium

Premier Value
Childrens Loratadine

Drug Facts

Active ingredient (in each 5 mL teaspoonful)

Loratadine 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. **(1-800-222-1222)**

Directions

- use only with enclosed dosing cup

adults and children 6 years and over	2 teaspoonfuls (TSP) daily; do not take more than 2 teaspoonfuls (TSP) in 24 hours
children 2 to under 6 years of age	1 teaspoonful (TSP) daily; do not take more than 1 teaspoonful (TSP) in 24 hours
children under 2	

children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- **safety sealed: do not use if imprinted safety seal is torn or missing**
- store between 20° and 25°C (68° and 77°F)

Inactive ingredients

artificial grape flavor, citric acid monohydrate, glycerin, propylene glycol, purified water, sodium benzoate, sodium metabisulfite, sucrose

Questions?

Call **1-866-923-4914**

DISTRIBUTED BY
CHAIN DRUG CONSORTIUM
3301 NW BOCA RATON BLVD
SUITE 101, BOCA RATON, FL 33431

PRINCIPAL DISPLAY PANEL - 120 mL Bottle Carton

NDC 68016-085-08

**COMPARE TO THE
ACTIVE INGREDIENT IN
CHILDREN'S CLARITIN®***

**Premier
Value**

Ages
two years
and older

**Children's
Loratadine
Oral Solution
5 mg/5 mL
Antihistamine**

GRAPE flavor

Non-Drowsy[†]

24 hour Allergy
Relief of: Sneezing;
Runny Nose; Itchy, Watery Eyes;
Itchy Throat or Nose

**INDOOR & OUTDOOR
ALLERGIES**

†When taken as directed.
See Drug Facts Panel.

INDEPENDENTLY TESTED

P

V

SATISFACTION GUARANTEED

4 FL OZ

(120 mL)



PREMIER VALUE CHILDRENS LORATADINE

loratadine solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:680 16-085
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Loratadine (UNII: 7AJO3BO7QN) (Loratadine - UNII:7AJO3BO7QN)	Loratadine	5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
citric acid monohydrate (UNII: 2968PHW8QP)	
glycerin (UNII: PDC6A3C0OX)	
propylene glycol (UNII: 6DC9Q167V3)	
water (UNII: 059QF0KO0R)	
sodium benzoate (UNII: OJ245FE5EU)	
sodium metabisulfite (UNII: 4VON5FNS3C)	
sucrose (UNII: C151H8M554)	

Product Characteristics

Color	YELLOW (colorless to slightly yellow)	Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68016-085-08	1 in 1 CARTON		
1		120 mL in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076805	08/20/2004	

Labeler - Chain Drug Constortium (101668460)**Registrant** - Taro Pharmaceuticals U.S.A., Inc. (145186370)**Establishment**

Name	Address	ID/FEI	Business Operations
Taro Pharmaceutical Industries Ltd.		600072078	MANUFACTURE(68016-085)