

**TOLNAFTATE- antifungal powder spray aerosol, spray**  
**ARMY & AIR FORCE EXCHANGE SERVICE**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Exchange Select Antifungal Tolnaftate Powder Spray**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- can prevent recurrence of most athlete's foot
- relieves symptoms of athlete's foot, including itching, burning, cracking and chafing associated with jock itch

***Warnings***

**For external use only.**

**Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**☐When using this product**

- do not get into eyes or mouth
- use only as directed

**☐Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks for athlete's foot, ringworm and 2 weeks for jock itch

**☐Do not use**

on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product

- for athlete's foot: pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks for athlete's foot, ringworm and for jock itch use daily for 2 weeks
- if conditions persist, consult a doctor
- to prevent athlete's foot, apply daily once or twice daily (morning and/or night)
- this product is not effective on the scalps or nails
- in case of clogging, clear nozzle under running water

***Other information***

store between 20° and 30°C (68°F and 86°)

***Inactive ingredient***

BHT, isobutane (propellant), PPG-12-buteth-16, SD alcohol 40-B (14%w/w), talc

***Questions?***

Call 1-888-423-0139

**Principal Display Panel**

**Exchange Select**

Athlete's Foot

Antifungal

tolnaftate 1%

- Cures & Prevents Most Athlete's Foot
- Relieves Itching & Burning

*Powder Spray*

**NET WT 4.6 OZ (130 g)**

Compare to the Active Ingredient in Tinactin\*\*

exchange select™

# ATHLETE'S FOOT

ANTIFUNGAL  
tolnaftate 1%

- CURES & PREVENTS MOST ATHLETE'S FOOT
- RELIEVES ITCHING & BURNING

POWDER SPRAY

NET WT 4.6 OZ (130 g)

**Drug Facts**

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

**Uses** ■ cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris) ■ can prevent recurrence of most athlete's foot ■ relieves symptoms of athlete's foot, including itching, burning, cracking and chafing associated with jock itch

**Warnings**  
For external use only.

**Flammable:** Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product** ■ avoid contact with the eyes or mouth ■ use only as directed

**Stop use and ask a doctor if** ■ no improvement within 4 weeks for athlete's foot, ringworm and 2 weeks for jock itch ■ irritation occurs

**Do not use** on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** ■ wash affected area and dry thoroughly ■ shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor ■ supervise children in the use of this product ■ for athlete's foot, pay special attention to spaces between toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily ■ use daily for 4 weeks for athlete's foot, ringworm and for jock itch use daily for 2 weeks ■ if condition persists, consult a doctor ■ to prevent athlete's foot, apply once or twice daily (morning and/or night) ■ this product is not effective on scalp or nails ■ in case of clogging, clear nozzle under running water

**Other information** store between 20° and 30° C (68° and 86° F)

**Inactive ingredients** BHT, isobutane (propellant), PPG-12-buteth-16, SD Alcohol 40-B (14% w/w), talc

**Questions? Call 1-866-964-0939**

\* This product is not manufactured or distributed by the Bayer Corporation, owner of the registered trademark Tinactin®.

**SATISFACTION GUARANTEED OR YOUR MONEY BACK.**  
Manufactured For Your Military Exchanges By:  
©2016 Premier Brands of America Inc.  
Mount Vernon, NY 10550  
www.premier-brands.com

MADE IN USA

50-060ES

## TOLNAFTATE

antifungal powder spray aerosol, spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55301-132
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1.3 g in 130 g

### Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
ALCOHOL (UNII: 3K9958V90M)	
TALC (UNII: 7SEV7J4R1U)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-132-46	130 g in 1 CAN; Type 0: Not a Combination Product	01/03/2012	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	01/03/2012	

**Labeler** - ARMY & AIR FORCE EXCHANGE SERVICE (001695568)

Revised: 12/2019

ARMY &amp; AIR FORCE EXCHANGE SERVICE