

**ULTRA VIOLETTE PREEN SCREEN BROAD SPECTRUM SPF 50-  
avonbenzone,homosalate,octisalate,octocrylene spray  
Grace and Fire USA Inc.**

-----  
**AVONBENZONE 3%  
HOMOSALATE 10%  
OCTISALATE 5%  
OCTOCRYLENE 6%**

**SUNSCREEN**

**HELPS PREVENT SUNBURN**

**If used as directed with other sun protection measures (see Directions),  
decreases the risk of skin cancer of skin cancer and early skin aging caused  
by the sun**

**For external use only**

**Do not use on damaged or broken skin**

**Keep out of eyes. Rinse with water to remove**

**Stop use and ask a doctor if rash occurs**

**Keep out of reach of children. If swallowed, get medical help or contact a  
Poison Control Center right away**

**Hold container 4 to 6 inches from skin to apply.**

**Spray on hands then apply to face.**

**Do not apply in windy conditions. Use in a well-ventilated area and avoid  
inhalation.**

**Apply liberally 15 minuts before sun exposure.**

**Reapply at least every 2 hours.**

**Use a water resistant sunscreen if swimming or sweating.**

**Sun Protection Measures. Spending time in the sun increases your risk of  
skin cancer and early skin aging.**

**To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF  
value of 15 or higher and other sun protection measures including:**

**Limit time in the sun, especially from 10a.m.-2p.m.**

**Wear long-sleeved shirts, pants, hats, and sungasses.**

**Children under 6 months of age: Ask a doctor.**

**Alcohol, Diisopropyl Adipate, Isododecane, Acrylates/Octylacrylamide,  
Copolymer, Bisabolol, Niacinamide, Tocopheryl Acetate, Ascorbyl**

**Tetraisopalmitate, Camella Sinensis Leaf Extract, Aloe Barbadensis Leaf Extract, Glycine Soja (Soybean) Oil, Helianthus Anuus (Sunflower) Seed Oil, Sodium Hyaluronate, Tocopherol, Silica, Dimethyl Silylate, Butyl Glycol, Phenoxyethanol, Ethylhexyl Palmitate, Capryl/ Glycol, Hexylene Glycol, Fragrance, Benzyl Salicylate, Hexyl Cinnamal, Linalool**

**Other Information. Protect this product from excessive heat and direct sun**

**Principal Display Panel**

Ultra Violette

Preen Screen Broad Spectrum SPF 50 Reapplication Mist Skinscreen

1.7 FL. OZ. (50 mL) 1 FL. OZ (30mL)

### Drug Facts (cont)

Inactive Ingredients (cont) Acetate, Ascorbyl Tetraisopalmitate, Carnella Sinensis Leaf Extract, Aloe Barbadensis Leaf Extract, Glycine Soja (Soybean) Oil, Helianthus Annuus (Sunflower) Seed Oil, Sodium Hyaluronate, Tocopherol, Silica, Dimethyl Silylate, Butylene Glycol, Phenoxethanol, Ethylhexyl Palmitate, Caprylyl Glycol, Hexylene Glycol, Fragrance, Benzyl Salicylate, Hexyl Cinnamal, Linoleol.

#### Other information

- Protect this product from excessive heat and direct sun



Flammable do not use near heat, flame or while smoking

Ultra Violete is proudly Australian made: because sun protection is our love language.



Made in Australia. Cruelty Free. [ultravioletespfl.com](mailto:ultravioletespfl.com) [hello@ultravioletespfl.com](mailto:hello@ultravioletespfl.com)

Distributed by Grace and Pine USA Inc. 251 Little Falls Drive, New Castle Wilmington, Delaware 19808

# ULTRA VIOLETTE™

## PREEN SCREEN™ SPF 50

### REAPPLICATION MIST SKINSCREEN



### MAKEUP-FRIENDLY TOP UP SPF

Broad Spectrum SPF 50  
Sunscreen PA++++  
50ml 1.7fl.oz

#### VI says:

*"Preen's a real light-weight – mist under or over makeup, and your top-up of SPF is sorted."*

#### FEATURING

**Bisabolol:** Derived from chamomile, and known for its super soothing and skin calming properties. We have included it here to help calm any irritation throughout the day.

**Niacinamide:** Also known as Vitamin B3, Niacinamide helps to balance oil production and improves skin texture.

#### SEMI-GLOWY, INVISIBLE FINISH

- A super-fine mist to help protect during the day.
- Can be used over skincare, makeup or just on bare skin.
- Remember to keep eyes and mouth closed while applying!

#### SKINSCREEN

= Next-gen Sunscreen  
+ Supercharged Skincare

### Drug Facts

Active Ingredients	Purpose
Azobenzene 3%	Sunscreen
Homoosalate 10%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 8%	Sunscreen

**Uses** ■ Helps prevent sunburn  
■ If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only. Do not use ■ on damaged or broken skin. When using this product ■ keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if ■ rash occurs. Keep out of reach of children. If swallowed, call a poison control centre or get medical help right away

**Directions** ■ Hold container 4 to 6 inches from skin to apply ■ Spray on hands then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area and avoid inhalation ■ Apply liberally 15 minutes before sun exposure ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad-Spectrum SPF value of 15 or higher and other sun protection measures including: ■ Limit time in the sun, especially from 10a.m.–2p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses ■ Children under 6 months of age. Ask a doctor

**Inactive Ingredients** Alcohol, Diisopropyl Adipate, Isododecane, Acrylates/Octylacrylamide Copolymer, Bisabolol, Niacinamide, Tocopheryl →



9 355909 005955

PERACULR

150 mm

195.5 mm



**Drug Facts**

**Active Ingredients Purpose**  
 Avobenzone 3% ..... Sunscreen  
 Homosalate 10% ..... Sunscreen  
 Octisalate 5% ..... Sunscreen  
 Octocrylene 6% ..... Sunscreen

**Uses** ■ Helps prevent sunburn  
 ■ If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun


**Warnings**  
**For external use only.** Do not use  
 ■ on damaged or broken skin  
 When using this product ■ keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if ■ rash occurs. **Keep out of reach of children.** If swallowed, call a poison control centre or get medical help right away.

**Directions**  
 ■ Hold container 4 to 6 inches from skin to apply ■ Spray on hands then apply to face ■ Do not apply in windy conditions ■ Use in a well-ventilated area and avoid inhalation ■ Apply liberally 15 minutes before sun exposure ■ Reapply at least every 2 hours ■ Use a water resistant sunscreen if swimming or sweating  
**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use as sunscreen with a Broad Spectrum SPF value of 15 or higher, and other sun protection measures including: ■ Limit time in the sun, especially from 10 a.m. – 2 p.m. ■ Wear long-sleeved shirts, pants, hats, and sunglasses  
 ■ Children under 6 months of age: Ask a doctor

**Drug Facts (continued)**

**Inactive Ingredients**  
 Alcohol, Diisopropyl Adipate, Isododecane, Acrylates/C10-12 Alkylacrylamide Copolymer, Bisabolol, Niacinamide, Tocopherol Acetate, Ascorbyl Tetraisopalmitate, Camellia Sinensis Leaf Extract, Aloe Barbadosis Leaf Extract, Glycine Soja (Soybean) Oil, Helianthus Annuus (Sunflower) Seed Oil, Sodium Hyaluronate, Tocopherol, Silica Dimethyl Silylate, Butylene Glycol, Phenoxyethanol, Ethylhexyl Palmitate, Caprylyl Glycol, Hexylene Glycol, Fragrance, Benzyl Salicylate, Hexyl Cinnamal, Linoleol.

**Other Information**  
 ■ Protect this product from excessive heat and direct sun

 Flammable do not use near heat, flame or while smoking

Ultra Violette is proudly Australian made: because sun protection is our love language. 

**ULTRA VIOLETTE™**

**PREEN SCREEN™  
SPF 50  
REAPPLICATION MIST  
SKINSCREEN**



**MAKEUP-FRIENDLY  
TOP UP SPF**

Broad Spectrum SPF 50  
Sunscreen PA++++  
30ml 1fl.oz

**Vi says:**  
"Preen's a real light-weight – mist under or over makeup, and your top-up of SPF is sorted."

**FEATURING**  
**Bisabolol:** Derived from chamomile, and known for its super soothing and skin calming properties. We have included it here to help calm any irritation throughout the day.  
**Niacinamide:** Also known as Vitamin B3, Niacinamide helps to balance oil production and improves skin texture.

**SEMI-GLOWY,  
INVISIBLE FINISH**  
 ♥ A super-fine mist to help protect during the day.  
 ♥ Can be used over skincare, makeup or just on bare skin.  
 ♥ Remember to keep eyes and mouth closed while applying!

Made in Australia. © Leahy Free.  
 ultravioletspf.com  
 hello@ultravioletspf.com  
 Distributed by Grace and Fire USA Inc.  
 281 Little Falls Drive, New Castle,  
 Wilmington, Delaware 19808



PS30C1US

# ULTRA VIOLETTE PREEN SCREEN BROAD SPECTRUM SPF 50

avonbenzone,homosalate,octisalate,octocrylene spray

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84803-101
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	60 mg in 1 mL
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>SODIUM HYALURONATE</b> (UNII: YSE9PPT4TH)	
<b>BENZYL SALICYLATE</b> (UNII: WAO5MKN9TU)	
<b>LINALOOL, (-)-</b> (UNII: 3U21E3V8I2)	
<b>CAMELLIA SINENSIS LEAF OIL</b> (UNII: VC855RRT77)	
<b>HELIANTHUS ANNUUS (SUNFLOWER) SEED</b> (UNII: R9N3379M4Z)	
<b>BISABOLOL</b> (UNII: 24WE03BX2T)	
<b>GLYCINE SOJA (SOYBEAN) OIL</b> (UNII: 241ATL177A)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>SILICA DIMETHYL SILYLATE</b> (UNII: EU2PSP0G0W)	
<b>ALOE BARBADENSIS LEAF EXTRACT</b> (UNII: ZY81Z83H0X)	
<b>DIISOPROPYL ADIPATE</b> (UNII: P7E6YFV72X)	
<b>ASCORBYL TETRAISOPALMITATE</b> (UNII: 47143LT58A)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>HEXYL CINNAMAL</b> (UNII: 7X6O37OK2I)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ACRYLATES/OCTYLACRYLAMIDE COPOLYMER (40000 MW)</b> (UNII: 7LL6SY9YFV)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84803-101-50	50 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	12/01/2024	
2	NDC:84803-	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a	12/01/2024	

101-30

Combination Product

12/01/2024

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/01/2024	

**Labeler** - Grace and Fire USA Inc. (119357605)

Revised: 11/2024

Grace and Fire USA Inc.