

**ALLERGY RELIEF- diphenhydramine hydrochloride tablet**  
**Cabinet Health, Inc**

-----  
**DIPHENHYDRAMINE HCl Tablets, USP 25mg**

**Active Ingredient**

**(in each tablet)**

Diphenhydramine HCl 25 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- runny nose
- sneezing
- itchy, watery eyes
- itchy nose or throat
- temporarily relieves these symptoms of the common cold:
- runny nose
- sneezing

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on skin
- to make a child sleepy

**Ask a doctor before use if you have**

- trouble urinating due to an enlarged prostate gland
- glaucoma ? a breathing problem such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- avoid alcoholic drinks
- excitability may occur, especially in children ? alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding;**

ask a health professional before use

**Keep out of reach of children.**

In case of accidental overdose, contact a doctor or Poison Control Center immediately. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Do not exceed recommended dosage.**

**Directions**

- **take every 4 to 6 hours, not more than 6 doses in 24 hours**
- **Adults and children 12 years of age and older:**1 or 2 tablets
- **children 6 to under 12 years of age:**1 tablet
- **children 4 to under 6 years of age:**do not use unless directed by a doctor
- **children under 4 years of age:**do not use

**Other Information**

- each tablet contains : calcium 20 mg
- store at controlled room temperature 20°-25°C (68°-77°F).
- read all product information before using.
- TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING.

**Inactive Ingredients**

Colloidal silicon Dioxide, Croscarmellose Sodium, Dicalcium Phosphate, D & C Red, Magnesium stearate, Microcrystalline cellulose, Polyvinyl alcohol, Titanium dioxide, Talc

**Questions or Comments**

1-908-242-6108 (Mon-Fri 8AM-5PM EST)

**PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

DIPHENHYDRAMINE HYDROCHLORIDE TABLET

, USP 25 MG

ANTIHISTAMINE

\* This product is not manufactured or distributed by McNeil-Consumer Healthcare, owner of the registered trademark Benadryl Allergy.

82725-1001-1



Compare to BENADRYL®  
Allergy ULTRATAB® Tablets  
active ingredient†

# ALLERGY RELIEF

ANTIHISTAMINE  
DIPHENHYDRAMINE HCl 25 mg

For the temporary relief of:  
• Sneezing • Itchy Throat  
• Runny Nose • Itchy, Watery Eyes



**600 TABLETS**

### Drug Facts

Active ingredient (in each tablet)	Purpose
Diphenhydramine HCl 25mg.....	Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - itchy, watery eyes
  - sneezing
  - itchy nose or throat
- temporarily relieves these symptoms of the cold:
  - runny nose
  - sneezing

**Warnings**

**do not use**

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

**Ask a doctor before use if you have**

- trouble urinating due to an enlarged prostate gland
- glaucoma

**Ask your doctor or pharmacist before use if you are**

- a breathing problem such as emphysema or chronic bronchitis
- taking the blood thinning drug warfarin

### Drug Facts (continued)

**Ask your doctor or pharmacist before use if you are taking sedatives or tranquilizers**

**When using this product**

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness. avoid alcoholic beverages
- use caution when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away**

**Directions**

take every 4 to 6 hours or as directed by a doctor	
do not take more than 6 times in 24 hours	
adults and children 12 years and over	1 to 2 tablets
children 6 to under 12 years	1 tablet
children under 6 years	do not use

### Drug Facts (continued)

**Other information**

- protect from moisture
- store at 25°C (77°F) excursions permitted between 15°-30°C (59°-86°F)

**Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, dicalcium phosphate, d&c red 27, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, titanium dioxide, talc

**Questions or Comments?** contact 1-908-242-6108 Mon-Fri 8:00 AM EST to 5:00 PM PST

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING BEFORE USE**

**IMPORTANT: READ THE DIRECTIONS AND WARNINGS BEFORE USE**

**Distributed By: Cabinet Health P.B.C**  
Brooklyn, NY 11222 ITEM# 10001-01 Lot.

EXP.



0 40232 60535 2

†This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Benadryl®.

## ALLERGY RELIEF

diphenhydramine hydrochloride tablet

Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:82725-1001
<b>Route of Administration</b>	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	

Inactive Ingredients		
Ingredient Name		Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)		
<b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)		
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)		
<b>DIBASIC CALCIUM PHOSPHATE DIHYDRATE</b> (UNII: O7TSZ97GEP)		
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)		
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)		
<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)		
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)		
<b>POLYVINYL ALCOHOL</b> (UNII: 532B59J990)		
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)		
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)		

Product Characteristics			
<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	N02
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82725-1001-1	600 in 1 BOTTLE; Type 0: Not a Combination Product	11/01/2024	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/01/2024	

**Labeler** - Cabinet Health, Inc (117102391)

Revised: 11/2024

Cabinet Health, Inc