

ACETAMINOPHEN- acetaminophen tablet, film coated
ARMY AND AIR FORCE EXCHANGE SERVICE

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Pain Reliever

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - headache
 - the common cold
 - toothache
 - backache
 - muscular aches
 - minor pain of arthritis
 - premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to acetaminophen or any of the inactive ingredients in this product
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

Ask a doctor before use if you have

liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**
- adults and children 12 years and over
 - take 2 caplets every 6 hours while symptoms last
 - do not take more than 6 caplets in 24 hours, unless directed by a doctor
 - do not take for more than 10 days unless directed by a doctor
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- use by expiration date on package

Inactive ingredients

castor oil, hypromellose, povidone, sodium starch glycolate, starch, stearic acid

Questions or comments?

1-800-426-9391

Principal Display Panel

**exchange
select™**✓

Compare To The Active
Ingredient of Extra Strength
Tylenol® Caplets†
Contains no aspirin

ACETAMINOPHEN

Pain Reliever **EXTRA**
Fever Reducer **STRENGTH**

200 CAPLETS

500mg each

Actual Size quality value

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

†This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Caplets.

"SATISFACTION GUARANTEED OR YOUR MONEY BACK"

Manufactured For Your Military Exchanges

Distributed by: LNK International, Inc.,

Hauppauge, NY 11788 1-800-426-9391

50844

REV0617C17506

Drug Facts (continued)	
<p>Do not use</p> <ul style="list-style-type: none"> if you are allergic to acetaminophen or any of the inactive ingredients in this product with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. <p>Ask a doctor before use if you have liver disease.</p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p>Stop use and ask a doctor if</p> <ul style="list-style-type: none"> pain gets worse or lasts more than 10 days fever gets worse or lasts more than 3 days new symptoms occur redness or swelling is present These could be signs of a serious condition. <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	<p>Directions</p> <ul style="list-style-type: none"> do not take more than directed adults and children 12 years and over take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor do not take for more than 10 days unless directed by a doctor children under 12 years: ask a doctor <p>Other information</p> <ul style="list-style-type: none"> store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F) use by expiration date on package <p>Inactive ingredients castor oil, hypromellose, povidone, sodium starch glycolate, starch, stearic acid</p> <p>Questions or comments? 1-800-426-9391</p>
STOP PEELING	

<p>exchange select™</p> <p>Compare To The Active Ingredient of Extra Strength Tylenol® Caplets† Contains no aspirin</p> <p>ACETAMINOPHEN</p> <p>Pain Reliever EXTRA Fever Reducer STRENGTH</p> <p>200 CAPLETS 500 mg each</p> <p>Actual Size</p> <p>quality value</p>		<p>Drug Facts</p> <p>Active ingredient (in each caplet) Acetaminophen 500 mg..... Pain reliever/fever reducer</p> <p>Purpose Pain reliever/fever reducer</p> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> headache the common cold backache muscular aches minor pain of arthritis premenstrual and menstrual cramps temporarily reduces fever <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take</p> <ul style="list-style-type: none"> more than 4,000 mg of acetaminophen in 24 hours with other drugs containing acetaminophen 3 or more alcoholic drinks every day while using this product <p>Allergy alert: Acetaminophen may cause severe skin reactions.</p> <p>Symptoms may include: <ul style="list-style-type: none"> skin reddening blisters rash </p> <p>If a skin reaction occurs, stop use and seek medical help right away.</p>
<p>50844 REV0617C17506</p> <p>6 14299 14644 0</p> <p>†This product is not manufactured or distributed by Johnson & Johnson Corporation, owner of the registered trademark Extra Strength Tylenol® Caplets.</p> <p>"SATISFACTION GUARANTEED OR YOUR MONEY BACK" Manufactured For Your Military Exchanges Distributed by: LNK International, Inc., Hauppauge, NY 11788 1-800-426-9391</p>		<p>No print/No varnish Lot & Exp date</p> <p>PEEL HERE FOR MORE DRUG FACTS</p>

Exchange Select 44-175

ACETAMINOPHEN

acetaminophen tablet, film coated

Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:55301-175

Route of Administration

ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
CASTOR OIL (UNII: D5340Y2I9G)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
POVIDONE (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	44;175
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-175-15	1 in 1 CARTON	04/02/1993	
1		50 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:55301-175-03	1 in 1 CARTON	04/02/1993	
2		10 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:55301-175-12	1 in 1 CARTON	04/02/1993	01/26/2017
3		100 in 1 BOTTLE; Type 0: Not a Combination Product		
4	NDC:55301-175-06	2 in 1 CARTON	04/02/1993	01/26/2017
4		100 in 1 BOTTLE; Type 0: Not a Combination Product		
5	NDC:55301-175-60	200 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	04/02/1993	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part343	04/02/1993	

Labeler - ARMY AND AIR FORCE EXCHANGE SERVICE (001695568)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(55301-175)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	MANUFACTURE(55301-175) , PACK(55301-175)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(55301-175)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(55301-175)

Revised: 2/2020

ARMY AND AIR FORCE EXCHANGE SERVICE