

**OIL LIN SUNMILK SUNSCREEN SPF 30- sunscreen, titanium dioxide emulsion**  
**Sunrider Manufacturing L.P.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**OIL LIN® SUNMILK SUNSCREEN SPF 30**

**ACTIVE INGREDIENT:** TITANIUM DIOXIDE 10.08%

**INACTIVE INGREDIENT:**

Water (Deionized)  
Isononyl Isononanoate  
C12-15 Alkyl Benzoate  
Aluminum Hydroxide  
Sodium Myristoyl Sarcosinate  
Butylene Glycol  
Polyglyceryl-4 Isostearate  
Cetyl PEG/PPG-10/1 Dimethicone  
Hexyl Laurate  
Dimethione  
Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer  
Squalane  
Aloe Barbadensis Leaf Juice (Aloe Vera Gel)  
Avena Sativa (Oat) Kernel Protein  
Betaine  
Sodium PCA  
Sorbitol  
Serine  
Glycine  
Glutamic Acid  
Sodium Hyaluronate  
Alanine  
Lysine  
Arginine  
Threonine  
Proline  
Glycerin  
Disodium EDTA  
Polysorbate 60  
Benzyl Alcohol  
Caprylhydroamic Acid  
Sodium Chloride

**USES:** HELPS PREVENT SUNBURN.

**Direction**

- apply liberally 15 minutes before sun exposure.

reapply:

- After 40 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor.

**WARNING:**

**Skin Cancer/Skin Aging Alert:**

Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

**For External use only**

**Do not use** on damaged or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

KEEP OUT OF REACH OF CHILDREN.

If product is swallowed, get medical help or contact a Poison Control Center right away.

US\_OL Sunmilk SPF 30 4oz FRONT\_BTЛ LBL



US S878000234

# US\_OL Sunmilk 4oz\_BACK\_BTL LBL

**Uses** • helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

**For external use only**

**Do not use** on damaged or broken skin

**When using this product keep out of eyes.** Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.**

If product is swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun

MANUFACTURED BY  
SUNRIDER MANUFACTURING, L.P.  
TORRANCE, CALIFORNIA 90501, USA

PRODUCT INQUIRY: 1-310-781-8098

US S878000334

Sunrider #1003A  
4oz bottle  
16pt SBS C1S



#### Drug Facts

(continued)

##### Inactive ingredients

Water (Deionized), Isononyl Isononanoate, C12-15 Alkyl Benzoate, Aluminum Hydroxide, Sodium Myristoyl Sarcosinate, Butylene Glycol, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Dimethicone, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Squalane, Aloe Barbadensis Leaf Juice (Aloe Vera Gel), Avena Sativa (Oat) Kernel Protein, Betaine, Sodium PCA, Sorbitol, Serine, Glycine, Glutamic Acid, Sodium Hyaluronate, Alanine, Lysine, Arginine, Threonine, Proline, Glycerin, Disodium EDTA, Polysorbate 60, Benzyl Alcohol, Caprylhydroamic Acid, and Sodium Chloride.

##### Other Information

- protect this product from excessive heat and direct sun

##### Questions or comments?

Call 1-310-781-8096

**SUNRIDER®**

*Oi-Lin®*

**SUNMILK  
SUNSCREEN  
SPF 30**



WATER  
RESISTANT  
(40 MINUTES)

NET WT.  
4 fl. oz. / 120 mL

#### Drug Facts

Active Ingredients	Purpose
Titanium Dioxide 10.06%	Sunscreen

##### Uses

- helps prevent sunburn

##### Warnings

**Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to prevent sunburn, not skin cancer or early skin aging.

##### For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

##### Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

##### Directions

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 40 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- children under 6 months: Ask a doctor

MANUFACTURED BY  
SUNRIDER MANUFACTURING, L.P.  
TORRANCE, CALIFORNIA 90501 • USA

*Kandesn®*



**SUNRIDER®**



Please recycle.



US S878000134

INDV\_OL Sunmilk SPF 30 4oz\_BOX

GOLD SHOULD BE GLOSSY / SHINY

OI LIN SUNMILK SUNSCREEN SPF 30

sunscreen, titanium dioxide emulsion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62191-600
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	100.8 mg in 1 g

Inactive Ingredients	
Ingredient Name	Strength
2-HYDROXYETHYL ACRYLATE (UNII: 25GT92NY0C)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE (UNII: KBC00G95HI)	
ALANINE (UNII: OF5P57N2ZX)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
ARGININE (UNII: 94ZLA3W45F)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
BETAINE (UNII: 3SCV180C9W)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 1.5) (UNII: V2W71V8T0X)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
GLUTAMIC ACID (UNII: 3KX376GY7L)	
GLYCERIN (UNII: PDC6A3C0OX)	
GLYCINE (UNII: TE7660XO1C)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
isononyl isononanoate (UNII: S4V5BS6GCX)	
LYSINE (UNII: K3Z4F929H6)	
OATMEAL (UNII: 8PI54V663Y)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PROLINE (UNII: 9DLQ4CIU6V)	
SERINE (UNII: 452VLY9402)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM HYDROXYMETHYLGLYCINATE (UNII: DIG6BWZ9XT)	
SODIUM MYRISTOYL SARCOSINATE (UNII: J07237209D)	
SODIUM PYRROLIDONE CARBOXYLATE (UNII: 469OTG57A2)	
SORBITOL (UNII: 506T60A25R)	
SQUALANE (UNII: GW89575KF9)	
THREONINE (UNII: 2ZD004190S)	
WATER (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62191-600-07	1 in 1 BOX	07/27/2017	
1		125 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part352	07/27/2017	

**Labeler** - Sunrider Manufacturing L.P. (786951475)**Registrant** - Sunrider Manufacturing L.P. (786951475)

Revised: 12/2019

Sunrider Manufacturing L.P.