FAMILY CARE TRIPLE ANTIBIOTIC- neomycin, bacitracin, polymyxin b ointment United Exchange Corp.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients

Purpose

Bacitracin 400 units------First aid antibiotic Neomycin 3.5 mg------First aid antibiotic Polymyxin B Sulfate 5,000 units------First aid antibiotic

Uses

First aid to help prevent infection in minor:

- scrapes
- burns

• Warnings

For external use only

Do not use

- if you are allergic to any of the ingredients
- in the eves
- over large areas of the body

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- you need to use longer than 1 week
- condition persists or gets worse
- rash or other allergic reaction develops

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount of equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- may be covered with a sterile bandage

Other information

store at 20° to 25°C (68° to 77°F)

Inactive ingredients

methylparaben, mineral oil, petrolatum, polyoxyl 40 stearate, propylparaben

Distributed by:

United Exchange Corp.

17211 Valley View Ave.

Cerritos, CA 90703 USA

www.ueccorp.com

Toll Free: 1800 814 8028

Made in Korea



Helps Prevent Infection in Minor Cuts, Scrapes and Burns

Helps **Prevent Infection**

in Minor Cuts, Scrapes and Burns

Net Wt. 0.33 oz (9.35g)

Triple Antibiotic Ointment

Bacitracin Zinc | Neomycin Sulfate | Polymyxin B Sulfate

First Aid Antibiotic

Distributed by:



United Exchange Corp. 17211 Valley View Ave. Cerritos, CA 90703 USA www.ueccorp.com Toll Free: 1 800 814 8028

Made in Korea





methylparaben, mineral oil, petrolatum, polyoxyl 40 stearate, propylparaben

Inactive ingredients

store at 20° to 25°C (68° to 77° F)

Other information

- may be covered with a sterile bandage 1 to 3 times daily
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area
 - clean the affected area

Lot: Exp:

Keep out of reach of children. If swallowed, get medical help or contact a Poison Center right away.


- rash or other allergic reaction develops
 - condition persists or gets worse
 - you need to use longer than 1 week

Stop use and ask a doctor if

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns Do not use ■ if you are allergic to any of the ingredients ■ in the eyes ■ over large areas of the body

For external use only.





FAMILY CARE TRIPLE ANTIBIOTIC

neomycin, bacitracin, polymyxin b ointment

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:65923-046	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BACITRACIN (UNII: 58 H6 RWO 52I) (BACITRACIN - UNII: 58 H6 RWO 52I)	BACITRACIN	400 [iU] in 1 g	
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:116QD7X297)	NEOMYCIN	3.5 mg in 1 g	
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 [iU] in 1 g	

Inactive Ingredients		
Ingredient Name	Strength	
METHYLPARABEN (UNII: A218 C7H19 T)		
MINERAL OIL (UNII: T5L8T28FGP)		
PETROLATUM (UNII: 4T6H12BN9U)		
POLYOXYL 40 STEARATE (UNII: 13A4J4NH9I)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		

	Packaging					
:	# Item Code	Package Description	Marketing Start Date	Marketing End Date		
	NDC:65923-046-33	1 in 1 CARTON	09/15/2016			
	1	9.35 g in 1 TUBE; Type 0: Not a Combination Product				

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part333B	06/19/2014		

Registrant - United Exchange Corp. (840130579)

Revised: 9/2016 United Exchange Corp.