

**PUMKOT SILICONE SCAR- pumkot silicone scar cream**  
**Jiashen International Trade Limited**

-----  
Allantoin:0.5%

WATER  
Glycerin  
Allantoin  
Retinol  
Panthenol  
Vitamin C  
Vitamin E  
DIMETHICONE  
Carbomer  
Laurocapram  
Propylene Glycol  
Caprylic/capric triglyceride  
Stearic Acid  
Isopropyl myristate  
SODIUM CARBOXYMETHYL .BETA.-GLUCAN  
Centella Asiatica Extract

Gentle and non-irritating  
safe and effective in fading scars  
Suitable for all kinds of scars

For external use only, avoid contact with the eyes.if symptoms of redness or allergy occur,discontinue use and consult a physician.

**STOP USE AND ASK A DOCTOR IF**  
if symptoms of redness or allergy occur, discontinue use and consult a physician.

**Precautions:**

For external use only, do not take orally. Do not use this product on openwounds or broken skin, and avoid contact with eyes and mucous membranes.If allergic symptoms such as skin irritation, redness, swelling, etc. occur, please stop use immediately and consult a doctor, Pregnant women, breastfeeding women and children should consult a doctor before use.


**Storage:**Store in a cool and dry place, avoid direct sunlight.Keep this product out of thereach of children.

This product can be used day and night, and the scar should be kept clean and dry before use.

Squeeze out the appropriate amount according to the size of the scar and massage gently until the scar cream is absorbed and does not feel shiny,wet,or sticky.  
Use 2-3 times a day,increasing or decreasing the frequency depending on the condition of the scar.Individual results will be different, and the results will take time to verify

Use [2-3 times a day] according to the product instructions or doctor's advice.It is recommended to apply the scar cream after it is completely absorbed before the next application.

Preparation: Make sure the scar area is clean and dry. Wash your hands before use to ensure that your hands are clean. How to use: Gently squeeze out an appropriate amount of scar cream to avoid overdose. Apply the scar cream evenly on the scar area. Massage for a while to help the product absorb better. Frequency of use: Use [2-3 times a day] according to the product instructions or doctor's advice. It is recommended to apply the scar cream after it is completely absorbed before the next application. Precautions: For external use only, do not take orally. Do not use this product on open wounds or broken skin, and avoid contact with eyes and mucous membranes. If allergic symptoms such as skin irritation, redness, swelling, etc. occur, please stop use immediately and consult a doctor. Pregnant women, breastfeeding women and children should consult a doctor before use. Storage: Store in a cool and dry place, avoid direct sunlight. Keep this product out of the reach of children. Important tips: Before using this product, please read the product instructions carefully and follow the advice of your doctor or professional.



**DRUG FACTS**  
Allantoin 0.5% ----- Emollient Scar Removal

**USES**

- This product can be used day and night, and the scar should be kept clean and dry before use.
- Squeeze out the appropriate amount according to the size of the scar and massage gently until the scar cream is absorbed and does not feel shiny, wet, or sticky.
- Use 2-3 times a day, increasing or decreasing the frequency depending on the condition of the scar. Individual results will be different, and the results will take time to verify.

**WARNINGS**

For external use only, avoid contact with the eyes. If symptoms of redness or allergy occur, discontinue use and consult a physician.

**ASK A DOCTOR BEFORE USE IF YOU HAVE**

- If you are using other medications or treatments, especially those for skin problems.
- If you have a history of allergies, especially to ingredients in medications, cosmetics or any other products.

**ASK A DOCTOR OR PHARMACIST BEFORE USE IF YOU ARE**

- If you are pregnant, breastfeeding, a child or an elderly person, or if you have any chronic health problems.
- After consulting a doctor, they can provide you with professional advice on the use of this product based on your specific situation and needs.

**WHEN USING THIS PRODUCT STOP USE AND ASK A DOCTOR IF**

- **Preparation:** Make sure the scar area is clean and dry. Wash your hands before use to ensure that your hands are clean.
- **How to use:** Gently squeeze out an appropriate amount of scar cream to avoid overdose. Apply the scar cream evenly on the scar area. Massage for a while to help the product absorb better.
- **Frequency of use:** Use [2-3 times a day] according to the product instructions or doctor's advice. It is recommended to apply the scar cream after it is completely absorbed before the next application.
- **Precautions:** For external use only, do not take orally. Do not use this product on open wounds or broken skin, and avoid contact with eyes and mucous membranes. If allergic symptoms such as skin irritation, redness, swelling, etc. occur, please stop use immediately and consult a doctor. Pregnant women, breastfeeding women and children should consult a doctor before use.
- **Storage:** Store in a cool and dry place, avoid direct sunlight. Keep this product out of the reach of children.
- **Important tips:** Before using this product, please read the product instructions carefully and follow the advice of your doctor or professional.

**STOP USE AND ASK A DOCTOR IF**  
if symptoms of redness or allergy occur, discontinue use and consult a physician.

**INACTIVE INGREDIENTS**  
WATER, Glycerin, Allantoin, Retinol, Panthenol, Vitamin E, Vitamin D, DIMETHICONE, Carbomer, Laureoceram, Propylene Glycol, Caprylic/ Caprinic triglyceride, Caprylic/ caprinic glyceride, Stearic Acid, Isopropyl Myristate, SODIUM CARBOXYMETHYL BETA-GLUCAN, Centella Asiatica Extract

Questions: Email: scar@jasonser.com

**DON'T TRY TO UNSCREW THE JAR TOGETHER OUT THE CREAM**

Inner cover keeps the product clean and prevents air from entering

**STORAGE**

- Keep out of reach of children.
- Store at 20-25 °C (68-77 °F).
- Avoid direct sunlight.

**DISCLAIMER**  
This statement has not been evaluated by the Food and Drug Administration.

**SILICONE SCAR CREAM**

2% WITH DIMETHICONE COMPLEX

- ✓ Gentle and non-irritating
- ✓ safe and effective in fading scars
- ✓ Suitable for all kinds of scars

50ML / 1.7FL oz

**Production location**  
Jiashen International Trade Limited  
FLAT 1512, 15/F LUCKY CENTRE,  
NO.165-171 WAN CHAI ROAD  
WAN CHAI, HONG KONG, CHINA

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:84867-006
<b>Route of Administration</b>	CUTANEOUS		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
ALLANTOIN (UNII: 344S277G0Z) (ALLANTOIN - UNII:344S277G0Z)	ALLANTOIN	25 mg in 50 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
PANTHENOL (UNII: WW9CM0O67Z)	
WATER (UNII: 059QF0KO0R)	
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM CARBOXYMETHYL .BETA.-GLUCAN (DS 0.65-0.85) (UNII: 2YGO1190AP)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
GLYCERIN (UNII: PDC6A3C0OX)	
RETINOL (UNII: G2SH0XKK91)	
ALPHA-TOCOPHEROL (UNII: H4N855PNZ1)	
CARBOMER (UNII: 0A5MM307FC)	
LAUROCAPRAM (UNII: 1F3X9DRV9X)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84867-006-01	50 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	11/13/2024	

## Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug	M016	11/13/2024	

**Labeler** - Jiashen International Trade Limited (989067943)

## Establishment

<b>Name</b>	<b>Address</b>	<b>ID/FEI</b>	<b>Business Operations</b>
Jiashen International Trade Limited		989067943	label(84867-006) , manufacture(84867-006)

Revised: 11/2024

Jiashen International Trade Limited