

**UV SKIN RECOVERY SPF 50- zinc oxide lotion**  
**CP Skin Health Group, Inc.**

-----  
**Elta MD UV Skin Recovery SPF 50**

Drug Facts

Zinc Oxide (12.9%)

Sunscreen

helps prevent sunburn

if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove

**Stop use and ask a physician** if rash occurs

**Keep out of reach of children.** If product is swallowed, get medical help or contact Poison Control Center right away.

apply liberally to face and neck 15 minutes before sun exposure

use a water-resistant sunscreen if swimming or sweating

reapply at least every 2 hours

**Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging.

To decrease risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: limit time in the sun, especially from 10a.m.-2p .m.




wear long-sleeved shirts, pants, hats, and sunglasses

children under 6 months: Ask a physician

protect this product from excessive heat and direct sun

Water, Dimethicone, Butyloctyl Salicylate, Caprylic/Capric Triglyceride, Ethylhexyl Methoxycrylene, Octyldodecyl Neopentanoate, Taurine, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Butylene Glycol, Phenoxyethanol, Cetearyl Alcohol, Arginine, Triethoxycaprylylsilane, Oleth-20, Oleth-3 Phosphate, Coco-Glucoside, Polyisobutene, Citric Acid, Polyhydroxystearic Acid, PEG-7 Trimethylolpropane Coconut Ether, Salicyloyl Phytosphingosine, Tocopheryl Acetate, Glycerin, Tocopherol, Ethylhexylglycerin, Sorbitan Isostearate, Pongamia Pinnata Seed Extract, Glycine, Lactic Acid, Polyglyceryl-10 Stearate, Centella Asiatica Leaf Extract, Glucose, Triethyl Citrate, Polyglyceryl-6 Behenate, Behenic Acid, Ceramide NP, Cholesterol, Glyceryl Stearate, Ceramide NS, Ceramide EOP, Ceramide AP.

Call toll free 1-800-633-8872

|   |   |  |        |           |                       |   |
|---|---|--|--------|-----------|-----------------------|---|
| <p><b>Drug Facts</b></p> <p><b>Active ingredients</b>    <b>Purpose</b><br/>Zinc Oxide 12.9%                      Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only</b></p> <p>Do not use on damaged or broken skin</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a physician if rash occurs</p> <p>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• apply liberally to face and neck 15 minutes before sun exposure</li> <li>• use a water-resistant sunscreen if swimming or sweating</li> <li>• reapply at least every 2 hours</li> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including: <ul style="list-style-type: none"> <li>• limit time in the sun, especially from 10 a.m. to 2 p.m.</li> <li>• wear long-sleeved shirts, pants, hats, and sunglasses</li> <li>• children under 6 months: Ask a physician</li> </ul> </li> </ul> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>• protect this product from excessive heat and direct sun</li> </ul> | <p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients</b> Water, Dimethicone, Butylbutyl Salicylate, Caprylic/Capric Triglyceride, Ethylhexyl Methoxycinnamate, Octyldecanol Neopentanoate, Taurine, Hydroxyethyl Acrylate/Sodium Acryloyldimethyl Taurate Copolymer, Butylene Glycol, Phenoxethanol, Cetearyl Alcohol, Arginine, Triethoxycaprylate, Oleth-3 Phosphate, Oleth-20, Coco-Glucoside, Polysiloxane, Polyhydroxystyrene Acid, PEG-7 Trimethylsiloxane Copolymer Ethox Salicylate, Phosphorylcholine, Tocopheryl Acetate, Glycerin, Tocopherol Ethylhexylacetate, Pongamia Pinnata Seed Extract, Citric Acid, Lactic Acid, Polyglyceryl-10 Stearate, Centella Asiatica Leaf Extract, Triethyl Citrate, Polyglyceryl-4 Behenate, Behenic Acid, Ceramide NP, Cholesterol, Glyceryl Stearate, Ceramide NS, Ceramide EOP, Ceramide AP, Sodium Cetearyl Sulfate</p> <p><b>Questions or comments?</b><br/>Call toll free 1-800-633-8872</p> <p>EltaMD®UV Skin Recovery Broad Spectrum SPF 50 is a pure mineral sunscreen designed to protect, recover and strengthen the most sensitive skin. Formulated with AAComplex, a patented blend of 3 amino acids that are proven to visibly reduce redness, minimize the risk of irritation &amp; help reduce sun damage, Centella Asiatica, a powerful herbal plant calms skin while a ceramide blend nourishes skin and strengthens the skin barrier. This broad spectrum sunscreen contains micronized zinc oxide to protect your skin from damaging UVA (aging) and UVB (burning) rays. Visible redness is reduced and the skin is left strengthened, recovered and protected. This gentle and effective sunscreen is suitable for compromised skin, including skin post fractionated laser* and skin prone to rosacea.</p> <p>It is fragrance-free, paraben-free, dye-free, hypoallergenic, non-comedogenic and will not clog pores which can lead to breakouts.</p> <p>*Post non-ablative laser.</p> |  <p><b>UV Skin Recovery</b></p> <p><b>BROAD SPECTRUM SPF 50</b></p> <table border="1"> <tr> <td>S.F.L.</td> <td><b>50</b></td> <td><b>FACE SUNSCREEN</b></td> </tr> </table> <p><b>TRANSPARENT ZINC OXIDE FINISH</b><br/>100% Mineral Filter</p> <p><b>SUITABLE FOR VERY SENSITIVE SKIN</b><br/>Post-Procedure Tested*</p> <p><b>SKINCARE EFFICACY</b><br/>2% AAC Helps Repair Skin Barrier &amp; Reduces Visible Redness</p> <p>net wt. 1.7 oz (48 g)</p> | S.F.L. | <b>50</b> | <b>FACE SUNSCREEN</b> |  <p>Discover More Here</p>  <p>The Skin Cancer Foundation recommends this product as an effective broad spectrum sunscreen.</p> <p>MFL for CP Skin Health Group, Inc.   Scottsdale, AZ 85251, USA 1-800-633-8872   eltamd.com</p> |
| S.F.L.  | <b>50</b>   | <b>FACE SUNSCREEN</b>  |        |           |                       |   |

## UV SKIN RECOVERY SPF 50

zinc oxide lotion

### Product Information

|                                |                |                           |                |
|--------------------------------|----------------|---------------------------|----------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:72043-0333 |
| <b>Route of Administration</b> | TOPICAL        |                           |                |

### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength        |
|---|-------------------|-----------------|
| <b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) | ZINC OXIDE        | 12.9 g in 100 g |

### Inactive Ingredients

| Ingredient Name  | Strength |
|--|----------|
| <b>HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%)</b> (UNII: 86FQE96TZ4) |          |
| <b>ARGININE</b> (UNII: 94ZLA3W45F)   |          |
| <b>OLETH-20</b> (UNII: YTH167I2AG)   |          |

|  |
|--|
| <b>CENTELLA ASIATICA LEAF</b> (UNII: 6810070TYD)                 |
| <b>CITRIC ACID</b> (UNII: 2968PHW8QP)                            |
| <b>BEHENIC ACID</b> (UNII: H390488X0A)                           |
| <b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)                            |
| <b>CERAMIDE NS</b> (UNII: V7M2259XJM)                            |
| <b>SALICYLOYL PHYTOSPHINGOSINE</b> (UNII: U891J4JCNH)            |
| <b>SODIUM CETEARYL SULFATE</b> (UNII: 7ZBS06BH4B)                |
| <b>CERAMIDE 1 A</b> (UNII: 9GJK960DEY)                           |
| <b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)                  |
| <b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)                            |
| <b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)                       |
| <b>HYDROGENATED POLYISOBUTENE (1300 MW)</b> (UNII: 7D1YQ9Y5EZ)   |
| <b>GLYCERIN</b> (UNII: PDC6A3C0OX)                               |
| <b>PONGAMIA PINNATA SEED EXTRACT</b> (UNII: C2BRV53B1V)          |
| <b>CETEARYL ALCOHOL</b> (UNII: 2DMT128M1S)                       |
| <b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)              |
| <b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)           |
| <b>POLYHYDROXYSTEARIC ACID (2300 MW)</b> (UNII: YXH47AOU0F)      |
| <b>COCO-GLUCOSIDE</b> (UNII: ICS790225B)                         |
| <b>LACTIC ACID</b> (UNII: 33X04XA5AT)                            |
| <b>POLYGLYCERYL-6 BEHENATE</b> (UNII: 4T2L7QI313)                |
| <b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)                |
| <b>OLETH-3 PHOSPHATE</b> (UNII: 8Q0Z18J1VL)                      |
| <b>TOCOPHEROL</b> (UNII: R0ZB2556P8)                             |
| <b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)             |
| <b>TAURINE</b> (UNII: 1EQV5MLY3D)                                |
| <b>GLYCINE</b> (UNII: TE7660XO1C)                                |
| <b>WATER</b> (UNII: 059QF0KO0R)                                  |
| <b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)                        |
| <b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)                         |
| <b>PEG-7 TRIMETHYLOLPROPANE COCONUT ETHER</b> (UNII: MVJ3AD73GG) |
| <b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)             |
| <b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)                     |
| <b>CERAMIDE AP</b> (UNII: F1X8L2B00J)                            |
| <b>CERAMIDE NP</b> (UNII: 4370DF050B)                            |
| <b>GLYCERYL STEARATE</b> (UNII: 230OU9XXE4)                      |
| <b>POLYGLYCERYL-10 STEARATE</b> (UNII: 90TF85HH91)               |

### Packaging

| # | Item Code        | Package Description   | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:72043-0333-1 | 1 in 1 CARTON   | 11/13/2024           |                    |
| 1 | NDC:72043-0333-2 | 50.5 g in 1 BOTTLE, PUMP; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing | Application Number or Monograph | Marketing Start | Marketing End |
|-----------|---------------------------------|-----------------|---------------|
|-----------|---------------------------------|-----------------|---------------|

| Category           | Citation | Date       | Date |
|--------------------|----------|------------|------|
| OTC Monograph Drug | M020     | 11/13/2024 |      |

**Labeler** - CP Skin Health Group, Inc. (611921669)

Revised: 12/2024

CP Skin Health Group, Inc.