# TANRI BROAD SPECTRUM SPF 30- sunscreen lotion I. Shay Cosmetics

-----

#### Tanri SPF 30

Zinc Oxide - 36%

Sunscreen

WARNING: Keep out of reach of children

Helps prevent sunburn. If used as directed with other sun protection measures, decreases the risk of skin cancer, early aging by the sun.

**Purified Water** 

C12-C15 Alkyl Benzoate

Isostearic Acid

Polyhydroxystearic Acid

**Butyloctyl Salicylate** 

Caprylic Capric Triglycerides

Cetyl/ PEG/ PPG-10/ 1 Dimethicone

Glycerin

Hydroxyethyl Cellulose

Isododecane

Jojoba Esters

Phenoxyethanol

Benzoic Acid

Ethylhexylglycerin

Glycereth-2 Cocoate

Polyglyceryl-2 Dipolyhydroxystearate

Sodium Chloride

Sodium Hyaluronate Acid

Squalane

Triethoxycaprylylsilane

Eicosene Copolymer

For external use only.

Do not use on damaged or broken skin.

When using this product keep out of eyes.

Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Shake well before use.

Apply liberally 15 minutes before sun exposure.


Reapply: after 80 minutes of swimming or sweating; at least every 2 hours; Immediately after towel drying.

Retains SPF after 80 minutes of activity in the water, sweating & perspiring.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer & early skin aging. To decrease this risk, Regularly use a sunscreen with broad spectrum SPF of 5 or higher and other sun protection measures including:

- limit time in the sun, especially from 10a.m. 2p.m.
- wear long-sleeves shirts, pants, hats, & sunglasses

Children under 6 months, ask a doctor.



## **Drug Facts**

Active Ingredients Zinc Oxide 18% ...

Purpose Sunscreen

#### Uses

· Helps prevent sunburn. If used as directed with other sun protection measures ( see Directions ), decreases the risk of skin cancer, early aging by the sun.

### Warnings

- For external use only Do not use on damaged or broken skin When using this product keep out of eyes. Rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach from children. If product is swallowed, get medical help or contact a Poison ControlCenter right

#### Directions

SHAKE WELL before use!

Apply Liberally 15 minutes before sun exposure. Reapply: After 80 minutes of swimming or sweating.
At least every 2hours. Immediately after towel drying.

- Retains SPF after 80 minutes of activity in the water, sweating, & perspiring.
- · Sun Protection Measures

Sun Protection Measures

Spending time in the sun increases your risk of skin cancer & early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 5 or higher and other sun protection measures including:

• limit time in the sun, especially from 10a.m. - 2p.pm.

• wear long-sleeves shirts, pants, hats, & sunglasses

- · Children under 6 months, ask a doctor.

Other Information • protect the product in this container from excessive heat and direct sun

Inactive Ingredients Butyloctyl Salicylate, C12-C15 Alkyl Benzoate, Caprylic Capric Triglycerides, Cetyl PEG/PPG-10/1 Dimenthicone, Glycerin, Hydroxyethylcellulose, Isododecane, Isostearic Acid, Jojoba Esters, Phenoxyethanol, Benzoic Acid, Ethylhexlglycerin, Glycereth-2 Cocoate, Polyglyceryl-2 Dipolyhydroxystearate, Polyhydroxystearic Acid, SodiumChloride, Sodium Hyaluronate Acid, Squalane, Triethoxycaprylylsilane, VP/Eicosene Copolymer, Water

www.tanri.com Distributed by TANRI Visalia. CA 93292



43

### TANRI BROAD SPECTRUM SPF 30

sunscreen lotion

#### **Product Information**

**HUMAN OTC DRUG** NDC:65112-305 **Product Type** Item Code (Source)

**Route of Administration TOPICAL** 

#### **Active Ingredient/Active Moiety**

**Basis of Strength Ingredient Name** Strength **ZINC OXIDE** (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z) ZINC OXIDE 0.18 g in 89 mL

Inactive Ingredients					
Ingre	dient Name	Strength			
WATER (UNII: 059QF0KO0R)					

P	ackaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:65112-305- 01	89 mL in 1 TUBE; Type 0: Not a Combination Product	06/01/2024		

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC Monograph Drug	M020	06/01/2024			

# **Labeler -** I. Shay Cosmetics (151582384)

Revised: 11/2024 I. Shay Cosmetics