

**HELIUM OXYGEN NITROGEN MIXTURE- helium oxygen nitrogen mixture gas  
Praxair Distribution Southeast LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Helium Oxygen Nitrogen Mixture**

UN1956

GASES,

N.O.S.

(OXYGEN,

HELIUM, NITROGEN)

% OXYGEN USP CAS: 7782-44-7

% HELIUM USP CAS: 7740-59-7

% NITROGEN NF CAS: 7727-37-9

NET CONTENTS

LOT NUMBER

**CAUTION! HIGH-PRESSURE GAS. MAY ACCELERATE COMBUSTION. CONCENTRATIONS BELOW 19.5% OXYGEN CAN CAUSE RAPID ASPHYXIATION MAY CAUSE DIZZINESS AND DROWSINESS.**

Keep oil, grease, and combustibles away. Keep away from heat, sparks, and flame. Store and use with adequate ventilation. Use with equipment rated for cylinder pressure and cleaned for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.

**FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.**

**RX ONLY**

**WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed**

**practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods and**

**frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.**

**Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633**

**Copyright @ 1997-1998, 2003, 2006, Praxair Technology, Inc.**

**DO NOT REMOVE THIS LABEL MMG-7 (07/06)**

**Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc.  
DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113**

  
**UN1956**  
**COMPRESSED**  
**GASES,**  
**N.O.S.**  
**(OXYGEN,**  
**HELIUM, NITROGEN)**



\_\_\_\_\_% OXYGEN USP CAS: 7782-44-7  
\_\_\_\_\_% HELIUM USP CAS: 7440-59-7  
\_\_\_\_\_% NITROGEN NF CAS: 7727-37-9

LOT NUMBER \_\_\_\_\_  
NET CONTENTS \_\_\_\_\_

**CAUTION! HIGH-PRESSURE GAS. MAY ACCELERATE COMBUSTION. CONCENTRATIONS BELOW 19.5% OXYGEN CAN CAUSE RAPID ASPHYXIATION. MAY CAUSE DIZZINESS AND DROWSINESS.**

Keep oil, grease, and combustibles away. Keep away from heat, sparks, and flame. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Use a backflow prevention device in any piping. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.

**FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

**Rx ONLY.**

**WARNING!** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.

**IN CASE OF EMERGENCY: CALL 1-800-645-4633**  
Copyright © 1997-1998, 2003, 2006, Praxair Technology, Inc.  
All rights reserved.  
Praxair, the Flowing Arrow design, and Medipure are trademarks of Praxair Technology, Inc.

**DO NOT REMOVE THIS LABEL**




DISTRIBUTED BY  
**PRAXAIR, INC.**  
DANBURY, CT 06810-5113  
MMG-7 (07/06)

**MADE IN USA**

UN3156  
COMPRESSED GAS,  
OXIDIZING N.O.S.  
(OXYGEN, HELIUM, NITROGEN)  
% OXYGEN USP CAS: 7782-44-7  
% HELIUM USP CAS: 7740-59-7  
% NITROGEN NF CAS: 7727-37-9  
NET CONTENTS  
LOT NUMBER  
WARNING! HIGH-PRESSURE OXIDIZING GAS. VIGOROUSLY ACCELERATES COMBUSTION  
Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and safe practices booklets P-3499 and P-14-153; obtain from your local supplier.  
FIRST AID: IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.  
RX ONLY  
WARNING! Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures and is familiar with the indications, effects, dosages, methods and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.  
Rx only IN CASE OF EMERGENCY CALL 1-800-645-4633  
Copyright @ 1997-1998, 2003, 2005, Praxair Technology, Inc.  
DO NOT REMOVE THIS LABEL MMG-7-0 (10/05)

Praxair, the flowing airstream design and Medipure are trademarks of Praxair Technology, Inc.  
 DISTRIBUTED BY PRAXAIR, INC, DANBURY, CT 06810-5113



**UN3156  
 COMPRESSED GAS,  
 OXIDIZING, N.O.S.  
 (OXYGEN, HELIUM, NITROGEN)**

Components:

\_\_\_\_\_ % OXYGEN USP CAS: 7782-44-7



\_\_\_\_\_ % HELIUM USP CAS: 7440-59-7

\_\_\_\_\_ % NITROGEN NF CAS: 7727-37-9

LOT NUMBER \_\_\_\_\_

NET CONTENTS \_\_\_\_\_

**IN CASE OF EMERGENCY: CALL 1-800-645-4633**





**WARNING! HIGH-PRESSURE, OXIDIZING GAS, VIGOROUSLY ACCELERATES COMBUSTION.**  
 Keep oil, grease, and combustibles away. Store and use with adequate ventilation. Use only with equipment rated for cylinder pressure and cleaned for oxygen service. Cylinder temperature should not exceed 125°F (52°C). Open valve slowly. Close valve after each use; keep closed even when empty. Always secure cylinder. Install cap, if provided, when not in use. Use per Praxair MSDS provided and Praxair safety booklets P-3499 and P-14-153. Obtain from your local supplier.

**FIRST AID:** IF INHALED, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, qualified personnel may give oxygen. Call a physician.

**Rx ONLY.**

**WARNING:** Administration of this gas mixture may be hazardous or contraindicated. For use only by or under the supervision of a licensed practitioner who is experienced in the use and administration of gas mixtures, and is familiar with the indications, effects, dosages, methods, and frequency and duration of administration, and with the hazards, contraindications, and side effects and the precautions to be taken.



MMG-7-O (10/05) Copyright © 1997-1998, 2003, 2005, Praxair Technology, Inc. All rights reserved. PRAXAIR, INC.  
 MADE IN USA Praxair, the Flowing Airstream design, and Medipure are trademarks of Praxair Technology, Inc. DANBURY, CT 06810-5113

HELIUM OXYGEN NITROGEN MIXTURE			
helium oxygen nitrogen mixture gas			
Product Information			
<b>Product Type</b>	HUMAN PRESCRIPTION DRUG	<b>Item Code (Source)</b>	NDC:49972-010
<b>Route of Administration</b>	RESPIRATORY (INHALATION)		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
HELIUM (UNII: 206GF3GB41) (HELIUM - UNII:206GF3GB41)	HELIUM	200 mL in 1 L	
OXYGEN (UNII: S88TT14065) (OXYGEN - UNII:S88TT14065)	OXYGEN	500 mL in 1 L	
NITROGEN (UNII: N762921K75) (NITROGEN - UNII:N762921K75)	NITROGEN	300 mL in 1 L	
Packaging			
#	Item Code	Package Description	Marketing Start Date
1	NDC:49972-010-01	7900 L in 1 CYLINDER	
2	NDC:49972-010-02	5975 L in 1 CYLINDER	
3	NDC:49972-010-03	2010 L in 1 CYLINDER	
4	NDC:49972-010-04	963 L in 1 CYLINDER	
5	NDC:49972-010-05	595 L in 1 CYLINDER	

6 | NDC:49972-010-06 | 368 L in 1 CYLINDER

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved medical gas		10/01/2005	

**Labeler** - Praxair Distribution Southeast LLC (008455552)

## Establishment

Name	Address	ID/FEI	Business Operations
Praxair Distribution Southeast LLC		006734263	manufacture(49972-010)

Revised: 7/2013

Praxair Distribution Southeast LLC