

**FUNGIFREE FUNGAL NAIL PATCHES- tolnaftate patch**  
**YITONGBADA (SHENZHEN) INTERNATIONAL TRADE CO., LTD**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----

**Directions**

- Remove any nail polish before use. Clean and thoroughly dry the affected area. - Peel off the protective film from the patch, starting with the outer edge and then the inner side. - Center the white area of the patch over the infected part of the nail. - Apply the adhesive side directly onto the nail. - Wrap the sides of the patch around the toe or finger to ensure a snug fit. - Fold the remaining adhesive part over the toe or fingertip. - Leave the patch on for 6-8 hours. For best results, use overnight for 3-6 months

Other information Store at room temperature 15°-30°C (59°-86°F), away from excess heat and direct sun

Inactive ingredients Glycerin, Tartaric Acid, Polysorbate 80, 1,2-Hexanediol, Disodium EDTA, Cellulose Gum, Sodium Polyacrylate, Aluminum Glycinate, Fumaric Acid, Butylene Glycol, Urea, Water

**Drug Facts**

## **Drug Facts**

### **Active ingredients**

Tolnaftate 1.0%.....Anti-fungal

### **Purpose**

### **Uses**

- Repairs fungal nail damage and improves nail appearance

### **Warnings**

#### **For external use only**

Do not use on children under 3 years of age unless directed by a doctor.

When using this product avoid contact with eyes. In case of contact, rinse thoroughly with water

Stop and ask a doctor if - irritation occurs - there is no improvement within 4 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental ingestion, seek medical advice immediately or contact a Poison Control Center right away

### **Directions**

- Remove any nail polish before use. Clean and thoroughly dry the affected area. - Peel off the protective film from the patch, starting with the outer edge and then the inner side. - Center the white area of the patch over the infected part of the nail. - Apply the adhesive side directly onto the nail. - Wrap the sides of the patch around the toe or finger to ensure a snug fit. - Fold the remaining adhesive part over the toe or fingertip. - Leave the patch on for 6-8 hours. For best results, use overnight for 3-6 months

**Other information** Store at room temperature 15°-30°C (59°-86°F), away from excess heat and direct sun

**Inactive ingredients** Glycerin, Tartaric Acid, Polysorbate 80, 1,2-Hexanediol, Disodium EDTA, Cellulose Gum, Sodium Polyacrylate, Aluminum Glycinate, Fumaric Acid, Butylene Glycol, Urea, Water

**Questions or comments?** Contact us at [support@fungifree.com](mailto:support@fungifree.com)

Active ingredients

Tolnaftate 1.0%

Anti-fungal

Repairs fungal nail damage and improves nail appearance

Do not use on children under 3 years of age unless directed by a doctor.

When using this product avoid contact with eyes. In case of contact, rinse thoroughly with water

Stop and ask a doctor if - irritation occurs - there is no improvement within 4 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of accidental ingestion, seek medical advice

immediately or contact a Poison Control Center right away

Warnings

For external use only

## FUNGIFREE FUNGAL NAIL PATCHES

tolnaftate patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:83364-013
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>TOLNAFTATE</b> (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1 g in 100 g

### Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>ALUMINUM GLYCINATE</b> (UNII: 1K713C615K)	
<b>CELLULOSE GUM</b> (UNII: K679OBS311)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)	
<b>SODIUM POLYACRYLATE (2500000 MW)</b> (UNII: 05I15JNI2J)	
<b>FUMARIC ACID</b> (UNII: 88XHZ13131)	

### Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:83364-013-01	21 in 1 PATCH	10/21/2024	
1		0.7 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved drug other		10/21/2024	

---

**Labeler** - YITONGBADA (SHENZHEN) INTERNATIONAL TRADE CO., LTD (725220463)

Revised: 11/2024

YITONGBADA (SHENZHEN) INTERNATIONAL TRADE CO., LTD