


SUNSOLVE MD FIRM AND REPLENISH- zinc oxide lotion
Sunsolve MD Inc

Sunsolve MD Firm and Replenish

Sunsolve MD Firm and Replenish



Drug Facts

Active ingredient	Purpose
Zinc Oxide 12%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well
- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
 - Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10a.m.—2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Allantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceramide NP, Coco-Caprylate, Helianthus Annuus (Sunflower) Extract, Hydrogenated Lecithin, Hydrolyzed Sodium Hyaluronate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Jojoba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Oryza Sativa (Rice) Bran Extract, Phenoxyethanol, Phenylpropanol, Plankton Extract, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Tridecyl Salicylate, Water

Questions and Comments
 Distributed by Sunsolve MD in
 USA: Newark DE 19713



SUNSOLVE MD

SUNSOLVE MD

ZnO+Mineral Care

**FIRM +
 REPLENISH**

Broad spectrum SPF 50 PA++++
High protection
 Water resistant (40 minutes)

Lightweight daily sunscreen
 with **CeraPol-3 Technology™**
 to help reduce the appearance
 of fine lines and wrinkles

**Advanced
 mineral UV
 protection**

Created for everyday use, our advanced non-nano mineral sunscreen is as efficacious as it is lightweight, delivering high quality, broad spectrum SPF 50 in a luxurious texture that suits all skin types and routines.

**Restores
 firmness**

Our formula effectively targets wrinkles and fine lines, replenishing the skin and reducing visible signs of ageing over time for a more youthful complexion.

14212, Way, LIPA 19701, London DC,
 UK, CE way, N1 7BU, UK
 Made in USA
 helix@sunsolveMD.com
 +1 (302) 334 8396



DAILY USE

OF FINE LINES AND WRINKLES

1.6 fl. oz. / 48 mL



SS560ML02



Sunsolve MD Firm and Replenish

Drug Facts

Active ingredient	Purpose
Zinc Oxide 12%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well
- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
- Children under 6 months of age: Ask a doctor
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10a.m.—2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Allantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Fenethyl Alcohol, Fragrance, MD Firm Replenish

SUNSOLVE MD

Advanced mineral UV protection

Created for everyday use, our advanced non-nano mineral sunscreen is as efficacious as it is lightweight, delivering high quality, broad spectrum SPF 50 in a luxurious texture that suits all skin types and routines.

Triglyceride, Caprylic Glycol, Ceramide NP, Coco-Lipolyte, Helianthus Annuus (Sunflower) Extract, Hydrogenated Lecithin, Hydrolyzed Sodium Hyaluronate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Jojoba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Oryza Sativa (Rice) Bran Extract, Phenoxyethanol, Phenylpropanol, Plankton Extract, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polytrimellitate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sabacate, Propanediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Triethyl Salicylate, Water

Questions and Comments
 Distributed by Sunsolve MD in
 USA: Newark DE 19713
 EU: CE:way, 004 FWHL, Dublin, IRL
 UK: CE:way, N1 7BU, UK
 Made in USA
 info@sunsolve.md.com
 +1 (302) 334 6396



SUN
SOLVE

ZnO+Mineral Care

**FIRM +
REPLENISH**

Broad spectrum SPF 50 PA++++

High protection

Water resistant (40 minutes)

Lightweight daily sunscreen
 with **CeraPol-3 Technology™**
 to help reduce the appearance
 of fine lines and wrinkles

1.6 fl. oz. / 48 mL

**Restores
firmness**

Our formula effectively targets wrinkles and fine lines, replenishing the skin and reducing visible signs of ageing over time for a more youthful complexion.



Sunsolve MD Firm and Replenish

Drug Facts

Active ingredient	Purpose
Zinc Oxide 12%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings


- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes
Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well
- Apply liberally 15 minutes before sun exposure

SUN
SOLVE

SUN
SOLVE MD



**Advanced
mineral UV
protection**

Created for everyday use, our advanced non-nano mineral sunscreen is as efficacious as it is lightweight, delivering high quality, broad spectrum SPF 50

Apply liberally to minimize burns and exposure.

Reapply:

- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10a.m.–2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Allantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceramide NP, Coco-Caprylate, Helianthus Annuus (Sunflower) Extract, Hydrogenated Lecithin, Hydrolyzed Sodium Hyaluronate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Jajaba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Oryza Sativa (Rice) Bran Extract, Phenoxyethanol, Phenylpropanol, Plankton Extract, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Tridecyl Salicylate, Water

Questions and Comments
 Distributed by Sunsolve MD in
 USA: Newark DE 19713
 Etc CE: way, 004 FWTU, Dublin IRL
 UK: CE: way, N1 7BU, UK
 Made in USA
 help@sunsolve.md.com
 +1 (302) 334 8396

RECOMMENDED



SUNSC

SUNSC

ZnO+Mineral Care

FIRM + REPLENISH

Broad spectrum SPF 50 PA++++

High protection

Water resistant (40 minutes)

Lightweight daily sunscreen with CeraPol-3 Technology™ to help reduce the appearance of fine lines and wrinkles

1.6 fl. oz. / 48 mL



spectrum SPF 50 in a luxurious texture that suits all skin types and routines.

Restores firmness

Our formula effectively targets wrinkles and fine lines, replenishing the skin and reducing visible signs of ageing over time for a more youthful complexion.

Sunsolve MD Firm and Replenish

Drug Facts

Active ingredient **Purpose**
 Zinc Oxide 12%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes
Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well
- Apply liberally 15 minutes before sun exposure

Reapply:

- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10a.m.—2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Allantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceramide NP, Coco-Caprylate, Helianthus Annuus (Sunflower) Extract, Hydrogenated Lecithin, Hydrolyzed Sodium Hyaluronate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Jojoba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Oryza Sativa (Rice) Bran Extract, Phenoxyethanol, Phenylpropanol, Plankton Extract, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propenediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Tridecyl Salicylate, Water

Questions and Comments
 Distributed by Sunsolve MD in
 USA: Newark DE 19713
 EU: CE.way, D04 F4W01, Dublin IRL
 UK: CE.way, W1 7BU, UK
 Made in USA
 hello@sunsolveMD.com
 +1 (302) 334 8396



SUNSOLVE MD

SUNSOLVE MD

ZnO+Mineral Care
FIRM + REPLENISH
 Broad spectrum SPF 50 PA++++
 High protection
 Water resistant (40 minutes)
 Lightweight daily sunscreen with CeraPol-3 Technology™ to help reduce the appearance of fine lines and wrinkles
 1.6 fl. oz. / 48 mL

Advanced mineral UV protection


Created for everyday use, our advanced non-nano mineral sunscreen is as efficacious as it is lightweight, delivering high quality, broad spectrum SPF 50 in a luxurious texture that suits all skin types and routines.

Restores firmness

Our formula effectively targets wrinkles and fine lines, replenishing the skin and reducing visible signs of ageing over time for a more youthful complexion.



Sunsolve MD Firm and Replenish



SUNSOLVE MD

SUNSOLVE MD

Drug Facts

Active ingredient	Purpose
Zinc Oxide 12%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well
- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
 - Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10a.m.–2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Allantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceramide NP, Coco-Caprylate, Helianthus Annuus (Sunflower) Extract, Hydrogenated Lecithin, Hydrolyzed Sodium Hyaluronate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Jojoba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Oryza Sativa (Rice) Bran Extract, Phenoxyethanol, Phenylpropanol, Plankton Extract, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Tridecyl Salicylate, Water

Questions and Comments
 Distributed by Sunsolve MD in
 USA: Newark, DE 19713
 EU: CE way, D04 FWO1, Dublin, IRL
 UK: CE way, W1 7BU, UK
 Made in USA
 hello@sunsolve.md.com
 +1 (302) 334 6396



Advanced mineral UV protection

Created for everyday use, our advanced non-nano mineral sunscreen is as efficacious as it is lightweight, delivering high quality, broad spectrum SPF 50 in a luxurious texture that suits all skin types and routines.

Restores firmness

Our formula effectively targets wrinkles and fine lines, replenishing the skin and reducing visible signs of ageing over time for a more youthful complexion.

ZnO+Mineral Care

FIRM + REPLENISH

Broad spectrum SPF 50 PA++++

High protection

Water resistant (40 minutes)

Lightweight daily sunscreen

with **CeraPol-3 Technology™**
 to help reduce the appearance
 of fine lines and wrinkles

1.6 fl. oz. / 48 mL



5 061023 120019



SS50ML02



Sunsolve MD Firm and Replenish



SUNSOLVE MD

SUNSOLVE MD

ZnO+Mineral Care

FIRM + REPLENISH

Broad spectrum SPF 50 PA++++

High protection
Water resistant (40 minutes)

Lightweight daily sunscreen
with **CeraPol-3 Technology™**
to help reduce the appearance
of fine lines and wrinkles

1.6 fl. oz. / 48 mL

Advanced mineral UV protection

Created for everyday use, our advanced non-nano mineral sunscreen is as efficacious as it is lightweight, delivering high quality, broad spectrum SPF 50 in a luxurious texture that suits all skin types and routines.

Restores firmness

Our formula effectively targets wrinkles and fine lines, replenishing the skin and reducing visible signs of ageing over time for a more youthful complexion.

Drug Facts

Active ingredient	Purpose
Zinc Oxide 12%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well
- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
 - Children under 6 months of age: Ask a doctor
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10a.m.—2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Other information


- Protect the product in this container from excessive heat and direct sun

Inactive ingredients


Alantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceramide NP, Coco-Caprylate, Helianthus Annuus (Sunflower) Extract, Hydrogenated Lecithin, Hydrolyzed Sodium Hyaluronate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Jojoba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Oryza Sativa (Rice) Bran Extract, Phenoxyethanol, Phenylpropanol, Plankton Extract, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Tridecyl Salicylate, Water

Questions and Comments
Distributed by Sunsolve MD in
USA: Newark, DE 19713
EU: CE way, 004 FWTU, Dublin, IRL
UK: CE way, W1 7BU, UK
Made in USA
hello@sunsolve.md.com
+1 (302) 334 8390





Sunsolve MD Firm and Replenish



Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well
- Apply liberally 15 minutes before sun exposure
- Reapply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours
 - Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:
 - Limit your time in the sun, especially from 10 a.m.—2p.m.
 - Wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Allantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceramide NP, Coco-Caprylate, Helianthus Annuus (Sunflower) Extract, Hydrogenated Lecithin, Hydrolyzed Sodium Hyaluronate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Jojoba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Oryza Sativa (Rice) Bran Extract, Phenoxethanol, Phenylpropanol, Plankton Extract, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate,

SUNSOLVE MD

SUNSOLVE MD

ZnO+Mineral Care

FIRM +

Advanced mineral UV protection

Created for everyday use, our advanced non-nano mineral sunscreen is as efficacious as it is lightweight, delivering high quality, broad spectrum SPF 50 in a luxurious texture that suits all skin types and routines.

Restores firmness

Our formula effectively targets wrinkles and

Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Propanediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Tridecyl Salicylate, Water

Questions and Comments
 Distributed by Sunsolve MD in
 USA: Newark DE 19713
 EBC CE way, D04 FWO1, Dublin IRL
 UK: CE way, N1 7BU, UK
 Made in USA
 help@sunsolve.md.com
 +1 (302) 334 8396



SUN

REPLENISH

Broad spectrum SPF 50 PA++++

High protection

Water resistant (40 minutes)

Lightweight daily sunscreen

with CeraPol-3 Technology™
 to help reduce the appearance
 of fine lines and wrinkles

1.6 fl. oz. / 48 mL

fine lines, replenishing
 the skin and reducing
 visible signs of ageing
 over time for a more
 youthful complexion.



SS50MLOZ

Sunsolve MD Firm and ReplenishSunsolve MD Firm and Replenish

Drug Facts

Active ingredient	Purpose
Zinc Oxide 12%.....	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

- For external use only
- Do not use on damaged or broken skin
- When using this product keep out of eyes. Rinse with water to remove
- Stop use and ask a doctor if skin rash occurs
- Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away

Directions


- Shake well
- Apply liberally 15 minutes before sun exposure

Reapply:

- After 40 minutes of swimming or sweating
- Immediately after towel drying
- At least every 2 hours
- Children under 6 months of age: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging.

LVE MD

ISOLVE MD



Advanced mineral UV protection

Created for everyday use, our advanced non-nano mineral sunscreen is as efficacious as it is lightweight, delivering high quality, broad spectrum SPF 50 in a luxurious texture that suits all skin types and routines.

sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit your time in the sun, especially from 10a.m.–2p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

Allantoin, Bisabolol, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Ceramide NP, Coco-Caprylate, Helianthus Annuus (Sunflower) Extract, Hydrogenated Lecithin, Hydrolyzed Sodium Hyaluronate, Iron Oxides (CI 77491), Iron Oxides (CI 77492), Iron Oxides (CI 77499), Jojoba Esters, Lecithin, Methylpropanediol, Niacinamide, Nylon-12, Oryza Sativa (Rice) Bran Extract, Phenoxethanol, Phenylpropanol, Plankton Extract, Polyglyceryl-2 Dipolyhydroxystearate, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Polyricinoleate, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sabacate, Propenediol, Rosmarinus Officinalis (Rosemary) Leaf Extract, Silica, Sodium Chloride, Sodium Hyaluronate, Sodium Hydroxide, Stearalkonium Hectorite, Tetrasodium Glutamate Diacetate, Tocopherol, Triethyl Salicylate, Water

Questions and Comments
Distributed by Sunsolve MD in
USA: Newark DE 19713
EU: CE:wey, 004 FWH, Dublin IRL
UK: CE:wey, N1 7BU, UK
Made in USA
info@sunsolveMD.com
+1 (302) 334 6386



SUN
SUN
SUN

SUN

ZnO+Mineral Care

**FIRM +
REPLENISH**

Broad spectrum SPF 50 PA++++

High protection

Water resistant (40 minutes)

Lightweight daily sunscreen

with **CeraPol-3 Technology™**
to help reduce the appearance
of fine lines and wrinkles

1.6 fl. oz. / 48 mL

**Restores
firmness**

Our formula effectively
targets wrinkles and
fine lines, replenishing
the skin and reducing
visible signs of ageing
over time for a more
youthful complexion.



SUNSOLVE MD FIRM AND REPLENISH

zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84878-199
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
FERRIC OXIDE RED (UNII: 1K09F3G675)	
SODIUM HYALURONATE (UNII: YSE9PPT4TH)	

TOCOPHEROL (UNII: R0ZB2556P8)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
CERAMIDE NP (UNII: 4370DF050B)
JOJOBA OIL (UNII: 724GKU717M)
ORYZA SATIVA WHOLE (UNII: 84IVV0906Z)
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
COCO-CAPRYLATE (UNII: 4828G836N6)
NYLON-12 (UNII: 446U8J075B)
PHENYLPROPANOL (UNII: 0F897O3O4M)
HELIANTHUS ANNUUS FLOWERING TOP (UNII: BKJ0J3D1BP)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
ALLANTOIN (UNII: 344S277G0Z)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)
ROSMARINUS OFFICINALIS FLOWER (UNII: NR1A27F29O)
.ALPHA.-BISABOLOL, (+)- (UNII: 105S6I733Z)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
WATER (UNII: 059QF0KO0R)
NIACINAMIDE (UNII: 25X51I8RD4)
PROPANEDIOL (UNII: 5965N8W85T)
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)
STEARALKONIUM HECTORITE (UNII: O LX698AH5P)
POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)
FERROSO FERRIC OXIDE (UNII: XM0M87F357)

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84878-199-02	1 in 1 CARTON	11/06/2024	
1	NDC:84878-199-01	48 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:84878-199-04	1 in 1 CARTON	11/06/2024	
2	NDC:84878-199-03	13 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/06/2024	

Labeler - Sunsolve MD Inc (119376976)

Registrant - Nanophase Technologies Corporation (623502044)

Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		050383046	api manufacture(84878-199)

Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		118812921	pack(84878-199) , manufacture(84878-199)

Establishment

Name	Address	ID/FEI	Business Operations
Nanophase Technologies Corporation		623502044	api manufacture(84878-199) , manufacture(84878-199)

Revised: 11/2024

Sunsolve MD Inc