

**DONE 70 ISOPROPYL ALCOHOL- isopropyl alcohol liquid**  
**Olein Recovery Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Done 70% Isopropyl Alcohol**

***Drug Facts***

**Active Ingredient (by volume)**

Isopropyl Alcohol 70%

***Purpose***

first aid antiseptic

***Uses***

- first aid to help prevent the risk of infection in minor cut, scrapes and burns

***Warnings***

**For external use only**

- flammable, keep away from fire or flame
- if taken internally serious gastric disturbances will result

**Ask a doctor before use if you have**

- deep or puncture wounds, animal bites or serious burns

**WHen using this product**

- do not get into eyes
- do not apply over large areas of the body
- do not use longer than one week unless directed by a doctor

**Stop use and ask doctor if**

condition persists or gets worse

**Keep out of reach of children.**

In case of ingestion, get medical help or contact a Poison Control Center immediately.

***Directions***

- clean affected area
- apply small amount of this product on the area 1-3 times daily
- if bandaged, let dry first
- may be covered with a sterile bandage

***Other information***

- store at room temperature

- does not contain, nor is intended as a substitute for grain or ethyl alcohol

**Inactive ingredient**

purified water

**Package Labeling: 236.5ml**

**done**

**70% ISOPROPYL ALCOHOL**  
First Aid Antiseptic

MADE IN USA  
8 fl. oz. (236.5 mL)

POISON / VENENO  
CALL A PHYSICIAN  
LLAME AL MEDICO

|   |  |   |
|---|--|---|
| <p><b>Drug Facts</b></p> <p><i>Active Ingredient (by volume)</i><br/>Isopropyl Alcohol 70%</p> <p><i>Purpose</i><br/>first aid antiseptic</p> <p><b>Uses</b> ■ first aid to help prevent the risk of infection in minor cut, scrapes and burns</p> <p><b>Warnings</b> For external use only<br/>■ flammable, keep away from fire of flame<br/>■ if taken internally serious gastric disturbances will result</p> <p><b>Ask a doctor before use if you have</b><br/>■ deep or puncture wounds, animal bites or serious burns</p> | <p><b>Drug Facts (continued)</b></p> <p><b>When using this product</b><br/>■ do not get into eyes<br/>■ do not apply over large areas of the body<br/>■ do not use longer than one week unless directed by a doctor</p> <p><b>Stop use and ask doctor if</b><br/>■ condition persists or gets worse</p> <p><b>Keep out reach of children.</b><br/>In case of ingestion, get medical help or contact a Poison Control Center immediately.</p> | <p><b>Drug Facts (continued)</b></p> <p><b>Directions</b><br/>■ clean affected area<br/>■ apply small amount of this product on the area 1-3 times daily<br/>■ if bandaged, let dry first<br/>■ may be covered with a sterile bandage</p> <p><b>Other information</b><br/>■ store at room temperature<br/>■ does not contain, nor is intended as a substitute for grain or ethyl alcohol</p> <p><b>Inactive ingredient</b> purified water</p> |
|---|--|---|

Facebook icon | @DoneProducts | DoneProducts.com



**Package Labeling: 295.7ml**


**done**

**70% ISOPROPYL ALCOHOL**  
First Aid Antiseptic

|  |  |   |
|--|--|---|
| <p><b>Drug Facts</b></p> <p><i>Active Ingredient (by volume)</i>    <i>Purpose</i></p> | <p><b>Drug Facts (continued)</b></p> <p><i>When using this product</i></p> | <p><b>Drug Facts (continued)</b></p> <p><i>Directions</i></p> |
|--|--|---|

|  |   |   |
|--|---|---|
| Isopropyl Alcohol 70% first aid antiseptic   | <b>When using this product:</b><br>■ do not get into eyes<br>■ do not apply over large areas of the body<br>■ do not use longer than one week unless directed by a doctor | <b>Directions</b><br>■ clean affected area<br>■ apply small amount of this product on the area 1-3 times daily<br>■ if bandaged, let dry first<br>■ may be covered with a sterile bandage |
| <b>Uses</b> ■ first aid to help prevent the risk of infection in minor cut, scrapes and burns  | <b>Stop use and ask doctor if</b><br>■ condition persists or gets worse   | <b>Other information</b><br>■ store at room temperature<br>■ does not contain, nor is intended as a substitute for grain or ethyl alcohol   |
| <b>Warnings</b> For external use only<br>■ flammable, keep away from fire or flame<br>■ if taken internally serious gastric disturbances will result | <b>Keep out reach of children.</b><br>In case of ingestion, get medical help or contact a Poison Control Center immediately.  | <b>Inactive ingredient</b> purified water   |
| <b>Ask a doctor before use if you have</b><br>■ deep or puncture wounds, animal bites or serious burns   |   |   |



 DoneProducts | DoneProducts.com



POISON/VENENO  
CALL A PHYSICIAN  
LLAME AL MEDICO

PART NO. DON-302-10



7 18890 01539 3

**MADE IN USA**  
 10 fl. oz. (295.7 mL)

MANUFACTURED BY:  
 OLEIN RECOVERY, CORP., YABUCOA PR 00767

**Package Labeling: 354.8ml**

PART NO. DON-302-12



7 18890 01550 8

**MADE IN USA**



MANUFACTURED BY:  
 OLEIN RECOVERY, CORP., YABUCOA PR 00767

# 7

MADE IN  
 12 fl. oz.



# ISOPROPYL 70% ALCOHOL

First Aid Antiseptic

USA  
(354,8 ml)



POISON/VENENO  
CALL A PHYSICIAN  
LLAME AL MEDICO

### Drug Facts

**Active ingredient (by volume)** Purpose  
Isopropyl Alcohol 70% first aid antiseptic

**Uses** ■ first aid to help prevent the risk of infection in minor cut, scrapes and burns

**Warnings** For external use only  
■ flammable, keep away from fire of flame  
■ if taken internally serious gastric disturbances will result

**Aska doctor before use if you have**  
■ deep or puncture wounds, animal bites or serious burns ▶

### Drug Facts (continued)

**When using this product**  
■ do not get into eyes  
■ do not apply over large areas of the body  
■ do not use longer than one week unless directed by a doctor

**Stop use and ask doctor if**  
■ condition persists or gets worse

**Keep out reach of children.**  
In case of ingestion, get medical help or contact a Poison Control Center immediately. ▶

### Drug Facts (continued)

**Directions**  
■ clean affected area  
■ apply small amount of this product on the area 1-3 times daily  
■ if bandaged, let dry first  
■ may be covered with a sterile bandage

**Other information**  
■ store at room temperature  
■ does not contain, nor is intended as a substitute for grain or ethyl alcohol

**Inactive ingredient** purified water

Facebook icon | @DoneProducts | DoneProducts.com

Package Labeling: 946ml





**70% ISOPROPYL ALCOHOL**  
First Aid Antiseptic

**70% ISOPROPYL ALCOHOL**  
First Aid Antiseptic

MADE IN USA  
32 fl. oz. (946 mL)

POISON/VENENO  
CALL A PHYSICIAN  
LLAME AL MEDICO

POISON/VENENO  
CALL A PHYSICIAN  
LLAME AL MEDICO

MADE IN USA  
32 fl. oz. (946 mL)

**Drug Facts**



| Active Ingredient (by volume) | Purpose              |
|-------------------------------|----------------------|
| Isopropyl Alcohol 70%         | first aid antiseptic |

**Drug Facts** (continued)

**When using this product**  
 ■ do not get into eyes

**Drug Facts** (continued)

**Directions**  
 ■ clean affected area

|   |   |  |   |
|---|---|--|---|
| <p><b>Uses</b> ■ first aid to help prevent the risk of infection in minor cut, scrapes and burns</p>  | <p>■ do not apply over large areas of the body<br/>         ■ do not use longer than one week unless directed by a doctor</p>                   | <p>■ apply small amount of this product on the area 1-3 times daily<br/>         ■ if bandaged, let dry first<br/>         ■ may be covered with a sterile bandage</p> |  <p>MANUFACTURED BY:<br/>OLEIN RECOVERY, CORP.</p>                           |
| <p><b>Warnings</b> For external use only<br/>         ■ flammable, keep away from fire or flame<br/>         ■ if taken internally serious gastric disturbances will result</p> | <p><b>Stop use and ask doctor if</b><br/>         ■ condition persists or gets worse</p>  | <p><b>Other information</b><br/>         ■ store at room temperature<br/>         ■ does not contain, nor is intended as a substitute for grain or ethyl alcohol</p>   |   |
| <p><b>Ask a doctor before use if you have</b><br/>         ■ deep or puncture wounds, animal bites or serious burns ▶</p>   | <p><b>Keep out reach of children.</b><br/>         In case of ingestion, get medical help or contact a Poison Control Center immediately. ▶</p> | <p><b>Inactive ingredient</b> purified water</p>   | <p><b>MADE IN USA</b></p> <p>PART NO: DON-302-32</p>  <p>7 18890 01559 1</p> |
| <p>Facebook icon   @DoneProducts   DoneProducts.com</p>   |   |  |   |

**Package Labeling: 3785.4ml**



# 70% ISOPROPYL ALCOHOL

## First Aid Antiseptic

|   |  |   |
|---|--|---|
| <p><b>Drug Facts</b></p> <p><i>Active Ingredient (by volume)</i>    <i>Purpose</i><br/>Isopropyl Alcohol 70%    first aid antiseptic</p> <p><b>Uses</b> ■ first aid to help prevent the risk of infection in minor cut, scrapes and burns</p> <p><b>Warnings</b> For external use only<br/>■ flammable, keep away from fire or flame<br/>■ if taken internally serious gastric disturbances will result</p> <p>Ask a doctor before use if you have<br/>■ deep or puncture wounds, animal bites or serious burns</p> | <p><b>Drug Facts (continued)</b></p> <p><b>When using this product</b><br/>■ do not get into eyes<br/>■ do not apply over large areas of the body<br/>■ do not use longer than one week unless directed by a doctor</p> <p>Stop use and ask doctor if<br/>■ condition persists or gets worse</p> <p>Keep out reach of children.<br/>In case of ingestion, get medical help or contact a Poison Control Center immediately.</p> | <p><b>Drug Facts (continued)</b></p> <p><b>Directions</b><br/>■ clean affected area<br/>■ apply small amount of this product on the area 1-3 times daily<br/>■ if bandaged, let dry first<br/>■ may be covered with a sterile bandage</p> <p><b>Other information</b><br/>■ store at room temperature<br/>■ does not contain, nor is intended as a substitute for grain or ethyl alcohol</p> <p><b>Inactive ingredient</b> purified water</p> |
|---|--|---|

 POISON/VENENO  
CALL A PHYSICIAN  
LLAME AL MEDICO

MADE IN USA



MANUFACTURED BY:  
OLEIN RECOVERY CORP., YARUCCA, PR 00767

128 fl oz (3785.4 mL) 

  DoneProducts | DoneProducts.com

### DONE 70 ISOPROPYL ALCOHOL

isopropyl alcohol liquid

#### Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:77142-011 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

#### Active Ingredient/Active Moiety

| Ingredient Name   | Basis of Strength | Strength       |
|---|-------------------|----------------|
| ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - | ISOPROPYL         | 0.7 mL in 1 mL |

|                              |                  |  |                             |                           |
|------------------------------|------------------|--|-----------------------------|---------------------------|
| UNII:ND2M416302)             |                  | ALCOHOL  | 0.7 mL in 1 mL              |                           |
| <b>Inactive Ingredients</b>  |                  |  |                             |                           |
|                              |                  | <b>Ingredient Name</b>                                   | <b>Strength</b>             |                           |
|                              |                  | WATER (UNII: 059QF0KO0R)                                 |                             |                           |
| <b>Packaging</b>             |                  |  |                             |                           |
| <b>#</b>                     | <b>Item Code</b> | <b>Package Description</b>                               | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
| 1                            | NDC:77142-011-01 | 236.5 mL in 1 BOTTLE; Type 0: Not a Combination Product  | 05/15/2020                  |                           |
| 2                            | NDC:77142-011-02 | 295.7 mL in 1 BOTTLE; Type 0: Not a Combination Product  | 05/15/2020                  |                           |
| 3                            | NDC:77142-011-03 | 354.8 mL in 1 BOTTLE; Type 0: Not a Combination Product  | 05/15/2020                  |                           |
| 4                            | NDC:77142-011-04 | 946 mL in 1 BOTTLE; Type 0: Not a Combination Product    | 05/15/2020                  |                           |
| 5                            | NDC:77142-011-05 | 3785.4 mL in 1 BOTTLE; Type 0: Not a Combination Product | 05/15/2020                  |                           |
| <b>Marketing Information</b> |                  |  |                             |                           |
| <b>Marketing Category</b>    |                  | <b>Application Number or Monograph Citation</b>          | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
| OTC monograph not final      |                  | part333E   | 05/15/2020                  |                           |

**Labeler** - Olein Recovery Corporation (188543446)

Revised: 5/2020

Olein Recovery Corporation