

OXYGEN- oxygen gas
Thompson Brothers Supplies Inc

Oxygen Label

OXYGEN, COMPRESSED USP
UN1072

PRODUCED BY AIR LIQUEFACTION

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment. Keep out of reach of children. Federal law requires that this container be refilled with oxygen USP only by establishments registered as a drug manufacturer in accordance with the Federal Food, Drug and Cosmetic Act. DANGER: MAY CAUSE OR INTENSIFY FIRE; OXIDIZER. CONTAINS GAS UNDER PRESSURE; MAY EXPLODE IF HEATED. Do not handle until all safety precautions have been read and understood. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Close valve after each use and when empty. Use only with equipment rated for cylinder pressure. Do not open valve until connected to equipment prepared for use. Use only equipment of compatible materials of construction. Open valve slowly. Use only with equipment cleaned for oxygen service. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use. CAS 7782-44-7 DO NOT REMOVE THIS PRODUCT LABEL.

THOMPSON BROS. SUPPLIES, INC.
2319 WEST EIGHTH COFFEYVILLE, KS 67337
1-800-530-5545
CONTENTS: LTRS
CU. FT.
NO SMOKING
NO VAPING



OXYGEN

REFRIGERATED LIQUID, USP

UN1073

ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING: For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, Rx required. Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.

Produced by Air Liquefaction

DANGER: MAY CAUSE OR INTENSIFY FIRE, OXIDIZER. CONTAINS REFRIGERATED GAS; MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS. MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use and store only outdoors or in a well-ventilated place. Store in a well-ventilated place. In case of fire: Stop leak if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment cleaned for oxygen service. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Protect from sunlight when ambient temperature exceeds 52 C (125 F). Read and follow the Safety Data Sheet (SDS) before use.

FIRST AID: IF ON SKIN: Thaw frosted parts with lukewarm water. Do not rub affected area. Get immediate medical advice/attention.

THOMPSON BROS. SUPPLIES, INC.

2319 WEST EIGHTH

COFFEYVILLE, KS 67337

1-800-530-5545

DO NOT REMOVE THIS PRODUCT LABEL.

OXYGEN

REFRIGERATED LIQUID, USP UN 1073



ALWAYS KEEP CONTAINER IN UPRIGHT POSITION.

WARNING

For emergency use only when administered by properly trained personnel for oxygen deficiency and resuscitation. For all other medical applications, **FIX** required.

Uninterrupted use of high concentrations of oxygen over a long duration, without monitoring its effect on oxygen content of arterial blood, may be harmful. Do not attempt to use on patients who have stopped breathing unless used in conjunction with resuscitative equipment.
Produced by Air Liquefaction.

DANGER

MAY CAUSE OR INTENSIFY FIRE. OXIDIZER. CONTAINS REFRIGERATED GAS. MAY CAUSE CRYOGENIC BURNS OR INJURY. COMBUSTIBLES IN CONTACT WITH OXIDIZING REFRIGERATED LIQUIDS MAY EXPLODE ON IGNITION OR IMPACT.

Obtain, read and follow all safety instructions before use. Keep away from clothing and other combustible materials. Keep valves and fittings free from grease and oil. Use only outdoors or with adequate ventilation. Store at an well-ventilated place. Wear cold resistant gloves and either face shield or eye protection. In case of fire: Stop work if safe to do so. Use a back flow preventive device in the piping. Use only with equipment of compatible materials of construction and rated for cylinder pressure. Use only with equipment designed for oxygen service. **DO NOT** change or force fit connections. Avoid spills. Do not walk on or roll equipment over spills. Do not open valve until connected to equipment prepared for use. Open valve slowly. Close valve after each use and when empty. Always keep container in upright position. Read and follow the Safety Data Sheet (SDS) before use.



IF ON SKIN: Thaw frostbitten parts with lukewarm water. Do not rub affected area. Get immediate medical help.



Lot Number:

Contents:

Expiration Date:

READ AND FOLLOW THE SAFETY DATA SHEET (SDS) BEFORE USE.

CAS: 7782-44-7

Thompson Bros Supplies Inc
2314 West Eighth
Caffeyville KS 67337
1-800-530-5545

DO NOT REMOVE THIS PRODUCT LABEL

OXYGEN

oxygen gas

Product Information

Product Type	PRESCRIPTION ANIMAL DRUG	Item Code (Source)	NDC:53777-011
Route of Administration	RESPIRATORY (INHALATION)		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Oxygen (UNII: S88TT14065) (Oxygen - UNII:S88TT14065)	Oxygen	990 mL in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53777-011-10	566 L in 1 CYLINDER		
2	NDC:53777-011-11	1133 L in 1 CYLINDER		
3	NDC:53777-011-12	3455 L in 1 CYLINDER		
4	NDC:53777-011-13	6909 L in 1 CYLINDER		
5	NDC:53777-011-14	8495 L in 1 CYLINDER		
6	NDC:53777-011-15	283 L in 1 CYLINDER		
7	NDC:53777-011-16	1699 L in 1 CYLINDER		

8	NDC:53777-011-17	146030 L in 1 CYLINDER		
9	NDC:53777-011-18	2265 L in 1 CYLINDER		
10	NDC:53777-011-19	2436395 L in 1 DEWAR		
11	NDC:53777-011-20	3455 L in 1 CYLINDER		
12	NDC:53777-011-21	6909 L in 1 CYLINDER		
13	NDC:53777-011-22	155743 L in 1 CYLINDER		
14	NDC:53777-011-23	425 L in 1 CYLINDER		
15	NDC:53777-011-24	680 L in 1 CYLINDER		
16	NDC:53777-011-25	170 L in 1 CYLINDER		
17	NDC:53777-011-26	255 L in 1 CYLINDER		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NADA	NADA141396	11/01/1979	

Labeler - Thompson Brothers Supplies Inc (945057354)

Establishment

Name	Address	ID/FEI	Business Operations
Thompson Brothers Supplies Inc		945057354	manufacture

Revised: 11/2025

Thompson Brothers Supplies Inc