

TOPCARE ZZZ SLEEP- diphenhydramine hcl solution
Topco Associates LLC

Topco Associates LLC. ZZZ Sleep® Drug Facts

Active ingredient (in each 30 mL)

Diphenhydramine HCl 50 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take only one dose per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- **each 30 mL contains:** sodium 20 mg
- store at 20-25°C (68-77°F)

Inactive ingredients

alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, poloxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions or comments?

1-888-423-0139

Package/Label Principal Display Panel

TopCare® health

NIGHTTIME

COMPARE TO VICKS® ZZZQUIL® ACTIVE INGREDIENT

ZZZ Sleep®

DIPHENHYDRAMINE HCl 50 mg per 30 mL

NIGHTTIME SLEEP-AID


- Non-Habit Forming
- Not for Treating Cold or Flu

ALCOHOL 10%

6 FL OZ (177 mL)

BERRY FLAVOR

DO NOT USE IF PRINTED NECKBAND IS BROKEN OR MISSING



DISTRIBUTED BY
TOPCO ASSOCIATES LLC
ELK GROVE VILLAGE, IL 60007
©TOPCO PERA0521
QUESTIONS? 1-888-423-0139
topcare@topco.com
www.topcarebrand.com



Scan here for more information or call 1-888-423-0139



This TopCare® product is laboratory tested to guarantee its highest quality. Your total satisfaction is guaranteed.

*This product is not manufactured or distributed by Procter & Gamble, distributor of Vicks® ZzzQuil®.

NDC 36800-200-30



NIGHTTIME
ZZZ Sleep®

DIPHENHYDRAMINE HCl 50 mg per 30 mL

NIGHTTIME SLEEP-AID

- Non-Habit Forming
- Not for Treating Cold or Flu
- ALCOHOL 10%

COMPARE TO
VICKS® ZZZQUIL®
ACTIVE INGREDIENT*



6 FL OZ (177 mL)

BERRY FLAVOR

Drug Facts

Active ingredient (in each 30 mL) Purpose
Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

- Do not use
- for children under 12 years of age
 - with any other product containing diphenhydramine, even one used on skin

PEEL BACK FOR DRUG FACTS →

CODE AREA
• no varnish • no color

: 18630 88 F6

ADHESIVE AREA
NO COPY

Drug Facts (continued)

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding, ask a health professional before use.

Drug Facts (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take only one dose per day (24 hours)
- only use the dose cup provided

adults & children 12 yrs & over	30 mL at bed time if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- each 30 mL contains: sodium 20 mg
- store at 20-25°C (68-77°F)

Drug Facts (continued)

Inactive ingredients alcohol, anhydrous citric acid, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, poloxamer 407, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

Questions or comments?

1-888-423-0139

TOPCARE ZZZ SLEEP

diphenhydramine hcl solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:36800-200
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	50 mg in 30 mL

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB65)	

POLOXAMER 407 (UNII: TUF2IWW3M2)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	

Product Characteristics

Color	PURPLE	Score	
Shape		Size	
Flavor	BERRY	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:36800-200-30	177 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/23/2013	06/30/2024
2	NDC:36800-200-40	355 mL in 1 BOTTLE; Type 0: Not a Combination Product	08/20/2013	
3	NDC:36800-200-34	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	09/19/2013	09/30/2020
4	NDC:36800-200-50	2 in 1 PACKAGE	08/20/2013	
4		355 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	08/20/2013	

Labeler - Topco Associates LLC (006935977)

Revised: 12/2025

Topco Associates LLC