

**SUN VOYAGE KIT- avobenzonone, homosalate, octocrylene, octisalate
Koco Life LLC**

Sun Voyage SPF Kit

84130-004-10 SUN SHIELD ON-THE-GLOW SHEER STICK SPF40

Active Ingredients

Avobenzonone 3%

Homosalate 10%

Octocrylene 10%

Octisalate 5%

Purpose

Avobenzonone 3%Sunscreen

Homosalate 10%.....Sunscreen

Octocrylene 10%Sunscreen

Octisalate 5%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sunprotection measures (see Directions),decreases the risk of skin cancer and earlyskin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children

If product is swallowed , get medical help or contact a Poison Control Center right away

Directions

- Glide onto body, neck and face 15 minutes before sun exposure for invisible protection.

REAPPLY: • After 40 minutes of swimming or sweating. Immediately after towel drying
At least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor

Inactive Ingredients

C12-15 Alkyl Benzoate, Octyldodecanol, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Isostearyl Linoleate, Dibutyl Lauroyl Glutamide, Polyester-8, Dibutyl Ethylhexanol Glutamide, Silica Silyate, Cocos Nucifera (Coconut) Oil, Tocopherol, Glycine Soja (Soybean) Oil, Bisabolol, Zingiber Officinale (Ginger) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Aloe Barbadensis Leaf Extract, Fragrance (Parfum), Benzyl Salicylate, Hexyl Cinnamal, Linalool, Synthetic Fluorophlogopite, Silica, Iron Oxides (CI 77489), (CI 77491).

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call (858) 252-0099

84130-001-10 SUN SHIELD BODY GLOW SPF50

Active Ingredients

Avobenzone 3%

Homosalate 10%

Octocrylene 10%

Octisalate 5%

Purpose

Avobenzone 3%Sunscreen

Homosalate 10%.....Sunscreen

Octocrylene 10%Sunscreen

Octisalate 5%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sunprotection measures (see Directions),decreases the risk of skin cancer and earlyskin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children

If product is swallowed , get medical help or contact a Poison Control Center right away

Directions

• Apply generously and evenly 15 minutes before sun exposure.

REAPPLY: • After 40 minutes of swimming or sweating. Immediately after towel drying
• At least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor

Inactive Ingredients

Octyldodecanol, C12-15 Alkyl Benzoate, Polyamide-3, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Fragrance (Parfum), Persea Gratissima (Avocado) Oil, Hibiscus Sabdariffa Seed Oil, Cocos Nucifera (Coconut) Oil, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Aleurites Moluccana Seed Oil, Tocopheryl Acetate, Macadamia Ternifolia Seed Oil, Benzyl Salicylate, Hexyl Cinnamal, Linalool, Mica (CI 77019), Titanium Dioxide (CI 77891), Iron Oxides (CI 77491).

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call (858) 252-0099

84130-011-13 SUNGLAZE SHEER SETTING MIST SUNSCREEN SPF50

Active Ingredients

Avobenzone 3%

Homosalate 0.5%

Octisalate 5%

Octyocrylene 10%

Purpose

Avobenzone 3%Sunscreen

Homosalate 0.5%.....Sunscreen

Octisalate 5%Sunscreen

Octyocrylene 10%.....Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sunprotection measures (see Directions),decreases the risk of skin cancer and earlyskin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.
Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

• Shake well before use. With eyes closed, spray generously and evenly over your face while holding spray 8-10 inches away. Apply 15 minutes before sun exposure. Do not spray directly into eyes.

REAPPLY:• After 40 Minutes of swimming or sweating. • Immediately after towel drying. At least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from10 a.m.- 2 p.m.
- Wear long-sleeved shirts, pants, hats,and sunglasses.
- Children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Butyloctyl Salicylate, Diisopropyl Adipate, Lauryl Lactate, Dicaprylyl Carbonate, Sodium Hyaluronate, Sodium Hyaluronate Crosspolymer, Tetrahexyldecyl

Ascorbate, Tocopherol, Citrus Aurantifolia (Lime) Oil, Litsea Cubeba Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Mentha Viridis (Spearmint) Leaf Oil, Citrus Aurantium Peel Oil, Hydrogenated Castor Oil, Oryza Sativa (Rice) Bran Extract, Communis (Castor) Seed Oil, Glycerin, Triethyl Citrate, Gamma Decalactone, Maltol, Dimethyl Heptenal, Hexyl Acetate, Ethyl Butyrate, VA/Butyl Maleate/Isobornyl Acrylate Copolymer, t-Butyl Alcohol, Mica, Water/Aqua/Eau, Propanediol, Polyglutamic Acid, Citric Acid, Sodium Benzoate, Limonene, Geraniol, Geranyl Acetate, Terpineol, 3,6-Nonadienol, Tin Oxide, CI 77891 (Titanium Dioxide), CI 77491 (Iron Oxides)

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call (858) 252-0099

Kopari

Sun Voyage

SPF Kit



SUN VOYAGE SPF KIT

FULL SIZE 

KOPARI!



KOPARI!



Sun Voyage SPF Kit

The ultimate, head-to-toe SPF trio for all-day protection and glow. Our three radiant formulas offer effortless application and reapplication. Use the best-selling Sun Shield Body Glow SPF from the neck down, set and refresh with the weightless Sunglaze Face Setting Mist, and protect anytime with the Sun Shield SPF Stick. Your go-to SPF routine for every adventure under the sun!

Le trio SPF ultime, de la tête aux pieds, pour une protection et un éclat tout au long de la journée. Nos trois formules éclatantes offrent une application et une réapplication sans effort. Utilisez le Sun Shield Body Glow SPF, notre best-seller, du cou jusqu'aux pieds, fixez et rafraîchissez avec la brume légère Sunglaze Face Setting Mist, et protégez à tout moment avec le stick Sun Shield SPF. Votre routine SPF incontournable pour toutes vos aventures sous le soleil !

FULL SIZE
SUN SHIELD
ON-THE-GLOW SHEER STICK
SUNSCREEN SPF 40

BÂTON SOLAIRE ON-THE-GLOW FPS 40
1 FL. OZ. | 30 ML

SUN SHIELD
BODY GLOW
SUNSCREEN SPF 50

ÉCRAN SOLAIRE EFFET BRILLANT FPS
LARGE SPECTRE 50
1 FL. OZ. | 30 ML

SUNGLAZE
SHEER SETTING MIST
SUNSCREEN SPF 50

SUNGLAZE BRUME FIXATRICE
TRANSPARENTE ÉCRAN SOLAIRE FPS 50
1.35 FL. OZ. | 40 ML

Drug Facts

Active Ingredients	Purpose
Avobenzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octocrylene 10%	Sunscreen
Octisalate 5%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Glide onto body, neck and face 15 minutes before sun exposure for invisible protection.

REAPPLY • After 40 minutes of swimming or sweating. Immediately after towel drying. At least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor

Inactive Ingredients

C12-15 Alkyl Benzoate, Octyldodecanol, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Isostearyl Linoleate, Dibutyl Lauryl Glutamide, Polyester-8, Dibutyl Ethylhexanol Glutamide, Silica Silylate, Cocos Nucifera (Coconut) Oil, Tocopherol, Glycine Soja (Soybean) Oil, Bisabolol, Zingiber Officinale (Ginger) Root Extract, Helianthus Annuus (Sunflower) Seed Oil, Aloe Barbadensis Leaf Extract, Fragrance (Parfum), Benzyl Salicylate, Hexyl Cinnamal, Linalool, Synthetic Fluorphlogopite, Silica, Iron Oxides (CI 77489), (CI 77491).

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call (858) 252-0099

Drug Facts

Active Ingredients	Purpose
Avobenzene 3%	Sunscreen
Homosalate 10%	Sunscreen
Octocrylene 10%	Sunscreen
Octisalate 5%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Apply generously and evenly 15 minutes before sun exposure.

REAPPLY • After 40 minutes of swimming or sweating. Immediately after towel drying. At least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor

Inactive Ingredients

Octyldodecanol, C12-15 Alkyl Benzoate, Polyamide-3, Butyloctyl Salicylate, Octyldodecyl Neopentanoate, Fragrance (Parfum), Persea Gratissima (Avocado) Oil, Hibiscus Sabdariffa Seed Oil, Cocos Nucifera (Coconut) Oil, Pentaerythrityl Tetra-di-t-butyl Hydroxyhydrocinnamate, Aleurites Moluccana Seed Oil, Tocopheryl Acetate, Macadamia Ternifolia Seed Oil, Benzyl Salicylate, Hexyl Cinnamal, Linalool, Mica (CI 77019), Titanium Dioxide (CI 77891), Iron Oxides (CI 77491).

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call (858) 252-0099

Drug Facts

Active Ingredients	Purpose
Avobenzene 3%	Sunscreen
Homosalate 0.5%	Sunscreen
Octisalate 5%	Sunscreen
Octocrylene 10%	Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes.

Rinse with water to remove

Stop use and ask a doctor if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away

Directions

- Shake well before use. With eyes closed, spray generously and evenly over your face while holding spray 8-10 inches away. Apply 15 minutes before sun exposure. Do not spray directly into eyes.

REAPPLY • After 40 Minutes of swimming or sweating. • Immediately after towel drying. At least every 2 hours.

Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.
- Children under 6 months: Ask a doctor

Inactive Ingredients

Alcohol Denat., Butyloctyl Salicylate, Dipropyl Adipate, Lauryl Lactate, Dipropyl Carbonate, Sodium Hyaluronate, Sodium Hyaluronate Crosspolymer, Tetrahydroxyl Ascorbate, Tocopherol, Citrus Aurantifolia (Lime) Oil, Litsea Cubeba Fruit Oil, Citrus Aurantium Dulcis (Orange) Peel Oil, Mentha Viridis (Spearmint) Leaf Oil, Citrus Aurantium Peel Oil, Hydrogenated Castor Oil, Oryza Sativa (Rice) Bran Extract, Commisura (Castor) Seed Oil, Glycerin, Triethyl Citrate, Gamma Decalactone, Malol, Dimethyl Heptanediol, Hexyl Acetate, Ethyl Butyrate, VA/Butyl Methacrylate/Dimethyl Acrylate Copolymer, n-Butyl Alcohol, Mica, Water/Aqua/Eau, Propylene Glycol, Polyglutamic Acid, Citric Acid, Sodium Benzoate, Limonene, Geranyl, Geranyl Acetate, Terpinol, 3,6-Nonylenol, Tin Oxide, CI 77891 (Titanium Dioxide), CI 77491 (Iron Oxides).

Other Information

Protect the product in this container from excessive heat and direct sun

Questions or comments?

Call (858) 252-0099



WARNING FOR EXTERNAL USE ONLY. STOP USE AT THE FIRST SIGN OF IRRITATION. AVOID CONTACT WITH EYES. IF EYE CONTACT OCCURS, RINSE WITH PLENTY OF WATER.

FLAMMABLE Keep away from heat & open flames.

MISE EN GARDE POUR USAGE EXTERNE UNIQUEMENT. ARRÊTEZ L'UTILISATION AU PREMIER SIGNE D'IRRITATION. ÉVITEZ TOUT CONTACT AVEC LES YEUX. EN CAS DE CONTACT AVEC LES YEUX, RINCEZ ABONDAMMENT À L'EAU.

INFLAMMABLE Tenir à l'écart de la chaleur et des flammes nues.

DISTRIBUTED BY/PAR KOCO LIFE LLC, LA JOLLA, CA 92037

MADE IN THE USA OF GLOBALLY SOURCED INGREDIENTS

FABRIQUÉ AUX ÉTATS-UNIS À PARTIR D'INGRÉDIENTS D'ORIGINE INTERNATIONALE



koparibeauty.com

SUN VOYAGE KIT

avobenzene, homosalate, octocrylene, octisalate kit

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84130-013
---------------------	----------------	---------------------------	---------------

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-013-97	1 in 1 KIT; Type 0: Not a Combination Product	11/01/2024	

Quantity of Parts

Part #	Package Quantity	Total Product Quantity
Part 1	1 CONTAINER	30 g
Part 2	1 BOTTLE, PUMP	40 mL
Part 3	1 BOTTLE, PUMP	30 mL

Part 1 of 3

SUN SHIELD ON-THE-GLOW SHEER STICK SPF40

avobenzone, homosalate, octocrylene, octisalate stick

Product Information

Item Code (Source)	NDC:84130-004
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 g
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	5 g in 100 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	10 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
FARNESOL (UNII: EB41QIU6JL)	
BENZYL SALICYLATE (UNII: WAO5MNK9TU)	
LEVOMENOL (UNII: 24WE03BX2T)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
ISOSTEARYL LINOLEATE (UNII: 4778M3HR0N)	
LINALOOL, (+)- (UNII: F4VNO44C09)	
OCTYLDODECANOL (UNII: 461N1O614Y)	

MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)
COCONUT OIL (UNII: Q9L0O73W7L)
DIBUTYL LAUROYL GLUTAMIDE (UNII: 3V7K3IA58X)
SUNFLOWER OIL (UNII: 3W1JG795YI)
GINGER (UNII: C5529G5JPQ)
CITRAL (UNII: T7EU0O9VPP)
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)
FERRIC OXIDE RED (UNII: 1K09F3G675)
POLYESTER-8 (1400 MW, CYANODIPHENYLPROPENOYL CAPPED) (UNII: T9296U138P)
DIBUTYL ETHYLHEXANOYL GLUTAMIDE (UNII: 0IAF2L30VS)
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
SOYBEAN OIL (UNII: 241ATL177A)
TOCOPHEROL (UNII: R0ZB2556P8)
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-004-10	30 g in 1 CONTAINER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/01/2024	

Part 2 of 3

SUNGLAZE SHEER SETTING MIST SUNSCREEN SPF50

avobenzone, homosalate, octisalate, octyocrylene spray

Product Information

Item Code (Source)	NDC:84130-011
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C0OX)	
TERT-BUTYL ALCOHOL (UNII: MD83SFE959)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
WATER (UNII: 059QF0KO0R)	
.GAMMA.-DECALACTONE (UNII: 7HLS05KP9O)	
HEXYL ACETATE (UNII: 7U7KU3MWT0)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
RICE BRAN (UNII: R60QEP13IC)	
LIME OIL, COLD PRESSED (UNII: UZH29XGA8G)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ALCOHOL (UNII: 3K9958V90M)	
GERANYL ACETATE (UNII: 3W81YG7P9R)	
LIMONENE, (+)- (UNII: GFD7C86Q1W)	
STANNOUS OXIDE (UNII: JB2MV9I3LS)	
SPEARMINT OIL (UNII: C3M81465G5)	
BITTER ORANGE OIL (UNII: 9TLV70SV6I)	
TETRAHEXYLDECYL ASCORBATE (UNII: 9LBV3F07AZ)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
PEG-9 DIGLYCIDYL ETHER/SODIUM HYALURONATE CROSSPOLYMER (UNII: 788QAG3W8A)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
2,6-DIMETHYL-5-HEPTENAL (UNII: Z331YX9EL9)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
PROPANEDIOL (UNII: 5965N8W85T)	
ETHYL BUTYRATE (UNII: UFD2LZ005D)	
LITSEA OIL (UNII: 2XIW34BN6O)	
ORANGE OIL, COLD PRESSED (UNII: AKN3KSD11B)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
LAURYL LACTATE (UNII: G5SU0BFK7O)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TOCOPHEROL (UNII: R0ZB2556P8)	
MICA (UNII: V8A1AW0880)	
GERANIOL (UNII: L837108USY)	
CASTOR OIL (UNII: D5340Y2I9G)	
DIBUTYL MALEATE (UNII: 4X371TMK9K)	
TERPINEOL (UNII: R53Q4ZWC99)	
POLYGLUTAMIC ACID (1200 MW) (UNII: MGE3733FR2)	
MALTOL (UNII: 3A9RD92BS4)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-011-13	40 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/01/2024	

Part 3 of 3

SUN SHIELD BODY GLOW SPF50

homosalate, octocrylene, octisalate, avobenzone gel

Product Information

Item Code (Source)	NDC:84130-001
Route of Administration	TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
POLYAMIDE-3 (12000 MW) (UNII: L7P3YWF22X)	
AVOCADO OIL (UNII: 6VNO72PFC1)	
KUKUI NUT OIL (UNII: TP11QR7B8R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
MACADAMIA OIL (UNII: 515610SU8C)	
BENZYL SALICYLATE (UNII: WAO5MKN9TU)	
PENTAERYTHRITOL TETRAKIS(3-(3,5-DI-TERT-BUTYL-4-HYDROXYPHENYL)PROPIONATE) (UNII: 255PIF62MS)	
HIBISCUS SABDARIFFA SEED OIL (UNII: G2X0304IX1)	
LINALOOL, (+/-)- (UNII: D81QY6I88E)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
COCONUT OIL (UNII: Q9L0O73W7L)	
MICA (UNII: V8A1AW0880)	
.ALPHA.-HEXYLCINNAMALDEHYDE (UNII: 7X6O37OK2I)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84130-001-10	30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/01/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	11/01/2024	

Labeler - Koco Life LLC (046650159)**Establishment**

Name	Address	ID/FEI	Business Operations
PhylogenX, Inc.		624386772	manufacture(84130-011, 84130-013)

Establishment

Name	Address	ID/FEI	Business Operations
Biogenesis Inc.		069117328	manufacture(84130-001, 84130-004, 84130-013)

Revised: 11/2024

Koco Life LLC