

PHARBETOL- acetaminophen 500mg tablet, coated
Pharbest Pharmaceuticals, Inc.

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500mg

Purpose

Pain Reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
- the common cold
- headache
- backache
- minor pain of arthritis
- toothache
- muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use

if you have liver disease.

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning:

In the case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222).

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over	<ul style="list-style-type: none">◦ take 2 caplets, every 6 hours while symptoms last◦ do not take more than 6 caplets in 24 hours, unless directed by a doctor◦ do not use more than 10 days unless directed by a doctor
children under 12 years	ask a doctor

Other information

- **Tamper Evident: do not use if imprinted safety seal under cap is broken or missing**
- store at 20°-25°C (68°-77°F), excursions permitted between 15-30°C (59-86°F)

Inactive ingredients

hypromellose, povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid, talc, triacetin

Questions or comments?

(866) 562-2756 (Mon - Fri 8 AM to 4 PM EST)

PHARBEST**NDC 16103-350-08****Manufactured in the USA***Etra Strength****COMPARE TO the active ingredients in Etra Strength TYLENOL® Caplet****PHARBETOL****Acetaminophen 500 mg each****Pain Reliever/Fever Reducer****THIS PACKAGE FOR HOUSEHOLD WITHOUT YOUNG CHILDREN****100 CAPLETS**

PHARBEST NDC 16103-350-08  Manufactured in the USA

Extra Strength
Contains no Aspirin

*Compare to the active ingredient in Extra Strength Tylenol® Caplet

PHARBETOL

Acetaminophen 500 mg each

Pain Reliever/Fever Reducer

100 CAPLETS PH016

TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet) Purpose
Acetaminophen 500 mg.....Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - headache
 - backache
 - minor pain of arthritis
 - toothache
 - muscular aches
- premenstrual and menstrual cramps
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours or with other drugs containing acetaminophen, 3 or more alcoholic drinks every day while using this product.

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- hives
- itching
- swelling of the face, lips, tongue, or throat
- difficulty breathing
- skin rash

 If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease.

*This product is not manufactured or distributed by McNeil Consumer Healthcare Division of McNEIL-PPC, Inc., owner of the registered trademark Tylenol®.

Manufactured by:
Pharbest Pharmaceuticals, Inc.
Farmingdale, NY 11735.

LRev. 07/24

Pool here for more drug facts



3 1610335008 0

Unvarnished Area for Lot # & Exp. Dt.

Drug Facts (continued)

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

 These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none"> take 2 caplets every 6 hours while symptoms last do not take more than 6 caplets in 24 hours, unless directed by a doctor
children under 12 years	<ul style="list-style-type: none"> do not use for more than 10 days unless directed by a doctor ask a doctor

Other information

- store at 20-25°C (68-77°F); excursions permitted between 15-30°C (59-86°F)

Inactive ingredients hypromellose, povidone, pregelatinized corn starch, sodium starch glycolate, stearic acid, talc, triacetin

Questions or comments? (866) 562-2756 (Mon- Fri 8 AM to 4 PM EST)

STOP PEELING

PHARBETOL

acetaminophen 500mg tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:16103-350
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STARCH, CORN (UNII: O8232NY3SJ)	
SODIUM STARCH GLYCOLATE TYPE A CORN (UNII: AG9B65PV6B)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TALC (UNII: 7SEV7J4R1U)	

TRIACETIN (UNII: XHX3C3X673)

Product Characteristics

Color	white	Score	no score
Shape	CAPSULE (Capsule Shaped Tablet (Caplet))	Size	18mm
Flavor		Imprint Code	PH016
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:16103-350-04	1 in 1 CARTON	03/01/2018	
1		30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:16103-350-08	1 in 1 CARTON	03/01/2018	
2		100 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:16103-350-10	500 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/01/2018	
4	NDC:16103-350-11	1000 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/01/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	03/01/2018	

Labeler - Pharbest Pharmaceuticals, Inc. (557054835)

Registrant - Pharbest Pharmaceuticals, Inc. (557054835)

Establishment

Name	Address	ID/FEI	Business Operations
Pharbest Pharmaceuticals, Inc.		557054835	manufacture(16103-350) , analysis(16103-350) , pack(16103-350) , label(16103-350)

Revised: 12/2025

Pharbest Pharmaceuticals, Inc.