

**DAYTIME COLD AND FLU MULTI SYMPTOM RELIEF- acetaminophen,
dextromethorphan hbr, phenylephrine hcl liquid
Shield Pharmaceuticals Corp**

Daytime Cold and Flu Multi-Symptom Relief

Drug Facts

Active ingredient (in each softgel)

Acetaminophen 325 mg
Dextromethorphan HBr 10 mg
Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer
Cough suppressant
Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor
- throat & bronchial irritation
- sore throat
- headache
- minor aches & pains
- fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 Softgels in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may

- include:
- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If

you are

- not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product

- do not use more than directed.

Stop use and ask a doctor if

- you get nervous, dizzy or sleepless
- pain, nasal congestion or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hrs

| | |
|---------------------------------|-------------------|
| adults & children 12 yrs & over | 30 mL every 4 hrs |
| children 6 to under 12 yrs | 15 mL every 4 hrs |
| children 4 to under 6 yrs | ask a doctor |
| children under 4 yrs | do not use |

Other information

- **each 30 mL contains:** sodium 24 mg
- store between 20-25°C (68-77°F) and do not refrigerate.

Inactive ingredients

citric acid, FD&C Yellow No. 6, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose, xanthan gum

Questions or comments?

1-800-373-6981(toll-free)

Distributed by:

Shield Pharmaceuticals Corp.

Ronkonkoma, NY 11779

PRINCIPAL DISPLAY PANEL

ValuRx

Daytime Cold & Flu

Multi-Symptom Relief

Acetaminophen

Dextromethorphan HBr

Phenylephrine HCl

Label

| | | | | | | | |
|---|--|---------------------------|-----------------------------|---------------------------------|-------------------|-----------------------------|--------------------|
| <p>ValuRx</p> <p>Compare to the Active Ingredients in Vicks® Day Quil® Cold & Flu*</p> <p>Daytime Cold & Flu \$1.25</p> <p>Multi-Symptom Relief</p> <p>Acetaminophen- Pain reliever/Fever reducer</p> <p>Dextromethorphan HBr- Cough suppressant</p> <p>Phenylephrine HCl- Nasal decongestant</p> <p>4 fl. oz. (118 mL)</p> | <p>TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL AROUND THE BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING</p> <p>Drug Facts</p> <p>Active ingredients (in each 15 mL)</p> <table><tr><td>Acetaminophen 325 mg.....</td><td>Pain reliever/fever reducer</td></tr><tr><td>Dextromethorphan HBr 10 mg.....</td><td>Cough suppressant</td></tr><tr><td>Phenylephrine HCl 5 mg.....</td><td>Nasal decongestant</td></tr></table> <p>Purpose</p> <p>temporarily relieves common cold/flu symptoms: ■ nasal congestion ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches & pains ■ fever</p> <p>Uses</p> <p>Warnings</p> <p>Liver warning: This product contains acetaminophen. Severe liver damage may occur if ■ adult takes more than 4 doses (30 mL ea.) in 24 hrs. which is the maximum daily amount for this product ■ child takes more than 4 doses (15 mL each) in 24 hrs. which is the maximum daily amount for this product ■ taken with other drugs containing acetaminophen ■ adult has 3 or more alcoholic drinks daily while using this product. Allergy Alert: Acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash</p> <p>If a skin reaction occurs, stop use and seek medical help right away.</p> <p>Drug Facts (continued under label)</p> <p>* This product is not manufactured or distributed by the Procter & Gamble Company, owner of the registered trademarks Vicks® DayQuil® Cold & Flu.</p> <p>QR code</p> <p>Barcode</p> <p>6 11419 4628 6</p> <p>090 08/2024</p> <p>Made in India</p> <p>Distributed by: Shield Pharmaceuticals Corp. LOT: Hempstead, NY 11779 EXP: 08/2024</p> <p></p> <p></p> | Acetaminophen 325 mg..... | Pain reliever/fever reducer | Dextromethorphan HBr 10 mg..... | Cough suppressant | Phenylephrine HCl 5 mg..... | Nasal decongestant |
| Acetaminophen 325 mg..... | Pain reliever/fever reducer | | | | | | |
| Dextromethorphan HBr 10 mg..... | Cough suppressant | | | | | | |
| Phenylephrine HCl 5 mg..... | Nasal decongestant | | | | | | |

Drug Facts (continued)

Some throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or is followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ■ if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

■ liver disease ■ heart disease ■ high blood pressure ■ thyroid disease ■ diabetes ■ trouble urinating due to enlarged prostate gland ■ cough that occurs with too much phlegm (mucus) ■ new symptoms or chronic cough as occurs with smoking, asthma, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product ■ do not use more than directed.

Stop use and ask a doctor if ■ you get nervous, dizzy or sleepless ■ pain, nasal congestion or cough gets worse or lasts more than 7 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

Directions

■ Take only as directed. ■ only use the dose cup provided ■ do not exceed 4 doses per 24 hrs

| | |
|---------------------------------|-------------------|
| adults & children 12 yrs & over | 30 mL every 4 hrs |
| children 6 to under 12 yrs | 15 mL every 4 hrs |
| children 4 to under 6 yrs | ask a doctor |
| children under 4 yrs | do not use |

Other information

■ each 30 mL contains: sodium 24 mg
■ store between 20-25°C (68-77°F) and do not refrigerate.
Inactive ingredients: citric acid, FD&C Yellow No. 6, flavor, glycerin, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucrose, xanthan gum

Questions or comments? 1-800-373-6981



TAMPER EVIDENT: DO NOT USE IF SAFETY SEAL AROUND THE BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING

Drug Facts

Active ingredients in each 15 mL

Purpose
Acetaminophen 325 mg.....Pain reliever/fever reducer
Dextromethorphan HBr 10 mg.....Cough suppressant
Phenylephrine HCl 5 mg.....Nasal decongestant

Uses

temporarily relieves common cold/flu symptoms: ■ nasal congestion ■ cough due to minor throat & bronchial irritation ■ sore throat ■ headache ■ minor aches & pains ■ fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if ■ a adult takes more than 4 doses (30 mL ea.) in 24 hrs. which is the maximum daily amount for this product. ■ child takes more than 4 doses (15 mL each) in 24 hrs. which is the maximum daily amount for this product. ■ taken with other drugs containing acetaminophen ■ adult has 3 or more alcoholic drinks daily while using this product. **Allergy Alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin reddening ■ blisters ■ rash
If a skin reaction occurs, stop use and seek medical help right away.

Drug Facts (continued under label)

* This product is not manufactured or distributed by The Procter & Gamble Company, owner of the registered trademarks Vicks® DayQuil® Cold & Flu.
6 11419 4D628 6
09/08/2024

Distributed by:
Shield Pharmaceuticals Corp. LOT:
Hempstead, NY 11788 EXP:

Made in India



DAYTIME COLD AND FLU MULTI SYMPTOM RELIEF

acetaminophen, dextromethorphan hbr, phenylephrine hcl liquid

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|----------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDc:83059-0124 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|---------------------|
| ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D) | ACETAMINOPHEN | 325 mg in 118 mL |

| | | |
|---|-------------------------------|--------------------|
| DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS) | DEXTROMETHORPHAN HYDROBROMIDE | 10 mg in 118 mL |
| PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV) | PHENYLEPHRINE HYDROCHLORIDE | 5 mg in 118 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| CITRIC ACID (UNII: 2968PHW8QP) | |
| FD&C YELLOW NO. 6 (UNII: H77VEI93A8) | |
| GLYCERIN (UNII: PDC6A3C00X) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KOOR) | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| SODIUM CITRATE (UNII: 1Q73Q2JULR) | |
| SORBITOL (UNII: 506T60A25R) | |
| SUCRALOSE (UNII: 96K6UQ3ZD4) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |

Product Characteristics

| | | | |
|-----------------|--------|---------------------|--|
| Color | orange | Score | |
| Shape | | Size | |
| Flavor | ORANGE | Imprint Code | |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:83059-0124-4 | 118 mL in 1 BOTTLE; Type 0: Not a Combination Product | 01/24/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 01/24/2026 | |

Labeler - Shield Pharmaceuticals Corp (118724924)

Registrant - Shield Pharmaceuticals Corp (118724924)