

MRKAYLL TATTOO NUMBING- lidocaine5% tattoo numbing cream
Jiangxi Hemei Pharmaceutical Co., Ltd

84010-045

Active Ingredient

Lidocaine5%

Purpose

Local Anesthetic

Use

For temporary relief of local discomfort, itching, pain, soreness, or burning related to the tattoo process.

Warnings

For external use only.

Do not use

In children less than 2 months of age on open skin wounds Do not exceed the recommended daily dosage unless directed by a doctor

When Using

Avoid contact with eyes, If this happens, rinse thoroughly with water.

Stop Use

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Ask Doctor

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. If symptoms do not subside completely within 7 days, seek medical help.

Keep Out Of Reach Of Children

Keep out of reach of children

Directions

Before applying the numbing cream, thoroughly wash your hands and wear disposable tattoo gloves.

Clean the area of the body receiving the tattoo, Dry completely.

Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds, Then, cover with plastic wrap.

Leave the cream and wrap in place for 30 to 45 minutes, Wipe away the cream and thoroughly clean the area to prepare for a pain-free tattoo.

Other information

Store between 15-30°C (59-86°F). Avoid freezing and excessive heat above 40°C (104°F).

Inactive ingredients

Water, Carbomer 934, propylene Glycol, soybean Lecithin, .Alpha.-Tocopherol Acetate, Benzyl Alcohol.

PRINCIPAL DISPLAY PANEL

Mrkayll®

Mrkayll®



LIDOCAINE 5%

TATTOO
NUMBING CREAM

CRAFTED FOR
PAINLESS TATTOOING

REACHES PEAK AT 25 MINUTES

8 stays pain-free
for 8 hours
Hours

FOR PIERCING | TATTOOS INJECTION | WAXING
DERMA ROLLER LASER RESURFACING

NET: 2.1 oz (60g)

TATTOO
NUMBING CREAM



CRAFTED FOR
PAINLESS TATTOOING
REACHES PEAK AT 25 MINUTES

NINTH FLOOR, UNIT 1, BUILDING
1, ORIENTAL PEARL, ZHANGSHU,
JIANGXI, CHINA (CHN).
MANUFACTURED BY JIANGXI
HEMEI PHARMACEUTICAL CO., LTD.

Mrkayll®

Drug Facts

Active Ingredient

Lidocaine 5%

Purpose

Local Anesthetic

Uses

For temporary relief of local discomfort, itching, pain, soreness, or burning related to the tattoo process.

Warnings

For external use only.

Do not use

In children less than 2 months of age on open skin wounds

Do not exceed the recommended daily dosage unless directed by a doctor.

Avoid contact with eyes. If this happens, rinse thoroughly with water.

If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician.

Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms.

If symptoms do not subside completely within 7 days, seek medical help.

Keep out of reach of children.

Directions

Before applying the numbing cream, thoroughly wash your hands and wear disposable tattoo gloves.

Clean the area of the body receiving the tattoo. Dry completely.

Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds.

Then, cover with plastic wrap.

Leave the cream and wrap in place for 30 to 45 minutes.

Wipe away the cream and thoroughly clean the area to prepare for a pain-free tattoo.

Storage and Handling

Store between 15-30°C (59-86°F).

Avoid freezing and excessive heat above 40°C (104°F).

Inactive Ingredients

Water, Carbomer 934, Propylene Glycol, Soybean Lecithin,

.Alpha.-Tocopherol Acetate, Benzyl Alcohol.

TATTOO
NUMBING CREAM



Mrkayll®



LIDOCAINE 5%

TATTOO
NUMBING CREAM

CRAFTED FOR
PAINLESS TATTOOING

REACHES PEAK AT 25 MINUTES

8 stays pain-free
for 8 hours
Hours

FOR PIERCING | TATTOOS INJECTION | WAXING
DERMA ROLLER LASER RESURFACING

NET: 0.7 oz (20g)

CRAFTED FOR
PAINLESS TATTOOING

NINTH FLOOR, UNIT 1, BUILDING
1, ORIENTAL PEARL ZHANGSHU,
JIANGXI, CHINA(CHN).
MANUFACTURED BY:JIANGXI
HEMEI PHARMACEUTICAL CO.,LTD.

Mrkayll®

Drug facts

Active Ingredient

Lidocaine 5%

Purpose

Local Anesthetic

Uses

For temporary relief of local discomfort, itching, pain, soreness, or burning related to the tattoo process.

Warnings

For external use only.

Do not use

In children less than 2 months of age on open skin wounds

Do not exceed the recommended daily dosage unless directed by a doctor.

Avoid contact with eyes. If this happens, rinse thoroughly with water. If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician. Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms.

If symptoms do not subside completely within 7 days, seek medical help.

Keep out of reach of children.

Directions

Before applying the numbing cream, thoroughly wash your hands and wear disposable tattoo gloves.

Clean the area of the body receiving the tattoo. Dry completely.

Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds.

Then, cover with plastic wrap.

Leave the cream and wrap in place for 30 to 45 minutes.

Wipe away the cream and thoroughly clean the area to prepare for a pain-free tattoo.

Storage and Handling

Store between 15-30°C (59-86°F).

Avoid freezing and excessive heat above 40°C (104°F).

Inactive ingredients

Water, Carbomer 934, Propylene Glycol,

Soybean Lecithin,

Alpha-Tocopherol Acetate, Benzyl Alcohol.



MRKAYLL TATTOO NUMBING

lidocaine 5% tattoo numbing cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84010-045
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
WATER (UNII: 059QF0KO0R)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
CARBOMER 934 (UNII: Z135WT9208)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84010-045-01	20 g in 1 TUBE; Type 0: Not a Combination Product	11/19/2024	
2	NDC:84010-045-02	50 g in 1 TUBE; Type 0: Not a Combination Product	11/19/2024	
3	NDC:84010-045-03	60 g in 1 TUBE; Type 0: Not a Combination Product	11/19/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/19/2024	

Labeler - Jiangxi Hemei Pharmaceutical Co., Ltd (724892056)**Establishment**

Name	Address	ID/FEI	Business Operations
Jiangxi Hemei Pharmaceutical Co., Ltd		724892056	manufacture(84010-045)

Revised: 11/2024

Jiangxi Hemei Pharmaceutical Co., Ltd