DOCUSATE SODIUM 50MG SOFTGEL (RED)- docusate sodium capsule, liquid filled

CVS Pharmacy

CVS 651T DOCUSATE SODIUM 50MG SOFTGEL (RED)

Drug Facts

Active ingredient (in each softgel)

Docusate sodium USP 50 mg

Purpose

Stool softener

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 12 to 72 hours

Warnings

Do not use

• if you are presently taking mineral oil, unless told to do so by a doctor

Ask a doctor before use if you have

- stomach pain
- nausea
- vomiting
- noticed a sudden change in bowel habits that lasts over 2 weeks

Stop use and ask a doctor if

- you have rectal bleeding or fail to have a bowel movement after use of a laxative. These could be signs of a serious condition.
- you need to use a stool softener laxative for more than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

• Take only by mouth. Doses may be taken as a single daily dose or in divided doses

adults and children 12 years and over	take 1-6 softgels daily
children 2 to under 12 years of age	take 1-3 softgels daily
children under 2 years	ask a doctor

Other information

- each softgel contains: sodium 3 mg VERY LOW SODIUM
- Keep tightly closed. Store at 25°C (77°F); excursions permitted between 15°-30°C (59-86°F)

Inactive ingredients D&C red 33, FD&C blue 1, FD&C red no. 40, FD&C yellow no. 6, gelatin, glycerin, noncrystallizing sorbitol solution, polyethylene glycol, propylene glycol, purified water, shellac, titanium dioxide

Questions or comments? Call 1-877-290-4008



NDC 51316-651-01 Health.	uct if JTH of Issing S AND	Purpose Bullarity In 12 to 72 hours In 12 to 72 hours In 12 to 72 hours In a sudden In stomach In sudden In suden In suden <th></th>	
Stool Softener	E THIS PROD Fer the Mou Oken or Mi Te Warning Iation	n (irregular ment in 12 i ment in 12 i wee a stor noticed a stor over 2 wee k a health p over 2 wee i softgels d i softgels d i softgels d i softgels d i softgels d all 1-800-SH0	Omit Area
SOTTENET DOCUSATE SODIUM, 50 mg	0 NOT USE L SEAL OV Torn, Br 3 comple 37 inform	P 50 mg constipation (i bowel moveme bowel moveme are presently t at a doctor is that lasts ov feeding, ask a not to how how how the for an div take 1-6 sc take 1-6 sc take 1-3 sc take 1-1224.	/arnish 0
Relieves occasional constipation Stimulant free	EVIDENT: D RINTED FOI FLE IS CUT, ARTON FOF PRODUC	S ediem Hium US ediem ediem he habi he	×
Gentle & effective 100 S0FTGELS	TAMPER EVID THE IMPRINT THE BOTTLE I RETAIN CARTO P P		 EXB:

Source) NE Basis of Strei DOCUSATE SODIU	
Basis of Stree	ngth Strengt M 50 mg
	M 50 mg
	M 50 mg
	M 50 mg
DOCUSATE SODIU	
	Strength
	Strength
no sc	ore
9mm	-
164	
104	
eting Start M Date	larketing End Date
25	
	-

Category	Citation	Date	Date
OTC Monograph Drug	M007	03/06/2025	

Labeler - CVS Pharmacy (062312574)

Registrant - TIME CAP LABORATORIES, INC (037052099)

EstablishmentNameAddressID/FEIBusiness OperationsMARKSANS PHARMA LIMITED925822975manufacture(51316-651)

Revised: 2/2025

CVS Pharmacy