

NEKVNRO LIDOCAINE 4% TATTOO NUMBING CREAM- lidocaine 4% tattoo numbing cream cream
Guoyu Trading Co., Ltd.

84844-015

Active Ingredient

Lidocaine 4%

Purpose

Local Anesthetic

Use

For temporary relief of local discomfort, itching, pain, soreness, or burning related to the tattoo process.

Warnings

For external use only.

Do not use

- In children less than 2 months of age on open skin wounds.
- Do not exceed the recommended daily dosage unless directed by a doctor.

When Using

- Avoid contact with eyes. If this happens, rinse thoroughly with water.

Stop Use

section

- Stop use and seek medical attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms. ■ If symptoms persist for more than 7 days or subside but occur again within 3 days, stop use and consult a physician. If symptoms do not subside completely within 7 days, seek medical help.

Ask Doctor

attention if signs of an allergy occur, such as redness, irritation, swelling, pain, or other severe symptoms.

- If symptoms persist for more than 7 days or subside but occur again within 3 days,

stop use and consult a physician

Keep Out Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Before applying the numbing cream, thoroughly wash your hands and wear disposable tattoo gloves.
- Clean the area of the body receiving the tattoo. Dry completely.
- Apply a generous amount of numbing cream to the cleaned area and rub it in thoroughly in a circular motion for 30 to 60 seconds. Then, cover with plastic wrap.
- Leave the cream and wrap in place for 30 to 45 minutes. Wipe away the cream and thoroughly clean the area to prepare for a pain-free tattoo.

Other information

Store between 15-30°C(59-86°F). Avoid freezing and excessive heat above 40°C(104°F).



Inactive ingredients

Water ,Carbomer 934 ,Propylene Glycol,Soybean Lecithin,.Alpha.-Tocopherol Acetate,Benzyl Alcohol.

PRINCIPAL DISPLAY PANEL


外包装：33*25*128mm
 软管瓶贴：85*60mm
 说明书：90*130mm

银卡垫白印刷
 纳米 / 逆向 UV 工艺





亮光 UV
 红框内容

白色底色整体
 垫白 / 白色内容
 与底色保持一致




外包装：33*25*128mm
 软管瓶贴：85*60mm
 说明书：90*130mm

银卡垫白印刷
 纳米 / 逆向 UV 工艺





亮光 UV
 红框内容

白色底色整体
 垫白 / 白色内容
 与底色保持一致




外包装: 33*25*128mm
 软管瓶贴: 85*60mm
 说明书: 90*130mm

银卡垫白印刷
 纳米 / 逆向 UV 工艺





白色底色整体
 垫白 / 白色内容
 与底色保持一致




外包装：33*25*128mm
 软管瓶贴：85*60mm
 说明书：90*130mm

银卡垫白印刷
 纳米 / 逆向 UV 工艺



亮光 UV
 红框内容

白色底色整体
 垫白 / 白色内容
 与底色保持一致



外包装：33*25*128mm
 软管瓶贴：85*60mm
 说明书：90*130mm

银卡垫白印刷
 纳米 / 逆向 UV 工艺



亮光 UV
 红框内容

白色底色整体
 垫白 / 白色内容
 与底色保持一致

NEKVNRO LIDOCAINE 4% TATTOO NUMBING CREAM

lidocaine 4% tattoo numbing cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84844-015
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SOYBEAN LECITHIN (UNII: 1DI56QDM62)	
.ALPHA.-ETHYL-3,4-METHYLENEDIOXYBENZYLAMINE (UNII: AC10C1L8VO)	
CARBOMER 934 (UNII: Z135WT9208)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0KO0R)	

BENZYL ALCOHOL (UNII: LKG8494WBH)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84844-015-01	20 g in 1 TUBE; Type 0: Not a Combination Product	11/19/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	11/19/2024	

Labeler - Guoyu Trading Co., Ltd. (963348600)

Establishment

Name	Address	ID/FEI	Business Operations
Guoyu Trading Co., Ltd.		963348600	manufacture(84844-015)

Revised: 11/2024

Guoyu Trading Co., Ltd.