

JOHNSON FOAM PRO- finasteride foam with 5% minoxidil aerosol, foam
JOHNSON BIOPHARMACEUTICAL INC.

JOHNSON FOAM PRO

JOHNSON FOAM PRO

MINOXIDIL 5%

FINASTERIDE 0.25%

Fight primary cause of hair loss in men. Antihair loss to help increase hair density and volume.

Fight primary cause of hair loss in men. Antihair loss to help increase hair density and volume.

For external use only.

For use by men only.

Extremely Flammable.

Avoid fire, flame, or smoking during and immediately following application.

you have no family history of hair loss.

your hair loss is sudden and/or patchy.

you do not know the reason for your hair loss.

you are under 18 years of age.

Do not use on babies or children.

your scalp is red, inflamed, infected, irritated, or painful.

you use other medicines on the scalp.

do not apply on other parts of the body.

avoid contact with eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.

some people have experienced changes in hair color and texture.

chest pain, rapid heartbeat, faintness, or dizziness occurs.

sudden, unexplained weight gain occurs.

your hands or feet swell.

scalp irritation or redness occurs.

unwanted facial hair growth occurs.

you do not see hair regrowth in 4 months.

If swallowed, get medical help or contact a Poison

Control Center right away.

1. PREP HANDS WITH COLD WATER. Rinse Your Fingers in Cold Water And Dry Them. Note: Foam Will Melt On Contact With Warm Surfaces.


2. OPEN CHILD RESISTANT CAP. Be Sure To Align Arrow On The Cap With Arrow On Blue Ring. Twist Cap Back And Pull Out.

3. DISPENSE VERTICALLY ON TO A COLD SURFACE. Hold The Can Straight Upside Down. If You Hold The Can At An Angle, Foam May Not Dispense Properly. Press Nozzle To Dispense Half A Capful Of Foam Onto Cold Surface (e.g. shower floor or hands).

4. APPLY TO SCALP, NOT HAIR. Part Your Hair To Expose Hair Loss Areas. Massage Foam Into Scalp. Not Hair, Repeat Until All Hair Loss Areas Have Been Covered.

5. CLOSE CAP AND WASH HANDS. Snap cap back into place. Be sure arrows do not line up. Soap and water resistant, wash hands and any surface thoroughly after use.

ALCOHOL
GLYCERIN
WATER
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5)
UBIQUINOL
ZINC PIDOLATE
BUTYLATED HYDROXYTOLUENE
EDETATE DISODIUM
LEVOMENTHOL
Poloxam
POLYSORBATE 80



JOHNSON FOAM PRO

finasteride foam with 5% minoxidil aerosol, foam

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84539-002
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
FINASTERIDE (UNII: 57GNO57U7G) (FINASTERIDE - UNII:57GNO57U7G)	FINASTERIDE	0.25 g in 100 g
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	5 g in 100 g

Inactive Ingredients	
Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
POLOXAMER 407 (UNII: TUF2IVW3M2)	
ZINC PIDOLATE (UNII: C32PQ86DH4)	
GLYCERIN (UNII: PDC6A3C0OX)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
WATER (UNII: 059QF0KO0R)	
LEVOMENTHOL (UNII: BZ1R15MTK7)	
UBIQUINOL (UNII: M9NL0C577Y)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84539-002-01	90 g in 1 BOTTLE; Type 0: Not a Combination Product	11/21/2024	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	11/21/2024	

Labeler - JOHNSON BIOPHARMACEUTICAL INC. (132195896)

Establishment			
Name	Address	ID/FEI	Business Operations
JOHNSON BIOPHARMACEUTICAL INC.		132195896	manufacture(84539-002)