

# **NASAL- oxymetazoline hydrochloride spray**

## **Bi-Mart**

-----

### **NASAL SPRAY**

#### Drug Facts

#### ***Active ingredient***

Oxymetazoline hydrochloride 0.05%

#### ***Purpose***

Nasal decongestant

#### ***Uses***

- temporarily relieves nasal congestion due to:
  - common cold
  - hay fever
  - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

#### ***Warnings***

#### **Ask a doctor before use if you have**

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

#### **When using this product**

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

**Stop use and ask a doctor if** symptoms persist.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

### ***Directions***

- **adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- **children under 6 years of age:** ask a doctor.
- to spray: squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use.

### ***Other information***

- **do not use if seal around cap is missing or damaged**
- save carton for complete information
- store between 20° to 25°C (68°F and 77°F)

### ***Inactive ingredients***

benzalkonium chloride solution, dibasic sodium phosphate, edetate disodium dihydrate, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water.

### ***Questions?***

call toll-free 1-800-935-6737

### ***Distributed by:***

**BI-MART**

Eugene, OR 97402

\*This product is not manufactured or distributed by the owner of the registered trademark Afrin<sup>®</sup>

### **PRINCIPAL DISPLAY PANEL**

**BI-MART**

*\*Compare to the active ingredient in Afrin<sup>®</sup>*

**LONG LASTING**

**NASAL SPRAY**

*Oxymetazoline hydrochloride 0.05%*

**NASAL DECONGESTANT**

**FAST CONGESTION RELIEF FOR UP TO 12 HOURS**

**RELIEVES NASAL CONGESTION DUE TO COLDS AND ALLERGIES**

1 FL. OZ. (30 mL)

**BI-MART**

**LONG LASTING  
NASAL SPRAY**

**Drug Facts**

**Active ingredient** Oxymetazoline hydrochloride 0.05% **Purpose** Nasal decongestant

**Uses** • temporarily relieves nasal congestion due to:  
• common cold • hay fever • upper respiratory allergies  
• temporarily relieves sinus congestion and pressure  
• shrinks swollen nasal membranes so you can breathe more freely

**Warnings**

**Ask a doctor before use if you have**  
• heart disease • high blood pressure  
• thyroid disease • diabetes  
• trouble urinating due to an enlarged prostate gland

**When using this product**

• do not use more than directed  
• do not use more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.  
• temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur  
• use of this container by more than one person may spread infection

**Stop use and ask a doctor if symptoms persist.**

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

• **adults and children 6 to under 12 years of age (with adult supervision):** 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.  
• **children under 6 years of age:** ask a doctor  
• to spray: squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use.

**Other information**

• do not use if seal around cap is missing or damaged  
• save carton for complete information  
• store between 20° to 25°C (68°F and 77°F)

**Drug Facts (continued)**

**Inactive ingredients**  
benzalkonium chloride solution, dibasic sodium phosphate, edetate disodium dihydrate, monobasic sodium phosphate, polyethylene glycol, povidone, propylene glycol, purified water

**Questions?**

call toll-free 1-800-935-6737

Distributed by: **BI-MART**  
Eugene, OR 97402  
**09951-001-11-0**

\*This product is not manufactured or distributed by the owner of the registered trademark Afrin®

**BI-MART**

\*Compare to the active ingredient in Afrin®

**BI-MART**

**LONG LASTING  
NASAL  
SPRAY**

**Oxymetazoline  
hydrochloride 0.05%**

**SAFETY SEALED**

**NASAL DECONGESTANT  
FAST CONGESTION RELIEF  
FOR UP TO 12 HOURS**

**RELIEVES NASAL  
CONGESTION DUE TO  
COLDS AND ALLERGIES**

**1 FL. OZ. (30 mL)**

**LONG LASTING  
NASAL  
SPRAY**

**Oxymetazoline  
hydrochloride 0.05%**

**NASAL  
DECONGESTANT  
FAST CONGESTION  
RELIEF FOR UP TO  
12 HOURS**



**BI-MART UNCONDITIONAL MONEY BACK GUARANTEE**  
If you are not completely satisfied with your BI-MART QUALITY PRODUCT, regardless of the reason, return the unused portion and your entire purchase price will be cheerfully refunded.

**NASAL**

oxymetazoline hydrochloride spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:37835-995
<b>Route of Administration</b>	NASAL		

<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)		OXYMETAZOLINE HYDROCHLORIDE	0.05 g in 100 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)				
SODIUM PHOSPHATE, DIBASIC, UNSPECIFIED FORM (UNII: GR686LBA74)				
EDETATE DISODIUM (UNII: 7FLD91C86K)				
SODIUM PHOSPHATE, MONOBASIC, UNSPECIFIED FORM (UNII: 3980JIH2SW)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
POVIDONE (UNII: FZ989GH94E)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37835-995-34	1 in 1 CARTON	05/16/2024	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M012	05/16/2024		

**Labeler** - Bi-Mart (027630078)

<b>Establishment</b>			
Name	Address	ID/FEI	Business Operations
SEAWAY PHARMA		117218785	manufacture(37835-995)

Revised: 5/2024

Bi-Mart