

STOPAIN CLINICAL ROLL-ON- menthol, unspecified form gel
Troy Manufacturing, Inc.

Stopain Clinical Roll-On

Drug Facts

Active Ingredient

Menthol 10.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

Avoid contact with eyes. **For external use only.**

Flammable: Keep away from fire or flame.

When using this product

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness if present
- excessive irritation of the skin develops

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

ask a doctor. **Children 12 years or younger:**

- roll directly onto affected area without the need to rub, massage or bandage
- repeat if necessary, but do not apply more than 4 times daily.

Other Information

- Store at room temperature

Inactive Ingredients

boswellia serrata extract, carbomer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerine, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)

Package Labeling:

Stopain[®]

CLINICAL

MAXIMUM PERFORMANCE PAIN RELIEF

Immediate, Penetrating Relief from Arthritis / Muscle Aches / Joint & Back Pain
With MSM & Glucosamine

ROLL-ON

3 FL OZ (88mL)

MAXIMUM PERFORMANCE PAIN RELIEF

Drug Facts	
Active Ingredient Menthol 10.0%.....	Purpose Topical Analgesic
Uses For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains	
Warnings For external use only. Avoid contact with eyes.	
Flammable: Keep away from fire or flame.	
When using this product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin	
Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops	
If pregnant or breast-feeding , ask a health professional before use. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.	
Directions Adults and children 2 years of age and older: ■ apply directly onto affected area, not more than 3 to 4 times daily ■ wash hands after use Children under 2 years of age: do not use, consult a doctor	
Other Information Store at room temperature	
Inactive Ingredients boswellia serrata extract, carbomer, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerin, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, triethanolamine, water (USP)	
Questions or comments? 1-800-201-7246	

MADE IN USA

Manufactured for:
Troy Healthcare, LLC
130 Lions Drive
Hazleton, PA 18202
800-201-PAIN (7246)

©2025
Troy Healthcare, LLC
2-901 REV 06 / 0325

7 2 4 9 0 9 9 5 2 0 3 0

For more information, visit: StopainClinical.com

STOPAIN CLINICAL ROLL-ON

menthol, unspecified form gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63936-9520
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
MENTHOL, UNSPECIFIED FORM (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL, UNSPECIFIED FORM	100 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
INDIAN FRANKINCENSE (UNII: 4PW41QCO2M)	
CARBOMER HOMOPOLYMER, UNSPECIFIED TYPE (UNII: 0A5MM307FC)	
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)	
GLYCERIN (UNII: PDC6A3C0OX)	
PEG-8 DIMETHICONE (UNII: GIA7T764OD)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
TROLAMINE (UNII: 9O3K93S3TK)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63936-9520-1	88 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/18/2017	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/18/2017	

Labeler - Troy Manufacturing, Inc. (160075248)

Registrant - Troy Manufacturing, Inc. (160075248)

