LESS DROWSY MOTION SICKNESS RELIEF- meclizine hcl tablet Wal-Mart Stores Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Equate 44-403

Active ingredient (in each tablet)

Meclizine HCl 25 mg

Purpose

Antiemetic

Uses

for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness

Warnings

Do not use

for children under 12 years of age unless directed by a doctor.

Ask a doctor before use if you have

- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers.

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- to prevent motion sickness, take the first dose 1/2 hour to 1 hour before starting activity
- to treat motion sickness, take at first signs of symptoms
- adults and children 12 years and over: 1 to 2 tablets once daily, or as directed by a doctor

Other information

- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- protect from heat and humidity
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, silicon dioxide

Questions or comments?

1-888-287-1915

Principal Display Panel

NDC 49035-403-19

equateTM

Compare to Dramamine® All Day Less Drowsy active ingredient*

LESS DROWSY FORMULA

Motion Sickness

Relief

Meclizine HCl, 25 mg

Antiemetic

 Helps prevent nausea and dizziness due to motion sickness

Actual Size

25

mg 8 TABLETS

EACH

Distributed by: Walmart Inc., Bentonville, AR 72716

PRODUCT OF INDIA

*This product is not manufactured or distributed by Medtech Products Inc., owner of the registered trademark Dramamine® All Day Less Drowsy.

50844 REV0219E40319

Satisfaction guaranteed - Or we'll replace it or give you your money back. For questions or comments or to report an undesired reaction or side effect, please call **1-888-287-1915**.

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



A MULTI-LAYER S & S A MILTI-LAYER S & S A MILTI-LAYER S A MILT-LAYER S A MILTI-LAYER S A MILTI-LAYER S A MILTI-LAYER S A MILTI

Satisfaction guaranteed – or we'll replace it or give you or comments or to report an undesired reaction or side effect,

59967/

PRODUCT OF INDA *This product is not manufactured or distributed by Mediech Products Inc owner of the registered trademark Dramamine® All Day Less Drowsy, 50844 REVOZ19E40319

DISTRIBUTED BY: Walmart Inc., Bentonville, AR 72716

UU estions of comments? 1-888-287-1915

silicon di oxide

Inactive ingredients com starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate,

- 15°-30°C (59°-86°F) protect from heat and humidity ■ see end flap for expiration date and lot number
- OPENED OR BLISTER IS TORN OR BROKEN

 store at 25°C (77°F); excursions permitted between
- Other information Tamper evident: Do not use if outer package is

daily, or as directed by a doctor

- 1 hour before starting activity

 to treat motion sickness, take at first signs of symptoms

 adults and children 12 years and over 1 to 2 tablets once
- \blacksquare to prevent motion sickness, take the first dose % hour to

Directions

Drug Facts (continued)

before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) nght away.

If pregnant or breast-feeding, ask a health professional

machinery

- drowsiness ■ use caution when driving a motor vehicle or operating
- alcohol, sedatives, and tranquilizers may increase
- When using this product atowsiness may occur

sedatives or tranquilizers.

Ask a doctor or pharmacist before use if you are taking

ronanus

- gland a breathing problem such as emphysema or chronic
- Ask a doctor before use if you have

 glaucoma

 difficulty in urination due to enlargement of the prostate

directed by a doctor.

Warnings Do not use for children under 12 years of age unless

กมาดี Facts (continued)

TAMPER EVIDENT: DO NOT USE IF
ACKAGE IS OPENED OR IF BLISTER
UNIT IS TORN, BROKEN OR SHOWS
ANY SIGNS OF TAMPERING
6
8 113

0

S

3

B-2203-403-19-R REV0219E40319

Uses for the prevention and treatment of nauses, vomiting, or dizziness associated with motion sickness

Drug Facts (continued)

otemetra..

ezoqru9 (təldat dəsə ni) tnəibəryni əvitəA

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts



Compare to Dramamine® All Day Less Drowsy active ingredient*

NDC 49035-403-19

LESS DROWSY FORMULA

Motion Sickness Relief

Meclizine HCl, 25 mg

Antiemetic

 Helps prevent nausea and dizziness due to motion sickness

Actual Size

25 mg EACH 8 TABLETS

LESS DROWSY MOTION SICKNESS RELIEF

meclizine hcl tablet

Pro	duct	Info	rmation
FIU	uucı		i illa livii

Product Type HUMAN OTC DRUG Item Code (Source) NDC:49035-403

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

MECLIZINE HYDRO CHLO RIDE (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570) MECLIZINE HYDRO CHLO RIDE | 25 mg

Inactive Ingredients

Ingredient Name	Strength		
D&C YELLOW NO. 10 (UNII: 35SW5USQ3G)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
STARCH, CORN (UNII: O8232NY3SJ)			
SILICON DIO XIDE (UNII: ETJ7Z6XBU4)			
LACTOSE, UNSPECIFIED FORM (UNII: J2B2A4N98G)			

Product Characteristics

Color	YELLOW	Score	no score
Shape	ROUND	Size	9 mm
Flavor		Imprint Code	44;403
Contains			

Packaging

ı	-	1 dending					
ı	#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
ı	1	NDC:49035-403-19	1 in 1 CARTON	06/24/2002			
ı	1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product				
ı	2	NDC:49035-403-40	8 in 1 BLISTER PACK; Type 0: Not a Combination Product	06/24/2002			

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part336	06/24/2002	

Labeler - Wal-Mart Stores Inc (051957769)

Establishment

Littonishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		038154464	PACK(49035-403)	

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		832867894	MANUFACTURE(49035-403)	

Establishment				
Name	Address	ID/FEI	Business Operations	
LNK International, Inc.		832867837	PACK(49035-403)	

Revised: 8/2019 Wal-Mart Stores Inc