

**COUGH RELIEF NIGHTTIME- dextromethorphan hydrobromide, doxylamine succinate liquid  
QUALITY CHOICE (Chain Drug Marketing Association)**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each 30 mL)**

Dextromethorphan HBr 30 mg

Doxylamine succinate 12.5 mg

**Purposes**

Cough suppressant

Antihistamine

**Uses**

temporarily relieves cold symptoms

- cough
- runny nose and sneezing

**Warnings**

**Do not use**

- to make a child sleepy
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- a sodium-restricted diet
- asthma
- emphysema
- glaucoma
- chronic bronchitis
- excessive phlegm (mucus)
- breathing problems
- persistent or chronic cough
- cough associated with smoking
- trouble urinating due to enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers.

**When using this product**

- **do not use more than directed**

- excitability may occur, especially in children
- marked drowsiness may occur
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery
- alcohol, sedatives, and tranquilizers may increase drowsiness

**Stop use and ask a doctor if**

- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- pain or cough gets worse or lasts more than 7 days
- cough comes back or occurs with rash or headache that lasts

These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

**Directions**

- **take only as recommended**
- do not exceed 4 doses per 24 hours
- use dosage cup provided
- mL = milliliter

age	dose
adults & children 12 years and over	30 mL every 6 hours
children 4 to 11 years	do not use unless directed by a doctor
children under 4 years	do not use

- **When using DayTime and Nighttime products, carefully read each label to ensure correct dosing**

**Other information**

- **each 30 mL contains;** sodium 36 mg
- store at room temperature

**Inactive ingredients**

alcohol, citric acid, FD&C blue 1, FD&C red 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate

**Questions or comments?**

Call 1-248-449-9300 Monday-Friday 9AM-5PM EST

## Principal Display Panel

\*Compare to the active ingredients in VICKS® NYQUIL® Cough

## Nighttime Cough

## Cough Relief

Dextromethorphan HBr | Doxylamine Succinate

For Relief of:

cough | Runny Nose & Sneezing

For Ages 12 & Over

Alcohol 10 %

FL OZ (mL)

CHERRY FLAVOR

\*This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Vicks® NyQuil® Cough.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

**Failure to follow these warnings could result in serious consequences.**

Distributed by C.D.M.A., Inc.©

43157 W. Nine Mile

Novi, MI 48376-0995

www.qualitychoice.com

## Product Label

<p><b>Drug Facts</b> (continued)</p> <p><b>Directions</b> • take only as recommended</p> <ul style="list-style-type: none"><li>do not exceed 4 doses per 24 hours • use dosage cup provided • mL = milliliter</li></ul> <table border="1"><tr><td>age</td><td>dose</td></tr><tr><td>adults and children 12 years and over</td><td>30 mL every 6 hours</td></tr><tr><td>children 4 to 11 years</td><td>do not use unless directed by a doctor</td></tr><tr><td>children under 4 years</td><td>do not use</td></tr></table> <p>• When using Day Time and Night Time products, carefully read each label to ensure correct dosing</p> <p><b>Other information</b> • each 30 mL contains: sodium 36 mg</p> <ul style="list-style-type: none"><li>store at room temperature</li></ul> <p><b>Inactive ingredients</b> alcohol, citric acid, FD&amp;C blue 1, FD&amp;C red 40, flavor, high fructose corn syrup, polyethylene glycol, propylene glycol, purified water, saccharin sodium, sodium citrate</p> <p><b>Questions or comments?</b> Call 1-248-449-9300 Monday-Friday 9AM-5PM EST</p> <p><small>*This product is not manufactured or distributed by Procter &amp; Gamble, owner of the registered trademark Vicks® NyQuil® Cough.</small></p> <p><b>TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.</b></p> <p><b>PARENTS:</b> <small>Care about how medicines are used.</small> www.StopMedicineAbuse.org</p> <p><b>SATISFACTION GUARANTEED 100%</b></p> <p>Distributed by C.D.M.A., Inc.© 43157 W. Nine Mile Novi, MI 48376-0995 www.qualitychoice.com Questions: 248-449-9300</p> <p>PLD-B289A L8004075</p>  <p>6 35515 95337 6</p>	age	dose	adults and children 12 years and over	30 mL every 6 hours	children 4 to 11 years	do not use unless directed by a doctor	children under 4 years	do not use	<p>NDC 63868-237-12</p> <p><b>QC QUALITY CHOICE</b></p> <p>*Compare to the active ingredients in VICKS® NYQUIL® Cough</p> <h1>Nighttime Cough</h1> <h2>Cough Relief</h2> <p>Dextromethorphan HBr   Doxylamine succinate</p> <p>For Relief of: Cough   Runny Nose &amp; Sneezing</p> <p>For Ages 12 Years &amp; Over Alcohol 10%</p> <p><b>Cherry Flavor</b></p>  <p><b>12 FL OZ (355 mL)</b></p> <p><b>Quality Choice NightTime Cough Relief</b></p>	<p>Failure to follow these warnings could result in serious consequences.</p> <p><b>Drug Facts</b></p> <table border="1"><thead><tr><th>Active ingredients (in each 30 mL)</th><th>Purposes</th></tr></thead><tbody><tr><td>Dextromethorphan HBr 30 mg.....</td><td>Cough suppressant</td></tr><tr><td>Doxylamine succinate 12.5 mg.....</td><td>Antihistamine</td></tr></tbody></table> <p><b>Uses</b> temporarily relieves cold symptoms</p> <ul style="list-style-type: none"><li>cough • runny nose and sneezing</li></ul> <p><b>Warnings</b></p> <p><b>Do not use</b></p> <ul style="list-style-type: none"><li>to make a child sleepy</li><li>if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</li></ul> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"><li>a sodium-restricted diet • asthma • emphysema • glaucoma</li><li>chronic bronchitis • excessive phlegm (mucus) • breathing problems</li><li>persistent or chronic cough • cough associated with smoking</li><li>trouble urinating due to an enlarged prostate gland</li></ul> <p><b>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</b></p> <p><b>When using this product</b> • do not use more than directed</p> <ul style="list-style-type: none"><li>excitability may occur, especially in children</li><li>marked drowsiness may occur • avoid alcoholic drinks</li><li>be careful when driving a motor vehicle or operating machinery</li><li>alcohol, sedatives, and tranquilizers may increase drowsiness</li></ul> <p><b>Stop use and ask a doctor if</b></p> <ul style="list-style-type: none"><li>fever gets worse or lasts more than 3 days</li><li>redness or swelling is present • new symptoms occur</li><li>pain or cough gets worse or lasts more than 7 days</li><li>cough comes back or occurs with rash or headache that lasts.</li></ul> <p>These could be signs of a serious condition.</p> <p><b>If pregnant or breast-feeding, ask a health professional before use.</b></p> <p><b>Keep out of reach of children.</b></p> <p>In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.</p>	Active ingredients (in each 30 mL)	Purposes	Dextromethorphan HBr 30 mg.....	Cough suppressant	Doxylamine succinate 12.5 mg.....	Antihistamine
age	dose															
adults and children 12 years and over	30 mL every 6 hours															
children 4 to 11 years	do not use unless directed by a doctor															
children under 4 years	do not use															
Active ingredients (in each 30 mL)	Purposes															
Dextromethorphan HBr 30 mg.....	Cough suppressant															
Doxylamine succinate 12.5 mg.....	Antihistamine															

# COUGH RELIEF NIGHTTIME

dextromethorphan hydrobromide, doxylamine succinate liquid

## Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63868-237
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	30 mg in 30 mL
DOXYLAMINE SUCCINATE (UNII: V9BI9B5YI2) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	12.5 mg in 30 mL

## Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-237-12	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/31/2016	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	03/31/2016	

---

**Labeler** - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 11/2019

QUALITY CHOICE (Chain Drug Marketing Association)