GERI-LANTA ANTACID ANTIGAS- aluminum hydroxide, magnesium hydroxide, dimethicone suspension

Preferred Pharmaceuticals Inc.

Geri-lanta original 629

Active ingredients (in each 5 mL teaspoonful)

Aluminum hydroxide 200 mg (equivalent to dried gel, USP) Magnesium hydroxide 200 mg Simethicone 20mg

Purposes

Antacid **Antigas**

Uses

relieves

- heartburn
- sour stomach
- acid indigestion
- the symptoms referred to as gas

Warnings

Ask a doctor before use if you have

- kidney disease
- a magnesium-restricted diet

Ask a doctor or pharmacist before use if you are presently taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks **If pregnant or breast-feeding,** ask a health professional before use.

Keep out of reach of children.

Directions

- shake well before use
- adults and children 12 years and older: take 2 to 4 teaspoonfuls between meals, at bedtime, or as directed by a doctor
- do not take more than 24 teaspoonfuls in 24 hours or use the maximum dosage

for more than 2 weeks

children under 12 years: ask a doctor

Other information

- each 5 mL teaspoonful contains: magnesium 85 mg, sodium 3 mg
- store at room temperature
- protect from freezing
- keep tightly closed

Inactive ingredients


benzyl alcohol, butylparaben, flavor (contains alcohol), hydroxyethylcellulose, propylparaben, purified water, saccharin sodium, sorbitol solution

Questions or comments?

1-800-540-3765

NDC 68788-8169-3

package Label



GERI-LANTA ANTACID ANTIGAS

aluminum hydroxide, magnesium hydroxide, dimethicone suspension

| Product Information | | | | |
|-------------------------|----------------|--------------------|-------------------------------|--|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:68788-8169(NDC:57896-629) | |
| Route of Administration | ORAL | | | |
| | | | | |

| Active Ingredient/Active Moiety | | | | |
|--|------------------------|-------------------|--|--|
| Ingredient Name | Basis of Strength | Strength | | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE - UNII:5QB0T2IUN0) | ALUMINUM HYDROXIDE | 200 mg in 5 mL | | |
| MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P) | MAGNESIUM HYDROXIDE | 200 mg in 5 mL | | |
| DIMETHICONE (UNII: 92RU3N3Y10) (DIMETHICONE - UNII:92RU3N3Y10) | DIMETHICONE | 20 mg in 5 mL | | |

| Inactive Ingredients | | | |
|--|----------|--|--|
| Ingredient Name | Strength | | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | | | |
| BUTYLPARABEN (UNII: 3QPI1U3FV8) | | | |
| HYDROXYETHYL CELLULOSE (4000 MPA.S AT 1%) (UNII: ZYD53NBL45) | | | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | | | |
| WATER (UNII: 059QF0KO0R) | | | |
| SACCHARIN SODIUM (UNII: SB8ZUX40TY) | | | |
| SORBITOL SOLUTION (UNII: 8KW3E207O2) | | | |

| Product Characteristics | | | |
|-------------------------|---------------------|--------------|--|
| Color | | Score | |
| Shape | | Size | |
| Flavor | LEMON (citrus mint) | Imprint Code | |
| Contains | | | |

| l | Packaging | | | | |
|---|-----------|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | 1 | NDC:68788- 8169-3 | 355 mL in 1 BOTTLE; Type 0: Not a Combination Product | 07/11/2022 | |

| Marketing Information | | | |
|-----------------------|---|-------------------------|-----------------------|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M001 | 07/11/2022 | |
| | | | |

Labeler - Preferred Pharmaceuticals Inc. (791119022)

Registrant - Preferred Pharmaceuticals Inc. (791119022)

| Establishment | | | | |
|--------------------------------|---------|-----------|----------------------------|--|
| Name | Address | ID/FEI | Business Operations | |
| Preferred Pharmaceuticals Inc. | | 791119022 | RELABEL(68788-8169) | |

Revised: 9/2024 Preferred Pharmaceuticals Inc.