

**ESSENTIAL DEFENSE MINERAL SHIELD BROAD SPECTRUM SPF 32 TINTED
SUNSCREEN- titanium dioxide and zinc oxide lotion
Allergan, Inc.**

Drug Facts

Active ingredients

Titanium Dioxide 5.0%

Zinc Oxide 6.0%

Purpose

Sunscreen

Sunscreen

Uses

- Helps prevent sunburn
- If used as directed with other sun protection measures (see *Directions*) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if skin rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- Use a water resistant sunscreen if swimming or sweating
- Reapply at least every 2 hours
- **Sun Protection Measures** Spending time in the sun increases the risk of skin

cancer, premature skin aging and other skin damage. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including limiting time in the sun from 10 a.m.-2 p.m., and wearing protective clothing

- Children under 6 months: Ask a doctor

Inactive ingredients

Water, Cyclopentasiloxane, Dimethicone, Polyglyceryl-3 Polydimethylsiloxyethyl Dimethicone, Butylene Glycol, Aluminum Hydroxide, Dimethicone/PEG-10/15 Cross polymer, PEG-9 Polydimethylsiloxyethyl Dimethicone, Sodium Chloride, Caffeine, Camellia Oleifera Leaf Extract, Tocopheryl Acetate, Sodium Citrate, Dimethicone/Vinyl Dimethicone Crosspolymer, Triethoxysilylethyl Polydimethylsiloxyethyl Hexyl Dimethicone, PEG/PPG-18/18 Dimethicone, Triethoxycaprylylsilane, Stearic Acid, Ethylhexylglycerin, Phenoxyethanol, Iron Oxides (CI 77491, CI 77492, CI 77499)

Other information

- Protect this product from excessive heat and direct sun
- Store at room temperature 15° - 30°C (59° - 86°F)

Questions or comments?

www.skinmedica.com

Principal Display Panel - Carton Label

SkinMedica®
ESSENTIAL
DEFENSE
MINERAL SHIELD™
BROAD SPECTRUM
SPF 32
SUNSCREEN
POST PROCEDURE &
SENSITIVE SKIN
TINTED
SUN PROTECTION
Net Wt. 1.85 Oz. / 52.5 g



Principal Display Panel - Tube Label

SkinMedica®
 ESSENTIAL
 DEFENSE
 MINERAL SHIELD™
 BROAD SPECTRUM

SPF 32
 SUNSCREEN
 POST-PROCEDURE &
 SENSITIVE SKIN
 TINTED
 SUN PROTECTION
 Net Wt. 1.85 Oz. / 52.5 g



ESSENTIAL DEFENSE MINERAL SHIELD BROAD SPECTRUM SPF 32 TINTED SUNSCREEN

titanium dioxide and zinc oxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:0023-5675 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|--------------------------|-----------------|
| Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP) | Titanium Dioxide | 50 mg in 1 g |
| Zinc oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z) | Zinc oxide | 60 mg in 1 g |

Inactive Ingredients

| Ingredient Name | Strength |
|---|-----------------|
| WATER (UNII: 059QF0KO0R) | |
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| POLYGLYCERYL-3 POLYDIMETHYLSILOXYETHYL DIMETHICONE (4000 MPA.S) (UNII: RLA2U05Z4Q) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) | |
| SODIUM CHLORIDE (UNII: 451W47IQ8X) | |
| PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: TYP81E471F) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| FERRIC OXIDE YELLOW (UNII: EX438O2MRT) | |
| DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5) | |
| SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR) | |
| PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794) | |
| FERRIC OXIDE RED (UNII: 1K09F3G675) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| CAMELLIA OLEIFERA LEAF (UNII: 5077EL0C60) | |
| TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E) | |
| .ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0) | |
| FERROSO FERRIC OXIDE (UNII: XM0M87F357) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| CAFFEINE (UNII: 3G6A5W338E) | |
| DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|----------|------------------|--|-----------------------------|---------------------------|
| 1 | NDC:0023-5675-17 | 1 in 1 CARTON | 03/16/2016 | |
| 1 | | 52.5 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 2 | NDC:0023-5675-08 | 1 in 1 CARTON | 03/16/2016 | |
| 2 | | 227 g in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 3 | NDC:0023-5675-25 | 6 in 1 CARTON | 03/16/2016 | |
| 3 | | 7.1 g in 1 TUBE; Type 0: Not a Combination Product | | |
| 4 | NDC:0023-5675-13 | 12 in 1 CARTON | 03/16/2016 | |
| 4 | | 3.68 g in 1 TUBE; Type 0: Not a Combination Product | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 03/16/2016 | |

Labeler - Allergan, Inc. (144796497)

Revised: 1/2019

Allergan, Inc.