

MOBILITY- methyl salicylate oil

Mayway Corporation

Mobility

Active ingredients

Active ingredients	Purpose
Methyl Salicylate 20%.....	External Analgesic
Menthol 8%.....	External Analgesic
Camphor 4%	External Analgesic
Capsicum Oleoresin 0.25%.....	External Analgesic

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, or diarrhea occurs
- pain persists for more than 10 days
- redness is present
- in conditions affecting children under 12 years of ageDo not use otherwise than as directed

Keep out of reach of children

Keep out of reach of children to avoid accidental poisoning.

If swallowed, get medical help or contact a Poison Control Center right away

Do not use otherwise than as directed

Directions

Pregnant or breastfeeding women and children under 3: Do not use or consult a doctor

Directions

- adults and children 12 years of age and older: Apply generously to the affected area and massage until thoroughly absorbed into skin
- repeat as necessary but not more than 4 times daily.
- pregnant or breastfeeding women and children under 3: Do not use or consult a doctor

Other information

- Keep tightly closed
- Store at room temperature, 20° to 25°C(68° to 77F)

Inactive ingredients

Frankincense oil, Ligusticum chuanxiong rhizome oil, Mineral Oil, Myrrh oil, Peppermint oil, Pine oil, Turpeneol, Thyme oil, Turpentine oil

Questions?

+1-800-262-9929 M-F 9am - 5pm

Warnings

For external use only

Purpose

Active ingredients	Purpose
Methyl Salicylate 20%.....	External Analgesic
Menthol 8%.....	External Analgesic
Camphor 4%	External Analgesic
Capsicum Oleoresin 0.25%.....	External Analgesic

Do not use

- on wounds
- irritated or damaged skin
- if allergic to aspirin or other NSAIDs

When using this product

- avoid contact with the eyes or mucous membranes
- do not bandage tightly or use with heating pad
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens
- symptoms persist for more than 7 days
- symptoms clear up and occur again within a few days
- excessive irritation of the skin develops
- nausea, vomiting, abdominal discomfort, or diarrhea occurs
- pain persists for more than 10 days
- redness is present
- in conditions affecting children under 12 years of age

Warnings

For external use only

Uses

For the temporary relief of minor aches and pains of muscles and joints due to:

- arthritis
- strains
- bruises
- sprains
- simple backache

Mobility Principal Display Panel

Mobility Principal Display Panel



MOBILITY			
methyl salicylate oil			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:33346-3401
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
		Product of	

Ingredient Name	Basis or Strength	Strength
METHYL SALICYLATE (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	10 g in 50 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	4 g in 50 mL
CAMPHOR OIL (UNII: 75IZZ8Y727) (CAMPHOR OIL - UNII:75IZZ8Y727)	CAMPHOR OIL	2 g in 50 mL
CAPSICUM OLEORESIN (UNII: UW86K581WY) (CAPSICUM OLEORESIN - UNII:UW86K581WY)	CAPSAICIN	0.125 g in 50 mL

Inactive Ingredients

Ingredient Name	Strength
TURPENTINE OIL (UNII: C5H0QJ6V7F)	
LIGUSTICUM SINENSE SUBSP. CHUANXIONG WHOLE (UNII: CAX256379F)	
FRANKINCENSE OIL (UNII: 67ZYA5T02K)	
MYRRH OIL (UNII: H74221J5J4)	
MINERAL OIL (UNII: T5L8T28FGP)	
PEPPERMINT OIL (UNII: AV092KU4JH)	
PINE NEEDLE OIL (PINUS SYLVESTRIS) (UNII: 5EXL5H740Y)	
TERPINEOL (UNII: R53Q4ZWC99)	
THYME OIL (UNII: 2UK410MY6B)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:33346-3401-4	1 in 1 BOX	11/24/2024	
1	NDC:33346-3401-3	50 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/26/2018	

Labeler - Mayway Corporation (093077618)